The gardening catalogue

100



Over 370 years of history are proof of our commitment to quality. Fiskars products are ingeniously functional, uniquely user-friendly, impressively long-lasting and aesthetically iconic.

The gardening catalogue









- 10 Seasonal calendar
- 12 Plant, grow, harvest Tips for seasonal planting, growing and harvesting
- 16 Outdoor cooking Norden Outdoor cooking novelties

22 Plant Care

Pruners X-series[™] · Plus · Solid[™] Professional Pruners · Fingerloop Solid[™] snips · Other Loppers PowerGear[™]X PowerGear[™] · SmartFit[™] SingleStep[™] · Other Hedge Shears PowerGear[™]X SmartFit[™] · PowerLever[™] · Other **Tree pruners** PowerGear[™]X · Other Tree Pruners & Accessories **Scissors** Classic · Other · ReNew

64 Lawn Care

Rakes $\mathsf{Xact}^{{}^{\scriptscriptstyle{\mathsf{T}}\!\!\mathsf{}}}\cdot\mathsf{Ergonomic}^{{}^{\scriptscriptstyle{\mathsf{T}}\!\!\mathsf{}}}\cdot\mathsf{Classic}$ White · Solid[™] **Grass Shears** PowerLever[™] · Servo-System[™] SmartFit[™] · White · Solid[™]

Weed Pullers Xact[™] · SmartFit[™] · White Classic & Solid[™] Yard Tools Classic · Ergo[™] · Solid[™] Reel Mowers StaySharp™

82 Soil Care


Growing & Planting Xact[™] · Ergo[™] · Solid[™] Harvesting X-series[™] · Plus[™] · Solid[™] Shovels, Spades & Forks Xact[™] · Ergonomic[™] · White · Solid[™] QuikDrill[™] Soil Care Tools Classic · Xact[™] · Ergonomic[™] White · Solid[™] **Nursery Tools** Xact[™] · Premium Planters[™] · Ergo[™] White · Solid[™]

116 Yard Cleaning White · Solid[™]

122 Kids Tools


126 Fiskars QuikFit[™] Click & Reach · Click & Clean · Click & Grow
















140 Wood Preparation

Axes · Norden Axes · X-series™ Axes WoodXpert[™] Wood handling tools · Felling levers · Brush hooks · Log hook & tongs · Sappies · Yard clearing tools Saws · Plus saws · Xtract[™] saws · Fixed blade saws Other tools · Splitting tools, Sledge Hammers & Wedges · Knives

164 Watering

- Waterwheels · Hoses · Sprinklers · Spray Nozzles · Connectors
- · Accessories · Sets
- 203 Fiskars Car Tools SnowXpert[™] · Solid[™]

206 Fiskars Snow Tools

X-series[™] · SnowXpert[™] · Classic snow tools

212 Accessories

214 Maintenance & Spare Parts

Please note! All the measurements portrayed in the catalogue are products in packaging measurements.

We be leve that happiness is **yours to grow**



Metake action of the envronment

Doing what we love brings us happiness. To really enjoy the activities we love, and make a positive impact beyond our homes, Fiskars takes action for the environment. Every product detail is designed for the best of the user and the environment, increasing sustainability and overall happiness.

We create for circularity We design for longevity

> We reinvent packaging

Find out more at fiskars.co

We innovate materials

We optimize resource use

New gardening products 2023

New Global stick tools Wood prep Watering



Yearly Calendar for gardening products



Tools for Winter

While winter may be a time for rest in the garden, it can also call for snow clearing and a need for firewood.





1051143 Norden Chopping Axe N10

1057076 Solid[™] Spreader



1057177 X-series[™] Snow shovel

Tools for Fall

Fall is the time to enjoy the fruits and veggies of our labour and prepare for upcoming winter.





1001414 QuikFit[™] Gutter Cleaner



1062831 Plus Garden Harvesting Basket





Right tools for every season

Tools for Spring

Spring is the time for big changes in the garden, when preparation is a must for the upcoming growing season.

Plant, grow, harvest

Designed for happy planting & harvesting

Nothing tastes better than freedom and independence. No wonder that more and more people (also, and especially, in urban areas) are growing their own vegetables and fruit – whether on the smallest balcony, in the seasonal garden or on their own XXL plot of land. We show how easy it is to supplement supermarket shopping with your own produce.

The balcony: For the minimalist

From classic planter boxes to vertical gardening or a potato tower – the balcony offers more space for culinary self-fulfilment than one might initially think. Nevertheless, vegetables, fruit and herbs on the balcony should be one thing above all: robust and high-yielding.



WHAT GROWS ON THE SOUTH-FACING BALCONY? Welcome to the sunny side of life

with the best conditions for a small, self-catering existence. From spring to autumn everything that grows in full sun can be sown and harvested on the south-facing balcony.

However, it can even get too hot for them: Therefore, it is best to provide shade, a sunshade is usually sufficient. Large planters, pots and boxes store water well, so that you don't have to water all the time.





Tomatoes Strawberries Rosemary Courgettes Bell peppers Chillis Peppermint Chives Beans Cucumbers



NORTH



Rocket Spinach Ramsons Chard Kohlrabi Radishes Mache

WHAT GROWS ON THE NORTH-FACING BALCONY? Imagine you live on the

Imagine you live on the Mediterranean. Then someone suddenly transports you to cold climes. You would die, just like plants and herbs from the Mediterranean. So with rosemary or oranges you don't even need to try it on the north balcony. Nevertheless, some things can grow there. It is best not to place the containers directly on the ground, but rather hang them on a railing or in a hanging basket. A bonus: Here the plants are more likely to forgive you if you forget to water them.

The seasonal garden: For the part-time self-supporter



Among the top five favourite gardening activities, planting and cultivating of own fruit and vegetables sits far in the lead. Many people dream of having their own garden, however few can make it a reality. This is why more and more hobby gardeners are renting a seasonal garden.

Here, as the name suggests, it is usually possible to rake, weed and harvest from March to November. Most of the plots are available in different sizes (from approx. 25 m² to 80 m²). Depending on space and taste, any fruit and vegetables can be planted.



CHOICE OF SUITABLE OPTIONS Sweetcorn Broccoli Parsley Gooseberries

Create a dance of color with bulbs

The last day of winter easily becomes the first day of spring if you have planted early spring bulbs like snowdrops or galanthus in the autumn months. As spring progresses to summer you can enjoy gently nodding daffodils, vibrant tulips or majestic alliums that impress every year. With these planting tips, next spring is sure to be vibrant and colorful.

Onions

Potatoes

Lettuce

Carrots

PLANTING TIPS FOR TULIP BULBS

- 1. Fill the planter to about three quarters with soil. Dig a small hole for the bulb.
- 2. Place the bulb in the soil. Rule of thumb: flower bulbs must be planted three times as deep as the bulb is tall.
- Cover the bulb loosely with soil. Only water a little, as the bulb won't develop well if too much liquid is added, or even rots.
- 4. All you need now is a little patience, and in no time you'll be able to enjoy the flowerage.

Planting time: September to December Blooming period: March to June





The XXL garden: For the all-rounder

No space problems, enough distance and sufficient light – we pay tribute to large gardens. Here you can let off steam and plant what you like all year round. Those who also try their hand at winter vegetables will not only save themselves a trip to the supermarket in the colder season, they'll also do something for their good conscience, as exotic, imported fruit and vegetables often have been transported long distances.

WHAT ARE TYPICAL WINTER VEGETABLES?

Root vegetables: beetroot, parsnips, swede. Leafy vegetables: mache, endive, chicory. Cabbage: Curly kale, white cabbage, red cabbage.

WILL MY VEGETABLES NOT FREEZE TO DEATH IN WINTER? While some of us take out our winter

While some of us take out our winter socks at temperatures below 20 degrees, most winter-proof vegetables don't even mind a light blanket of snow. Lettuce leaves freeze in frost, but they also thaw quickly. Wait to harvest them, as they could become mushy.





Norden Lasting Nordic design inspired by nature

Norden draws inspiration from Nordic nature, culture and traditions and then reinterprets them in a modern way. The range captures the Nordic way of living; progressive, yet strongly rooted in heritage. The range consists of cast iron and stainless steel cookware, premium kitchen knives, outdoor cooking tools and utensils.

Norden outdoor cooking tools features & benefits

DESIGNED

3

NEW! Norden outdoor cooking tools

Grill Chef p	ot		Art. no.	1066430	z		
Height: 13,1 cm	Length: 33,2 cm	Width: 34 cm	Weight: 5,86 kg	Retail box: 1	Old art. no.	-	6 4 2 4 0 0 2 0 1 6 3 1 1
New	3	P		CUARANTEE 255 YEARS	on the grill • Thermiu to clean au • Premium • Part of th • Suitable	and indoors a m™ mineral tre nd care for n stainless stee ne stackable N	lorden Grill Chef system ceramic, gas and traditional hobs. Also



Grill Chef cooking plate



Grill Chef spatula





 Solid, premium wood Oak and heat-treated birch wood are sourced from sustainably managed forests.

2 Premium stain-

Premium stainless steel for

durability and high tempera-

performance

ture use

All wooden grilling utensils are suitable for non-stick cookware surfaces. Perfectly balanced less steel for ultimate

cookware

2

Perfect balance for comfort and control in use.

3 Wood for non-stick



Durable cast iron Durable cast iron pot and plate are ideal for a wide variety of cooking styles.

2 Easy to clean THERMIUM[™] mineral treatment makes inner surface very easy to clean and care for.

8 High temperatures Heatproof up to 270°C, Not recommended for use with metal utensils.



Premium stainless steel Premium stainless steel for lasting durability.

5

5 Stainless steel steaming basket Multi-function cooking: use it as a grill basket for preparing delicate ingredients, as a steamer or as a colander.

6 Norden Grill Chef system Use it with the Norden Grill Chef Pot for 1- or 2-layer steaming on your barbeque grill or indoor kitchen.

Stackability Part of the stackable Norden Grill Chef system.



	Art. no.	1066431	EAN	
ail box: 1	Old art. no.	-	Ē	6" 4 2 4 0 0 2" 0 1 6 3 2 8"
ARANTEE 255 Years	delicate ing • Premium • Use it wit	gredients, as a stea stainless steel for	amei Iasti Chei	ing durability f Pot for 1- or 2-layer steaming

• Part of the stackable Norden Grill Chef system

	Art. no.	1066432	EAN
ail box: 1	Old art. no.	-	6 4 2 4 0 0 2 0 1 6 3 3 5
ARANTEE 255 YEARS	 vegetables Two layer makes coo Bottom lession 	on the grill or over s of enamel and u king surface very egs provide stabili	eal for cooking pancakes, fish or r open flame nique Thermium™ mineral treatmen easy to clean and care for ry while cooking and serving en Grill Chef system

• Suitable for open fire and different grills

	Art. no.	1066425	EAN	
ail box: 1	Old art. no.	-	Ш	6 ¹¹ 4 2 4 0 0 2 ¹¹ 0 1 6 2 6 7 ¹¹
ARANTEE	flip food • Serrated	emium stainless ste edge cuts ingredie ent loop for hanging	ents	ead is thinly shaped to easily

- Convenient loop for hanging when not in use
 Handle made of high-quality, heat-treated birch

	Art. no.	1066426	EAN	
ail box: 1	Old art. no.	-	Ē	6 4 2 4 0 0 2 0 1 6 2 7 4
	• Colid pro		aaltar	aa baya a pan tujating jaint

- Solid, premium stainless steel tongs have a non-twisting joint for precision
- Serration enables good grip
- Convenient loop for hanging when not in use
- Handle made of high-quality, heat-treated birch

Grill Chef fo	ork				Art. no. 1066427		
Height: 2,9 cm	Length: 45,2 cm	Width: 8,7 cm	Weight: 0,31 kg	Retail box: 1	Old art. no	6 424002 016281	
New			100		 Solid, premium stainless st Convenient loop for hanging 	eel fork easily grabs large ingredients a when not in use	



Grill Chef sp	ooon wooder	1			Art. no.	1066428	z	6 4 2 4 0 0 2 0 1 6 2 9 8
Height: 2,5 cm	Length: 43,2 cm	Width: 7,7 cm	Weight: 0,13 kg	Retail box: 4	Old art. no.	-	EA	6 4 2 4 0 0 2 0 1 6 2 9 8



 A beautiful piece for grilling, cooking and serving
 Made of solid, high-quality oak
Natural variation in wood colour and grain makes each product unique
 Perfectly balanced design
Safe for use with non-stick cookware

Grill Chef sp	oatula woode	en			Art. no. 10	066429	
Height: 2,5 cm	Length: 43,2 cm	Width: 7,7 cm	Weight: 0,13 kg	Retail box: 4	Old art. no		6 4 2 4 0 0 2 0 1 6 3 0 4



A beautiful piece for grilling, cooking and serving
Made of solid, high-quality oak
Natural variation in wood colour and grain makes each product

Perfectly balanced design
Safe for use with non-stick cookware

Grill Chef to	ols set 2pcs				Art. no. 106	066552	
Height: 3,3 cm	Length: 47,3 cm	Width: 14,2 cm	Weight: 0,78 kg	Retail box: 1	Old art. no	1	6 424002 016489



Spatula's solid, premium stainless steel head is thinly shaped to easily flip food
Spatula's serrated edge cuts ingredients
Tong's are made of premium stainless steel and have a non-twisting joint for precision
Tong's serration enables good grip
Convenient loop for hanging when not in use
Handle made of high-quality, heat-treated birch



Plant Care

C. HEALTH

Pruners p.26 Loppers p.44 Hedge Shears p.50 Tree Pruners p Scissors p.57

Why is Fiskars #1 in cutting?

Design philosophy

We submerge ourselves in segmentation studies, immersive consumer interviews and usability research to find ingenious ways to continually improve our products. As a result, we've won many awards, including the prestigious RedDot Best of the **Best Design Awards.**

Innovation

We've developed hundreds of patents and technologies to-date, all designed to help our tools outperform the competition and feel like a natural extension of your body.

Durability & quality

In addition to using only the highest quality materials, all of our products must pass rigorous lab testing before they can be distributed.

Global leader

Already known as the world's #1 brand in scissors, our gardening tools are also top sellers in Europe, North America, Australia and the Middle East.

Commitment

If gardening is happiness, Fiskars is committed to providing tools to help you find 100% happiness in the garden.

Founded in 1649, Fiskars' iconic heritage of creating highly aesthetic, intuitive tools makes us proud to be a world-renowned expert in two-blade cutting and manual hand tools for gardening enthusiasts all over the world.

New Pruners

Offer your customers a balance of products from each of our three ranges to ensure quality options for each and every consumer – no matter what motivates them.



Exceptional performance.

Our top-of-the-line range of products combines the best of our technologies and ergonomics with the ultimate in durability, offering a best-in-class option that truly improves the perception – and experience – of the activity itself. Model IDs: P900



Adds something more.

Our mid-range offers the opportunity to trade-up casual users to reliable tools that are better equipped for rugged, everyday use. Improved durability and thoughtful, additional features allow these tools to offer a more enhanced user experience. Model IDs: P500-700



The solid choice.

Our base range offers quality, no-frills tools that will entice and introduce casual or new users to the brand. Model IDs: P100-300



X-series[™] Pruners

QUALITY SINCE 1645

Features **benefits**

1 Best-in-class cutting performance

Unique PowerGear[™] mechanism generates 3x more cutting power The rotating handle minimises strain on fingers, while allowing the user to use all their fingers simultanously

2 Blade capacity


Designed for easy and clean cutting, these pruners are ideal for quick snips on thinner branches, as well as heavy cuts on thicker branches

8 Blade coating

Silver PTFE coating for less friction

4 Grip

Improved SoftGrip[™] with texture for comfort and better grip



MORE POWER



FISKARS

X-series[™] Pruners

Exceptional performance.

Combining best-in-class technologies, ergonomics and durability to provide an experience that exceeds expectations. Gardening will never be the same.

X-series [™] I	Bypass Prune	er, L (P961)	Art. no. 1057175		
Height: 28.5 cm	Length: 4.4 cm	Width: 9.5 cm	Weight: 0.247 kg	Retail box: 4	Oldart.no
_	-		CUARANTEE 25 VEARST	PowerGear" 3X MORE POWER	 PowerGear™ maximises leverage for 3x more power. For clean cuts on green, living growth up to Ø 26 mm. Fully hardened, precision-ground steel blade stays sharp longer. Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming. Ergonomic FiberComp™ handle with full SoftGrip™ deta secure, comfortable grip. Optimised for both medium and large hand sizes.
X-series [™]	Anvil Pruner (P941)			Art. no. 1057174
Height: 28.5 cm	Length: 4.4 cm	Width: 9.5 cm	Weight: 0.246 kg	Retail box: 4	Old art. no 6'4 1150 1'1112.
_6		1	GUARANTEE 25 VEARS	PowerGear" 300 MORE POWER	 PowerGear[™] maximises leverage for 3x more power. Anvil-style blade for cleaner cuts while pruning dead grow to Ø 26 mm. Fully hardened, precision-ground steel blade stays sharp longer. Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming. Ergonomic FiberComp[™] handle with full SoftGrip[™] deta secure, comfortable grip.
X-series™ I	Bypass Prune	er, M (P921)			Art. no. 1057173
Height: 28.5 cm	Length: 4.4 cm	Width: 9.5 cm	Weight: 0.245 kg	Retail box: 4	Old art. no 6 4 1 1 5 0 1 1 1 1 2
0	2		GUARANTEE 25 VEARS	PowerGear" 3X MORE POWER	 PowerGear™ maximises leverage for 3x more power. Bypass blade for clean cuts on green, living growth up to mm. Fully hardened, precision-ground steel blade stays sharp longer. Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming. Ergonomic FiberComp™ handle with full SoftGrip™ deta

X-series [™] I	Bypass Prune	er, L (P961)			Art. no. 1057175
Height: 28.5 cm	Length: 4.4 cm	Width: 9.5 cm	Weight: 0.247 kg	Retail box: 4	Oldart.no 6"411501"1112
_	-		CUARANTEE 255 VEARS	PowerGear" 3X MORE POWER	 PowerGear™ maximises leverage for 3x more power. For clean cuts on green, living growth up to Ø 26 mm. Fully hardened, precision-ground steel blade stays sharp longer. Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming. Ergonomic FiberComp™ handle with full SoftGrip™ deta secure, comfortable grip. Optimised for both medium and large hand sizes.
X-series™ /	Anvil Pruner (P941)			Art. no. 1057174
Height: 28.5 cm	Length: 4.4 cm	Width: 9.5 cm	Weight: 0.246 kg	Retail box: 4	Old art. no
_0			GUARANTEE 25 VEARS	PowerGear" 300 MORE POWER	 PowerGear™ maximises leverage for 3x more power. Anvil-style blade for cleaner cuts while pruning dead gro to Ø 26 mm. Fully hardened, precision-ground steel blade stays sharp longer. Low-friction blade coating resists rust and improves perf mance, resulting in smoother cuts and less gumming. Ergonomic FiberComp™ handle with full SoftGrip™ deta secure, comfortable grip.
X-series™ I	Bypass Prune	er, M (P921)			Art. no. 1057173
Height: 28.5 cm	Length: 4.4 cm	Width: 9.5 cm	Weight: 0.245 kg	Retail box: 4	Old art. no 6 4 11 5 0 1 1 1 1 2
0	2		CUARANTEE 255 VEARS	PowerGear"	 PowerGear[™] maximises leverage for 3x more power. Bypass blade for clean cuts on green, living growth up to mm. Fully hardened, precision-ground steel blade stays sharp longer. Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming.

X-series [™] I	Bypass Prune	er, L (P961)			Art. no. 1057175		
Height: 28.5 cm	Length: 4.4 cm	Width: 9.5 cm	Weight: 0.247 kg	Retail box: 4	Old art. no	111234	
_	-		CUARANTEE 25 VEARS	PowerGear" 3X MORE POWER	 PowerGear™ maximises leverage for 3x more poil For clean cuts on green, living growth up to Ø 26 r Fully hardened, precision-ground steel blade stay longer. Low-friction blade coating resists rust and improvimance, resulting in smoother cuts and less gummir Ergonomic FiberComp™ handle with full SoftGrip secure, comfortable grip. Optimised for both medium and large hand sizes. 	nm. s sharp es perfor- ng. ™ details	
X-series™ A	Anvil Pruner (P941)			Art. no. 1057174		
Height: 28.5 cm	Length: 4.4 cm	Width: 9.5 cm	Weight: 0.246 kg	Retail box: 4	Old art. no 6 ¹¹ 4 1 1 5 0 1	11122	
_6			QUARANTEE 25 VEARS	PowerGear" 300 MORE POWER	 PowerGear™ maximises leverage for 3x more poil Anvil-style blade for cleaner cuts while pruning det to Ø 26 mm. Fully hardened, precision-ground steel blade stay longer. Low-friction blade coating resists rust and improvimance, resulting in smoother cuts and less gummir Ergonomic FiberComp™ handle with full SoftGrip secure, comfortable grip. 	ad growt s sharp es perfor 1g.	
X-series™ I	Bypass Prune	er, M (P921)			Art. no. 1057173		
Height: 28.5 cm	Length: 4.4 cm	Width: 9.5 cm	Weight: 0.245 kg	Retail box: 4	Old art. no 6"411501"	11121	
-0	2		CUJARANTEE 25 VEARS	PowerGeer" 3X MORE POWER	 PowerGear[™] maximises leverage for 3x more powerGear[™] maximises leverage for 3x more powerGear State of the s	h up to Ø s sharp es perfor- ig.	





secure, comfortable grip. • Optimised for both small and medium hand sizes.

Plus Pruners


Features & benefits

1 Best-in-class cutting performance Sharp and long-lasting, hardened carbon steel blades

2 Blade capacity Ideal for medium-sized branches

8 Blade coating PTFE coating for less friction

4 Grip SoftGrip[™] for comfort and better grip



FISKARS

P541

Plus Pruners

Adds something more.

Trusted performers with additional features that not only improve durability, but enhance the overall experience. Better tools, equipped for rugged, everyday use.

Plus [™] Bypa	ass Pruner, m	etal (P751)			Art. no. 1057172
Height: 28.5 cm	Length: 2.5 cm	Width: 9.5 cm	Weight: 0.276 kg	Retail box: 4	Old art. no
				VPA Geometric	 Power-Lever[™] powers through tough stems and branches. Bypass blade for clean cuts on green, living growth up to Ø 2 mm. Fully hardened, precision-ground steel blade stays sharp longer. Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming. Ergonomic cast-aluminium handle with SoftGrip[™] details for secure, comfortable grip.
Plus™ Anvi	l Pruner (P741	I)			Art. no. 1057171
Height: 28.5 cm	Length: 2.5 cm	Width: 9.5 cm	Weight: 0.207 kg	Retail box: 4	Old art. no
٢				VPA Sector Driver	 Power-Lever[™] powers through tough stems and branches. Anvil-style blade for cleaner cuts while pruning dead growth to Ø 24 mm. Fully hardened, precision-ground steel blade stays sharp longer. Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming. Ergonomic FiberComp[™] handle with SoftGrip[™] reduces fatigue and adds durability and comfort.
Plus™ Bypa	ass Pruner (P	721)			Art. no. 1057170

Plus [™] Bypa	ass Pruner, m	netal (P751)			Art. no. 1057172
Height: 28.5 cm	Length: 2.5 cm	Width: 9.5 cm	Weight: 0.276 kg	Retail box: 4	Oldart.no
				VPA Geot	 Power-Lever[™] powers through tough stems and branches. Bypass blade for clean cuts on green, living growth up to Ø 2 mm. Fully hardened, precision-ground steel blade stays sharp longer. Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming. Ergonomic cast-aluminium handle with SoftGrip[™] details for secure, comfortable grip.
Plus [™] Anvi	l Pruner (P74 ⁻	1)			Art. no. 1057171
Height: 28.5 cm	Length: 2.5 cm	Width: 9.5 cm	Weight: 0.207 kg	Retail box: 4	Oldart.no
٢				VPA Sector interest	 Power-Lever[™] powers through tough stems and branches. Anvil-style blade for cleaner cuts while pruning dead growth to Ø 24 mm. Fully hardened, precision-ground steel blade stays sharp longer. Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming. Ergonomic FiberComp[™] handle with SoftGrip[™] reduces fatigue and adds durability and comfort.
Plus [™] Bypa	ass Pruner (P	721)			Art. no. 1057170

Plus [™] Bypa	ass Pruner, m	netal (P751)			Art. no. 1057172 z		
Height: 28.5 cm	Length: 2.5 cm	Width: 9.5 cm	Weight: 0.276 kg	Retail box: 4	Old art. no		
				VPA Sector	 Power-Lever[™] powers through tough stems and branche Bypass blade for clean cuts on green, living growth up to mm. Fully hardened, precision-ground steel blade stays sharp longer. Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming. Ergonomic cast-aluminium handle with SoftGrip[™] details secure, comfortable grip. 		
Plus™ Anvi	l Pruner (P74 ⁻	1)			Art. no. 1057171		
Height: 28.5 cm	Length: 2.5 cm	Width: 9.5 cm	Weight: 0.207 kg	Retail box: 4	Old art. no		
٢				VPAS	 Power-Lever[™] powers through tough stems and branche Anvil-style blade for cleaner cuts while pruning dead grow to Ø 24 mm. Fully hardened, precision-ground steel blade stays sharp longer. Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming. Ergonomic FiberComp[™] handle with SoftGrip[™] reduces fatigue and adds durability and comfort. 		
Plus™ Bypa	ass Pruner (P	721)			Art. no. 1057170		
Height: 28.5 cm	Length: 2.5 cm	Width: 9.5 cm	Weight: 0.202 kg	Retail box: 4	Old art. no		
Ø				VPA Geste	 Power-Lever[™] powers through tough stems and branche Bypass blade for clean cuts on green, living growth up to mm. Fully hardened, precision-ground steel blade stays sharp longer. Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming. 		



 Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming.

• Ergonomic FiberComp[™] handle with full SoftGrip[™] details for secure, comfortable grip.

Ŷ	
red <mark>dot</mark> winner 202 best of the best	1

artFit™ Bypa	ss Pruner (PS	Art. no. 1057169		
Length: 2cm	Width: 7.6 cm	Weight: 0.194 kg	Retail box: 4	Old art. no
	1			 SmartFit[™] lever adjusts how wide the pruner opens for easy pruning of stems and branches. For clean cuts on green, living growth up to Ø 24 mm. Fully hardened, precision-ground steel blade stays sharp longer. Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming. Ergonomic FiberComp[™] handle with full SoftGrip[™] detail for secure, comfortable grip. Easy-open lock protects blade during transport and storage.
ass Pruner, n	netal (P531)			Art. no. 1057168
Length: 2.3 cm	Width: 7.6 cm	Weight: 0.269 kg	Retail box: 4	Old art. no
			VPA GGene	 Fully hardened, precision-ground steel blade stays sharp longer. Bypass blade for clean cuts on green, living growth up to Ø 24 mm. Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming. Ergonomic cast aluminium handle with full SoftGrip™ detail for a secure, comfortable grip. Conveniently placed lock for quick, easy activation.
//				
	Length: 2 cm	Length: 2 cm Width: 7.6 cm	ass Pruner, metal (P531) Length: 2.3 cm Width: 7.6 cm Weight: 0.269 kg	Length: 2 cm Width: 7.6 cm Weight: 0.194 kg Retail box: 4 Image: Second colspan="3">Image: Second colspan="3">Image: Second colspan="3"





• Fully hardened, precision-ground steel blade stays sharp longer.

• Bypass blade for clean cuts on green, living growth up to Ø 24 mm.

· Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming. Ergonomic FiberComp[™] handle with full SoftGrip[™] detail for a secure, comfortable grip.

· Easy-open lock protects blade during transport and storage.

Anvil or bypass?

Both blade and counter blade press into the wood to make clean cuts with less compression damage. In other words, the cutting blade bypasses the counter blade in a scissors-like fashion. This makes it possible to cut close to the stem, making bypass pruners ideal for cutting fresh wood.

The upper blade is forced through the wood with greater pressure as the anvil blade supports the branch, spreading pressure until the cut is complete. Anvil blades are ideal for cutting dry or dead wood.

Solid[™] **Pruners**

3




2

1 Best-in-class cutting performance

2 Blade capacity

3 Blade coating

4 Grip



The "solid choice."

Simple, effective and affordable with the quality Fiskars is known for. In short, these tools get the job done.



Solid[™] Pruners



reddot winner 2021 best of the best

Solid™ Anvil Pruner, metal (P371)					Art. no. 1057166	z
Height: 2cm	Length: 25,8 cm	Width: 7,5 cm	Weight: 0,19 kg	Retail box: 4	Old art. no	₫ 6 [°] 411501 [°] 111135 [°]
	-			VPA Capite Schemat	 Anvil-style blade for c to Ø 22 mm. 	sion-ground steel blade stays sharp leaner cuts while pruning dead growth u ating resists rust and improves perfor-

blade coating resists rust and improves performance, resulting in smoother cuts and less gumming. ● Strong steel handle with SoftGrip™ for added comfort. Easy-open lock protects the blade during transport and storage.

Solid™ Anvil Pruner (P361)					Art. no.	1057165	EAN	
Height: 26.5 cm	Length: 2 cm	Width: 7.6 cm	Weight: 0.187 kg	Retail box: 4	Old art. no.		Ш	6 ¹¹ 4 1 1 5 0 1 ¹¹ 1 1 1 1 1 2 8 ¹

• Fully hardened, precision-ground steel blade stays sharp longer.

 Anvil-style blade for cleaner cuts while pruning dead growth up to Ø 20 mm.

Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming.
Light, yet sturdy, FiberComp™ handle has full SoftGrip™ detail

for a secure, comfortable grip.

Easy-open lock protects blade during transport and storage.

Solid™ Bypass Pruner (P341)					Art. no. 1057164	₽ 6 [°] 4 11 5 0 1 [°] 1 1 1 1 1 1
Height: 26.5 cm	Length: 2 cm	Width: 7.6 cm	Weight: 0.186 kg	Retail box: 4	Old art. no	6" 4 1 1 5 0 1" 1 1 1 1 1 1

• Fully hardened, precision-ground steel blade stays sharp longer.

• Bypass blade for clean cuts on green, living growth up to Ø 20 mm.

• Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming. Light, yet sturdy, FiberComp[™] handle has full SoftGrip[™] detail

for a secure, comfortable grip. • Easy-open lock protects blade during transport and storage.

Solid™ Bypass Pruner, metal (P331)					Art. no. 1057163	EAN	6" 4 1 1 5 0 1" 1 1 1 0 9 8"
Height: 25.8 cm	Length: 2.3 cm	Width: 7.6 cm	Weight: 0.198 kg	Retail box: 4	Old art. no	Ē	6 4 1 1 5 0 1 1 1 1 0 9 8





longer. • Bypass blade for clean cuts on green, living growth up to Ø 20 mm.

• Fully hardened, precision-ground steel blade stays sharp

- Low-friction blade coating resists rust and improves perfor-
- mance, resulting in smoother cuts and less gumming.
- Strong steel handle with SoftGrip™ for added comfort.
- Easy-open lock protects blade during transport and storage.

Solid™ Bypass Pruner (P321)					Art. no.	1057162	EAN	
Height: 26 cm	Length: 2cm	Width: 7.6 cm	Weight: 0.181 kg	Retail box: 4	Old art. no.	-	Ш	6 4 1 1 5 0 1 1 1 1 0 8 1





• Fully hardened, precision-ground steel blade stays sharp longer.

• Bypass blade for clean cuts on green, living growth up to Ø 20 mm.

 Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming. • Light, yet sturdy, FiberComp™ handle with SoftGrip™ for

added comfort.

• Easy-open lock protects blade during transport and storage.

Solid™ Byp	ass Pruner (F	P121)	Art. no. 1057160			
Height: 25.5 cm	Length: 2cm	Width: 7.6 cm	Weight: 0.141 kg	Retail box: 4	Old art. no	6 411501 111029
-				VPA	longer. • Bypass blade for clear mm. • Low-friction blade coa	sion-ground steel blade stays sharp n cuts on green, living growth up to Ø 18 ating resists rust and improves perfor- bother cuts and less gumming.



Light, yet sturdy, FiberComp[™] handle.

- Easy-open lock protects blade during transport and storage.

We have the right pruner for every task.

Choose the right pruner





opens for easier cuts

sharp longer

a secure.

comfortable grip

PLUS"

X-SERIES

- PowerGear[™] technology maximises leverage where you need it most, for 3x more cutting power
- Fully hardened, precision -ground steel blades stay sharp longer
- Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming
- Ergonomically designed FiberComp[™] handle fits the natural shape of your hand and has full SoftGrip[™] details for a secure, comfortable grip
- 25-year guarantee



POWERSTEP

- Allows for easy cuts through both thin and thick branches, using the same tool - without compromising on performance
- Thin branches are cut in one easy snip thicker branches in 2 or 3 gradual steps to reduce the force needed per stroke
- Mechanism automatically sets the applicable amount of strokes

FINGERLOOP

- Lightweight and strong FiberComp[™] handles with SoftGrip[™] for added comfort and safety
- · Fingers are protected by the loop in the lower handle
- · Corrosion-resistant, stainless steel blades





- Power-Lever[™] technology powers through tough stems and branches
- SmartFit[™] lever adjusts how wide the pruner
- Fully hardened, precision -ground steel blades stay
- Ergonomicaly designed, FiberComp[™] or cast-aluminium handle fits the natural shape of your hand and has full SoftGrip[™] details for



SOLID

- Ideal for easy cuts through stems and branches
- Fully hardened, precision -ground steel blade stays sharp longer
- Light, yet sturdy, FiberComp[™] handle has full SoftGrip[™] detail for a secure, comfortable grip
- Easy-open lock protects the blade during transport
- and storage





PRO PRUNERS


- Professional-quality CrMoV blades
- Easy to maintain, with all parts being replaceable
- Lightweight with SoftGrip[™] and shock absorber
- · Handles and lock accommodate both leftand right
- -handed users

Professional Pruners

These shears have been developed with professionals' needs in mind. Made of the best materials, all parts are replaceable for added convenience. The Pro Pruner features a traditional design and includes special features such as a wire cutter.

Fingerloop Pruners

Our fingerloop range includes two pruners and a snip for a neat, ergonomic way to prune branches and perform basic cutting tasks without excessive hand strain. The signature loop handle engages the power of all fingers while SoftGrip[™] detail provides an extra level of comfort for extended work in the garden.







cutting thick branches up to Ø 26 mm. Includes a wire cutter to spare the blades.

• Nut locking ring allows for adjustable tightening to help ensure consistent, precise cuts.

Fingerloop	Pruner Bypas	ss (P44)			Art. no. 1001534	z
Height: 3 cm	Length: 26,5 cm	Width: 9 cm	Weight: 0,18 kg	Retail box: 4	Old art. no. 111440	6 4 1 1 5 0 1 9 6 4 4 0 3
-0	~	5			ably in hand.	bod up to Ø 20 mm. s fingers while keeping the pruner comfort on upper blades allows for easier cuts and

Fingerloop U	niversal Snij	p (SP45)			Art. no.	1001533	z	
Height: 3 cm	Length: 26,5 cm	Width: 9 cm	Weight: 0,20 kg	Retail box: 4	Old art. no.	111450	Ē	6 ¹¹ 4 1 1 5 0 1 ¹¹ 9 6 4 5 0 2 ¹¹




 \bullet Designed to cut steel, plastic, tubes, rope or hoses up to Ø 20

• Fingerloop protects fingers while keeping the pruner comfortably in hand.

NOTE! Not for cutting branches in garden.

Solid[™] Snips

Solid™ Pru	ning Micro-1	Tip Snip (SP1	30)		Art. no. 1051600	z
Height: 21,5 cm	Length: 2cm	Width: 8,4 cm	Weight: 0,4 kg	Retail box: 4	Old art. no	6 411501 110817
-					 Precision blades for shapi snips in tight places. Stainless steel blades stay SoftGrip™ touch-points o control. 	thy growth on plants and flowers. ng, repetitive trimming and intricate y sharp – even through heavy use. n handle enhance comfort and he blade during transport and
Solid™ Sni	p PTFE (SP1:	31)			Art. no. 1063321	2
Height: 21,5 cm	Length: 2 cm	Width: 8,4 cm	Weight: 0,4 kg	Retail box: 4	Old art. no	424002 014645




 Idea 	l for s	shap	ing,	repet	itive	e tr	rimming	and	d tight, ir	ntrica	te s	snip	ЭS	on	
sticky	plan	ts.													

 Non-stick blade coating helps reduce jamming and resin buildup when cutting through sticky plants.

• Easy Action[™] spring gently opens blades after each cut to help reduce hand fatigue.

 SoftGrip[™] touchpoints enhance comfort and control. • Easy-open lock protects blades during transport and storage.

Solid™ Pru	ning Floral Sr	nip (SP140)			Art. no. 1051601	g 6 [°] 4 11 5 0 [™] 110 8 2 4 [°]
Height: 24 cm	Length: 2,2 cm	Width: 8cm	Weight: 0,13 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 1 1 0 8 2 4



• For cuts up to Ø 13 mm.

Coated, hardened blades, for easy durable use SoftGrip[™]

touch points add comfort and control Includes stem stripper and wire cutter.

Solid [™] Pru	ning Snips (S	P151)			Art. no. 1051602	z	
Height: 21,5 cm	Length: 2 cm	Width: 8,4 cm	Weight: 0,4 kg	Retail box: 4	Old art. no	EA	6 4 1 1 5 0 1 1 1 0 8 3 1

Ð

reddot award 2019 winner



 Ideal for intricate cuts on plants and flowers while trimming and shaping.

- Stainless steel blades stay sharp even through heavy use.
 SoftGrip™ touch-points on handle enhance comfort and control
- Extra-large handle loops leave plenty of room for gloves. • Handle design suits both left and right-handed users.

Solid [™] Trim	n-Curved Mic	ro-Tip (SP160))		Art. no.	1063325	z	
Height: 1,6 cm	Length: 24 cm	Width: 8 cm	Weight: 0,5 kg	Retail box: 4	Old art. no.	-	Ē	6 424002 014652



- Curved blades are ideal for intricate snips in tight spaces. • Fully hardened, precision-ground steel blades stay sharp longer.
- Simple, take-apart design makes it easy to clean.
- Easy Action ™ spring gently opens blades after each cut to help reduce strain.
- SoftGrip ™ touchpoints enhance comfort and control.
- Easy, squeeze-to-release lock and sheath protects blades during transport and storage.

Solid [™] Her	b Snip (SP220	D)				Art. no.	1063326	z	
Height: 7 cm	Length: 20,5 cm	Width: 8,2 cm	Weight: 0,49 kg	Retail box:	4	Old art. no.	-	Ē	6 4 2 4 0 0 2 0 1 4 6 6 9
Z	3					directly infStainlesForward	to the bowl. s steel blades sta l hand position al	ay shar llows fo	mincing herbs and vegetables p longer. or quick cuts at any angle. er each cut to reduce hand

Solid[™] Multi Task Snips (SP320)



	Art. no.	1063328	E 6 ¹ 4 2 4 0 0 2 ¹ 0 1 4 6 8 3 ¹
tail box: 4	Old art. no.	-	6 424002 014683

• Ideal for easily cutting netting, landscape fabric or slice open soil bags.

• Sharp, stainless steel blades.


• Use outer serrated edge to saw rope, straight edge to open boxes and integrated wire cutter to cut wire.

 Spring-action design opens after each cut to reduce hand strain.

• Easy-open blade lock and sheath with belt loop for safe storage and portability.

Other pruners

PowerStep	o™ Anvil Prun	er (P83)			Art. no. 1000575	z
Height: 2,6 cm	Length: 28,5 cm	Width: 9,3 cm	Weight: 0,15 kg	Retail box: 4	Old art. no. 111670	- B 6"411501" 116703"
			区 ()	reddot design award best of the best 2009 fenniaprize good design grows global HONORARY MENTION	reduced effort.	d branches up to Ø 24 mm with top SoftGrip™ handle for increased for increased durability.
Bypass Pro	uner, white (P	57)			Art. no. 1026916	z
Height: 2,5 cm	Length: 24 cm	Width: 9,2 cm	Weight: 0,14 kg	Retail box: 4	Old art. no	- E 6"411501" 150189"
	1 m	2	·	VPA Create Bornat	White colour for improved Ultra lightweight operatio	n due to FiberComp™ construction. y allows for added cutting power.



Choose the right lopper

Suitable for all kinds of garden cutting tasks with a capacity of up to Ø 55 mm, Fiskars loppers are designed to be lightweight, efficient and comfortable to use.



Different heads for different purposes

 Bypass head For frequent cuts on fresh wood

2 Anvil head For cutting dry and/or hard/dead wood

Output the second se For heavy cuts on fresh wood

Scissor head For precision cuts

PowerGear[™]X Loppers

PowerGea	п така дуразъ	Lopper, L (LX	(98)		Art. no.	1020188	EAN
Height: 3cm	Length: 85 cm	Width: 25,5 cm	Weight: 1,34 kg	Retail box: 4	Old art. no.	112490	⁵ 6 [™] 4 1 1 5 0 1 [™] 1 2 4 9 0
-	-	An		Geprüfte	 Bypass b cuts. 	lades easily ca	wood up to Ø 50 mm. atch branches while providing clea
PowerGea	ar™ X Anvil Lo	pper, L (LX99)))		Art. no.	1020189	
Height: 3cm	Length: 85 cm	Width: 25,5 cm	Weight: 1,36 kg	Retail box: 4	Old art. no.	112440	6 411501 12440
	_	15	VPAS	GUARANTEE 25 YEARS	 Anvil blac 	le configuratior	nd dry wood up to Ø 55 mm. n for added durability and efficien n shaft with comfortable SoftGrip ^T
-			Sicherheit	VPA Geprüfe Sicharhar			
PowerGea	ar™ X Bypass	Lopper, M (L)	X94)	VPA Gentle Conter	Art. no.	1020187	3
PowerGea Height: 3 cm	nr™ X Bypass Length: 69 cm	Width: 20,3 cm	X94) Weight: 1,19 kg	Retail box: 4	Art. no. Old art. no.		6 ⁶ 4 1 1 5 0 1 ⁶ 1 2 3 9 0
					Old art. no. For freque Bypass b cuts.	112390 ent cuts on fres lades easily ca	sh wood up to \emptyset 50 mm. atch branches while providing clear hium shaft with comfortable SoftG
Height: 3 cm		Width: 20,3 cm	Weight: 1,19 kg		Old art. no. • For freque • Bypass b cuts. • Durable a handles.	112390 ent cuts on fres lades easily ca	6" 4 1 1 5 0 1" 1 2 3 9 0 sh wood up to Ø 50 mm. atch branches while providing clea nium shaft with comfortable SoftG
Height: 3 cm	Length: 69 cm	Width: 20,3 cm	Weight: 1,19 kg		Old art. no. • For freque • Bypass b cuts. • Durable a handles.	112390 ent cuts on fres lades easily ca and light alumin 1020186	6" 4 1 1 5 0 1" 1 2 3 9 0 sh wood up to Ø 50 mm. atch branches while providing clea









PowerGear[™] Loppers

Height: 3,4 cm	Length: 75 cm	Width: 22,5 cm	Weight: 0,94 kg	Retail box: 4	Old art. no. 112590	6 4 1 1 5 0 1 1 2 5 9 0 3
			·····			
					 For heavy cutting of fresh Very light weight due to File 	
	-					atching of branches and a clean cuts
		-	ALC: NOT			
	and the local division of the local division	- C.				
1						
						_
PowerGea	r™ Anvil Lopp	oer, L (L77)			Art. no. 1000583	EAN
Height: 3,5 cm	Length: 74,5 cm	Width: 24,5 cm	Weight: 1,12 kg	Retail box: 4	Old art. no. 112580	6 4 1 1 5 0 1 1 2 5 8 0 4
-						and dry wood up to Ø 50 mm.
					 Very light weight due to Fil Anvil blade configuration for 	berComp™ construction. or added durability and effective cut
		No. of Lot, No.	100		J. J	
		100	8			
	-					
						_
PowerGea	r™ Scissor H	ead Bypass L	opper, M (L7	6)	Art. no. 1001553	EAN
Height: 3 cm	Length: 61,3 cm	Width: 18,4 cm	Weight: 0,59 kg	Retail box: 4	Old art. no. 112300	6 4 1 1 5 0 1 1 2 3 0 0 8
					 For cutting of fresh wood it 	up to (1.40 mm
					 Very light weight due to Fil 	berComp™ construction.
		1			 Scissor head blades optin 	nised for precision cutting.
-	-					
						_
PowerGea	r™ Hook Hea	d Bypass Lop	oper, M (L74)		Art. no. 1000582	
Height: 3 cm	Length: 60,7 cm	Width: 18,3 cm	Weight: 0,50 kg	Retail box: 4	Old art. no. 112290	6 4 1 1 5 0 1 1 2 2 9 0 2
-					 For cutting of fresh wood it 	up to Ø 38 mm.
	-	1. A. A.			Very light weight due to Fil Pypage bladge for easy as	berComp™ construction. atching of branches and a clean cuts
		Sector a			• Dypass blades for easy ca	acting of branches and a clean cuts
1.1		and the second sec				
						-
PowerGea	r™ Scissors I	Head Bypass	Lopper, S (L7	/2)	Art. no. 1001555	EAN



PowerGear™ Hook Head Bypass Lopper, S (L70)						1002104	
Height: 2,4 cm	Length: 50,5 cm	Width: 15,4 cm	Weight: 0,43 kg	Retail box: 4	Old art. no.	112190	6"411501"121905"
		ŧ.			 Very light 	bypass blades for eas	rood up to Ø 38 mm. Comp™ construction. sy catching of branches and a

PowerGear	™ Anvil Lopp	er, S (L31)	Art. no. 1000581	z		
Height: 2,4 cm	Length: 43,2 cm	Width: 18 cm	Weight: 0,40 kg	Retail box: 4	Old art. no. 112170	₹ 6 ¹ 411503 ¹ 961707
Constantian of	-				 For cutting of hard, dry v Very light weight due to f 	vood up to Ø 35 mm. FiberComp™ construction.





PowerGear [™] Scissors Head Bypass Lopper, S (L72)						1001555	z	
Height: 2,5 cm	Length: 51 cm	Width: 15,7 cm	Weight: 0,27 kg	Retail box: 4	Old art. no.	112200	6	411501 122001



For frequent cutting of fresh wood up to Ø 30 mm.
Very light weight due to FiberComp[™] construction.
Scissor head blades optimised for precision cutting.

	Art. no. 1001556	B 6 ¹ 411501 ¹ 121806 ¹
tail box: 4	Old art. no. 112180	6 4 1 1 5 0 1 1 2 1 8 0 6

For cutting of hard, dry wood up to Ø 40 mm.
Very light weight due to FiberComp[™] construction.

SmartFit[™] Lopper

SmartFit™ Bypass Lopper (L86)						1013564	z
Height: 4,2 cm	Length: 70,6 cm	Width: 24,9 cm	Weight: 1,28 kg	Retail box: 4	Old art. no.	112500	6 4 1 1 5 0 1 1 2 5 0 0 2
		~	7	reddot design award winner 2014	 Adjustative working p Hooked clean cuts 	ole shaft length osition. bypass blades s.	p to Ø 50 mm both far and near. between 66,5 - 91,5 cm for optimal easily catch branches while providing ndles for increased comfort.

Other Loppers


Lopper, wh	ite (L32)		Art. no. 1026930	z		
Height: 2,4 cm	Length: 43,2 cm	Width: 18 cm	Weight: 0,37 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 1 5 0 1 9 6
	02				 For cuts on hard, dry woo White colour for added vi Lightweight FlberComp^T 	isibility.

SingleStep[™] Loppers

SingleStep	[™] Hook Head	Bypass Lop	per, L (L38)		Art. no. 1001426			
Height: 2,5 cm	Length: 88,6 cm	Width: 34,6 cm	Weight: 1,16 kg	Retail box: 4	Old art. no. 112460	6 411501 124609		
				VPA	 For heavy cutting of fresh woo Cut capacity: Ø 40 mm. Hardened steel blades with no 			
singleStep	™ Hook Head	d Anvil Loppe	Art. no. 1001430					
leight: 2,5 cm	Length: 88,6 cm	Width: 34,6 cm	Weight: 1,20 kg	Retail box: 4	Old art. no. 112450	6 4 1 1 5 0 1 1 2 4 5 0 0		
			6	VPA Sector	 For heavy cutting of dry and have a cut capacity: Ø 40 mm. Upper blade features hardene aluminium anvil blade. 			
SingleStep	™ Hook Head	Bypass Lop	Art. no. 1001432 z					
leight: 2,5 cm	Length: 57 cm	Width: 17,5 cm	Weight: 0,96 kg	Retail box: 4	Old art. no. 112160	6 ¹¹ 4 1 1 5 0 1 ¹¹ 1 2 1 6 0 8 ¹		
				VPA	 For cutting fresh wood. Cut capacity: Ø 35 mm. 			

• Hardened steel blades with non-stick coating.





the wood to make clean cuts with less compression damage. In other words, the cutting blade bypasses the counter blade in a scissors-like fashion. This makes it possible to cut close to the stem, making bypass pruners ideal for cutting fresh wood.

48



ANVIL The upper blade is forced through the wood with greater pressure as the anvil blade supports the branch, spreading pressure until the cut is complete. Anvil blades are ideal for cutting dry or dead wood.

Hedge Shears

Whether you're interested in topiary, controlling annual growth or keeping a nice straight line in your hedge, Fiskars has a full range of hedge shears for your needs. From robust SingleStep[™] action hedge shears to adjustable telescopic shears, to shears featuring our unique PowerGear[™] technology, for 3x more cutting power, right to the tip.







SMARTFIT[™] Adjustable shaft length for optimal working position

POWERGEAR[™] X

POWERLEVER™

cutting power

power

Ultra durable with PowerGear™ technology for up to 3x more

Lightweight with up to 2x more

SINGLESTEP[™] Sturdy and comfortable

PowerGear[™] Hedge Shears

Height: 7,5 cm Length: 66,5 cm Width: 16,5 cm Weight: 1,10 kg Retain

PowerGear™ Hedge Shears (HS72)						1000596	3
Height: 4,5 cm	Length: 61,2 cm	Width: 17 cm	Weight: 0,72 kg	Retail box: 4	Old art. no.	114790	6 [°] 411501 [°] 147905 [°]



SmartFit[™] Hedge Shears



	Art. no.	1023631	EAN	
ail box: 4	Old art. no.		Ш	6 ¹ 4 1 1 5 0 1 ¹ 1 4 0 0 6 7 ¹
ARANTEE 25 VEARS	 Unique l easier vs s Lightwe blades. 	standard mechanis ight and durable wi	nani ms. th P	sm makes cutting up to 3 times
Geprüfte Schertnet				
	Art. no.	1000596	AN	

• For easy trimming of hedges and bushes.

PowerGear™ technology reduces effort with up to 3x more

cutting power.

• Lightweight, FiberComp™ shaft.

	Art. no.	1013565	EAN	
ail box: 4	Old art. no.	114800	Ē	6 ¹ 4 1 1 5 0 1 ¹¹ 1 4 8 0 0 1

2

reddot design award

• For trimming of hedges and bushes both far and near.

Adjustable shaft length 68 - 93 cm for optimal working position.
Comfortable, non-slip SoftGrip™ handles.

PowerLever[™] Hedge Shears

PowerLeve	er™ Hedge Sh	ears (HS52)	Art. no. 1001564	z		
Height: 7,2 cm	Length: 58,8 cm	Width: 14,8 cm	Weight: 0,61 kg	Retail box: 4	Old art. no. 114750	6 4 1 1 5 0 1 9 6 7 5 0 3
			il	reddot design award winner 2002	 For easy trimming of PowerLever[™] techn cutting power. Lightweight, FiberCo 	ology reduces effort with up to 2x more
				enniaprize good design grows global IONORARY MENTION		

Other Hedge Shears

SingleStep™ Hedge Shears Wavy Blade (HS22)					Art. no.	1001433	z	
Height: 13 cm	Length: 58 cm	Width: 19 cm	Weight: 0,71 kg	Retail box: 4	Old art. no.	114730	Ë	6 411501 147301



 Sturdy, comfortable, glassfibre-reinforced polypropene (PPGF) handle. · Hardened steel blades with non-stick coating.





• For easy trimming of hedges and bushes. • White colour that makes the hedge shears more visible. PowerLever[™] technology reduces effort with up to 2x more cutting power.

Lightweight, FiberComp[™] shaft.

• For trimming hedges and bushes.

Solid™ Hedge Shears (HS21)					Art. no. 1026827	2
Height: 4,5 cm	Length: 59 cm	Width: 15 cm	Weight: 0,32 kg	Retail box: 4	Old art. no	6 ¹¹ 411501 ¹¹ 150271 ¹



• For trimming hedges and bushes. Hardened steel blades.

• Sturdy, comfortable handles with softtouch grip.

PowerGear[™]X Tree Pruners

More power with less effort Improved strength of cutting head

Better maintenance Spare parts available

Easy cutting in all directions Adjustable head turns 230°

Adjustable head turns 230°



Telescopic Tree Pruner



Tree Pruner ↑ 3,5m reach



Improved strength and maintenance of cutting head

PowerGear[™]X Tree Pruners

Fiskars tree pruners are multi-use tools that allow access to tree crowns and dense bushes, allowing gardeners to trim high branches without the use of a ladder - or at ground level without bending or kneeling.

Other Tree Pruners & Accessories

Long Dypu	ss Tree Prune	r (UP84)			Art. no.	1001557 z
Height: 7,4 cm	Length: 221 cm	Width: 11,3 cm	Weight: 1,26 kg	Retail box: 2	Old art. no.	115390 4 1 9 6 9 1 <th1< th=""> <th1< th=""> <th1< th=""> <th1< th=""></th1<></th1<></th1<></th1<>
			il	GOOD DESIGN AWARD® WINNER	 Cutting r Adjustation Can be used 	cutting action for up to Ø 32 mm thick branches. each of approximately 4,5 meters. le cutting angle up to 230°. sed with extension pole (art No 1001560) and fruit No 1001562).
				_	_	5
					_	
Anvil Tree F	Pruner (UP53)				Art. no.	1000597 z
Height: 7,4 cm	Length: 165 cm	Width: 13,8 cm	Weight: 0,85 kg	Retail box: 4	Old art. no.	115350
_					to Ø 32 mr • Cutting r • Adjustab	ting action is especially ideal for dry and hard woo n. each vertically about 3,5 meters. le cutting angle up to 260°. sed with fruit picker (art No 1001562).
Extension	Pole (UP80), p	lus part			Art. no.	1001560
Extension	Pole (UP80), p	-	Weight: 0,53 kg	Retail box: 4	Art. no. Old art. no.	
		-	Weight: 0,53 kg	Retail box: 4	Old art. no. • Can be u	
Height: 5,6 cm		Width: 11 cm	Weight: 0,53 kg	Retail box: 4	Old art. no. • Can be u	110460 Sed with Bypass Tree Pruner (UP84) (art No 1001) nd cutting heights with 1,5 meters.
Height: 5,6 cm	Length: 150,3 cm	Width: 11 cm	Weight: 0,53 kg	Retail box: 4	Old art. no. • Can be u • Can exte	110460 Image: Constraint of the sector o

PowerGear™ X Telescopic Tree Pruner (UPX86)					Art. no. 1023624
leight: 7,4 cm	Length: 230,3 cm	Width: 11,2 cm	Weight: 1,90 kg	Retail box: 2	Oldart.no
		VPA	GUARANTEE 25 Years	Control of the second s	 Extended reach for cutting fresh wood up to Ø 32 mm. Shaft length adjustable from 2,4 - 4 meters, maximum react meters. Adjustable cutting head, up to 230°. Orange cutting support for added visibility. Durable, SoftGrip™ handle with non-slip base.
PowerGea	r™ X Tree Pru	ner (UPX82)			Art. no. 1023625
leight: 7 cm	Length: 165 cm	Width: 11,5 cm	Weight: 1,14 kg	Retail box: 4	Old art. no 644 1150 1 150 134
-			GUARANTEE 255 VEARS	Reddot award 2017 winner	 Extended reach for cutting fresh wood up to Ø 32 mm. Cutting reach approx 3,5 meters. Adjustable cutting head, up to 230°. Orange cutting support for added visibility. Durable SoftGrip[™] handle and non-slip base.
Branch Sa	w for Tree Pru	ners UPX86,	UPX82		Art. no. 1023633
	Length: 7 cm	Width: 8 cm	Weight: 0,20 kg	Retailbox: 4	Old art. no



CUTTING Activate cutting power by sliding the orange handle. When used at maximum height, pull the orange end knob.



Adjustable sawing angle.

Adjustable head and lightweight cutting mechanism helps to ensure fast, safe pruning from afar.

Sturdy fastening mechanism to shaft, fits UPX82 & UPX86.





FiberComp [™] frame and tabs gently pull fruit from tree.

• Machine-washable, mesh bag catches the harvest, allowing you to see your yield.



The icon

The iconic Classic scissors are a symbol of Fiskars and our Finnish design heritage



Sharp blades

Specially developed blade grind ensures blades stay sharp longer while providing high-precision cuts.

2 Easy cleaning

Handles are injection-molded onto the blades, ensuring easy, hygenic cleaning.

3 Supreme ergonomics

Handles are designed with strong consideration of the natural movement of the hand, resulting in enhanced comfort and cutting control.

Best materials

Made of the best quality materials, Classic scissors offer outstanding comfort, performance and durability.

5 Quality control

Each product is manually tested before leaving the factory, ensuring you get only the best scissors.



Tested by hand



Classic Scissors

Fiskars Orange-handled Scissors[™] are design classics that have been popular for more than four decades. With stainless steel blades that cut easily through garden materials ranging from fine wire to flower stems, our selection of garden scissors are excellent for precise cutting and trimming tasks.

Universal Garden Scissors, L, 25 cm (S94) Art. no. 1001538 Width: 11 cm Weight: 0,14 kg Retail box: 5 Old art. no. 111050 Height: 31 cm Length: 2,5 cm • One billion scissors sold. VPA S Gentle Scherhet • Ideal for all kinds of cutting tasks in the garden and at home. 25 • Superior comfort and performance. • Made in Finland with premium and durable materials. • Tested by hand. • Handles made from impact-resistant PBT. MADE IN • Adjustable blade tension. FINLAND • For right-handed. Universal Garden Scissors, 21 cm (S90) Art. no. 1001539 Height: 28 cm Weight: 0,08 kg Retail box: 5 Old art. no. 111040A Length: 2 cm Width 8.6 cm • One billion scissors sold. VPA • Ideal for all kinds of cutting tasks in the garden and at home. Superior comfort and performance. • Made in Finland with premium and durable materials. • Tested by hand. • Handles made from impact-resistant PBT. MADE IN FINLAND Adjustable blade tension. • For right-handed. Universal Garden Scissors, 18 cm (S92) Art. no. 1000555 Width: 8,6 cm Weight: 0,07 kg Retail box: 5 Old art. no. 111030 Height: 28 cm Length: 2,1 cm 110305 411501 • One billion scissors sold. • Serrated blades ensure good grip and are ideal for cutting flowers and herbs. • Superior comfort and performance. • Made in Finland with premium and durable materials.

Solid[™] Vegetable Shears SP240

Other Scissors



Solid[™] Cuts + More SP341



VPA Geotos Scherhet	GUARANTEE 25 VEARS
	MADE IN

FINLAND

- Tested by hand.
- Handles made from impact-resistant PBT.
- Adjustable blade tension.
- For right-handed.

	Art. no. 1063327	
ail box: 4	Old art. no	6 424002 014676
CERTIFIED CERTIFIED To 399 ID 399 IN GERIARY	and vegetables from the • Fully hardened, precision sharp longer. • Serrated blade edge gr • Take-apart blades sepa • Ergonomically sculpted	y cuts on a variety of flowers, herbs, fruits garden. on-ground, stainless steel blades stay rips and holds stems for clean cuts. arate for easy cleaning during harvest. d handle fits your hand comfortably. s enhance comfort and control.

	Art. no. 1063329	E 6 4 2 4 0 0 2 0 1 4 6 9 0
tail box: 4	Old art. no	6 424002 014690

- Ideal for cutting a wide range of heavy-duty garden materials including fertilizer bags, landscape fabric, light screens and much more
- Fully hardened, precision-ground, multi-use steel blades stay sharp.
- Ergonomically sculpted handle provides comfortable use and cutting control.
- Versatile tool includes wire & twine cutters, a pointed awl tip for piercing small holes, a power notch for cutting light rope and a bottle opener.
- Shears can be taken apart, leaving you with a PTFE- enhanced knife for cutting large or awkward objects.
- Sheath protects blades for safety during transport and storage and features a built-in tape cutter and sharpener.
- Dishwasher safe for easy cleaning.

ReNew scissors

0

PERMIS

These Fiskars scissors are skillfully crafted from recycled and renewable materials at our factory in Billnäs, Finland. The scissors handles are made from an innovative biocomposite material consisting of 66% recycled post-consumer plastic and 34% renewable cellulose fiber, a sustainable alternative to fossil-based materials. The blades themselves are also made of recycled stainless steel.

In addition to being made of recycled and renewable materials, these scissors, like all Fiskars products, are designed to be of highest quality and to offer long-lasting performance.

de from

4 Oldewong

led ano

ReNew

- a sustainable choice for all cutting needs in creating, cooking and gardening



C Transferret

ReNew Scissors

ReNew Uni	versal scisso	ors 21 cm			Art. no. 1058094
Height: 27,5 cm	Length: 1,5 cm	Width: 8,5 cm	Weight: 0,09 kg	Retail box: 5	Old art. no 6 4 2 4 0 0 2 0 1 3 2 8 0
8	-		VPA Control of the second	MADE IN FINLAND	 Made of recycled (80%) and renewable (13%) materials for unique comfort and cutting performance. Universal scissors are ideal for a wide variety of uses in and around the home. Durable, recycled (85-95%) stainless steel blades are precis ground for long-lasting sharpness. Ergonomically designed handles are made of recycled plast (66%) and renewable cellulose fibre (34%). Made sustainably in Finland and tested by hand. For right-handed.
ReNew Uni	versal scisso	ors large 25 c	m	-	Art. no. 1062542
Height: 32 cm	Length: 2,5 cm	Width: 9 cm	Weight: 0,14 kg	Retail box: 6	Old art. no 6 4 2 4 0 0 2 0 1 4 1 0 2
8				MADE IN FINLAND	 Made of recycled (80%) and renewable (13%) materials for unique comfort and cutting performance. Large universal scissors are ideal for a wide variety of uses ir and around the home. Long, durable, recycled (85-95%) stainless steel blades are precision ground for long-lasting sharpness. Large, ergonomically designed handles are made of recycle plastic (66%) and renewable cellulose fibre (34%). Made sustainably in Finland and tested by hand. For right-handed.
ReNew Gar	rden scissors	s 21 cm			Art. no. 1062544
Height: 27,5 cm	Length: 1,5 cm	Width: 8,5 cm	Weight: 0,09 kg	Retail box: 6	Old art. no 6 4 2 4 0 0 2 0 1 4 1 2 6
8	Que	-		MADE IN FINLAND	 Made of recycled (80%) and renewable (13%) materials for unique comfort and cutting performance. Serrated blades grip stems for clean, healthy cuts on flowers and herbs. Durable, recycled (85-95%) stainless steel blades offer long-lasting sharpness. Ergonomically designed handles are made of recycled plast (66%) and renewable cellulose fibre (34%). Made sustainably in Finland and tested by hand. For right-handed.
ReNew Nee	edlework sci	ssors 13 cm			Art. no. 1062547
Height: 22,5 cm	Length: 1,5 cm	Width: 8,5 cm	Weight: 0,05 kg	Retail box: 10	Old art. no
					 Made of recycled (80%) and renewable (13%) materials for unique comfort and cutting performance. Needlework scissors have Micro-tip® blades and they are id for fine, detail cutting and trimming in tight spaces. Super sharp recycled (85-95%) stainless steel blades are sle der for excellent precision. Ergonomic handles are made of recycled plastic (66%) and renewable cellulose fibre (34%). Made sustainably in Finland and tested by hand. For right- and left-handed.
ReNew Ma	nicure scisso	ors 10 cm			Art. no. 1062548
Height: 20,4 cm	Length: 1,3 cm	Width: 8,5 cm	Weight: 0,02 kg	Retail box: 10	Old art. no
					 Made of recycled (80%) and renewable (13%) materials for unique comfort and cutting performance. Manicure scissors are ideal for clean, neat trimming of nails. Super sharp recycled (85-95%) stainless steel blades are slider for excellent precision.

Renew Univ	versal scisso	ors 21 cm			Art. no. 1058094
Height: 27,5 cm	Length: 1,5 cm	Width: 8,5 cm	Weight: 0,09 kg	Retail box: 5	Old art. no
8	-			MADE IN FINLAND	 Made of recycled (80%) and renewable (13%) materials for unique comfort and cutting performance. Universal scissors are ideal for a wide variety of uses in and around the home. Durable, recycled (85-95%) stainless steel blades are preciground for long-lasting sharpness. Ergonomically designed handles are made of recycled plas (66%) and renewable cellulose fibre (34%). Made sustainably in Finland and tested by hand. For right-handed.
ReNew Univ	versal scisso	ors large 25 c	m		Art. no. 1062542
Height: 32 cm	Length: 2,5 cm	Width: 9 cm	Weight: 0,14 kg	Retail box: 6	Old art. no 6'424002'014102
8		-		MADE IN FINLAND	 Made of recycled (80%) and renewable (13%) materials for unique comfort and cutting performance. Large universal scissors are ideal for a wide variety of uses and around the home. Long, durable, recycled (85-95%) stainless steel blades are precision ground for long-lasting sharpness. Large, ergonomically designed handles are made of recycle plastic (66%) and renewable cellulose fibre (34%). Made sustainably in Finland and tested by hand. For right-handed.
ReNew Gar	den scissors	s 21 cm			Art. no. 1062544
Height: 27,5 cm	Length: 1,5 cm	Width: 8,5 cm	Weight: 0,09 kg	Retail box: 6	Old art. no
8	Q	-		MADE IN FINLAND	 Made of recycled (80%) and renewable (13%) materials for unique comfort and cutting performance. Serrated blades grip stems for clean, healthy cuts on flowe and herbs. Durable, recycled (85-95%) stainless steel blades offer long-lasting sharpness. Ergonomically designed handles are made of recycled plas (66%) and renewable cellulose fibre (34%). Made sustainably in Finland and tested by hand. For right-handed.
ReNew Nee	edlework sci	ssors 13 cm			Art. no. 1062547
Height: 22,5 cm	Length: 1,5 cm	Width: 8,5 cm	Weight: 0,05 kg	Retail box: 10	Old art. no 6" 4 2 4 0 0 2" 0 1 4 1 5 7
					 Made of recycled (80%) and renewable (13%) materials for unique comfort and cutting performance. Needlework scissors have Micro-tip® blades and they are if for fine, detail cutting and trimming in tight spaces. Super sharp recycled (85-95%) stainless steel blades are s der for excellent precision. Ergonomic handles are made of recycled plastic (66%) and renewable cellulose fibre (34%). Made sustainably in Finland and tested by hand. For right- and left-handed.
ReNew Mar	nicure scisso	ors 10 cm			Art. no. 1062548
Height: 20,4 cm	Length: 1,3 cm	Width: 8,5 cm	Weight: 0,02 kg	Retail box: 10	Old art. no 6 4 2 4 0 0 2 0 1 4 1 6 4
					 Made of recycled (80%) and renewable (13%) materials for unique comfort and cutting performance. Manicure scissors are ideal for clean, neat trimming of nails Super sharp recycled (85-95%) stainless steel blades are s der for excellent precision

ReNew Uni	iversal scisso	ors 21 cm			Art. no. 1058094
Height: 27,5 cm	Length: 1,5 cm	Width: 8,5 cm	Weight: 0,09 kg	Retail box: 5	Old art. no 6"424002"013280
8	-			MADE IN FINLAND	 Made of recycled (80%) and renewable (13%) materials for unique comfort and cutting performance. Universal scissors are ideal for a wide variety of uses in and around the home. Durable, recycled (85-95%) stainless steel blades are precision ground for long-lasting sharpness. Ergonomically designed handles are made of recycled plastic (66%) and renewable cellulose fibre (34%). Made sustainably in Finland and tested by hand. For right-handed.
ReNew Uni	iversal scisso	ors large 25 c	m		Art. no. 1062542
Height: 32 cm	Length: 2,5 cm	Width: 9 cm	Weight: 0,14 kg	Retail box: 6	Old art. no 6 4 2 4 0 0 2 0 1 4 1 0 2
8		-		MADE IN FINLAND	 Made of recycled (80%) and renewable (13%) materials for unique comfort and cutting performance. Large universal scissors are ideal for a wide variety of uses in and around the home. Long, durable, recycled (85-95%) stainless steel blades are precision ground for long-lasting sharpness. Large, ergonomically designed handles are made of recycled plastic (66%) and renewable cellulose fibre (34%). Made sustainably in Finland and tested by hand. For right-handed.
ReNew Ga	rden scissors	s 21 cm			Art. no. 1062544
Height: 27,5 cm	Length: 1,5 cm	Width: 8,5 cm	Weight: 0,09 kg	Retail box: 6	Old art. no 6"424002"014126
8	0	-		MADE IN FINLAND	 Made of recycled (80%) and renewable (13%) materials for unique comfort and cutting performance. Serrated blades grip stems for clean, healthy cuts on flowers and herbs. Durable, recycled (85-95%) stainless steel blades offer long-lasting sharpness. Ergonomically designed handles are made of recycled plastic (66%) and renewable cellulose fibre (34%). Made sustainably in Finland and tested by hand. For right-handed.
ReNew Nee	edlework sci	ssors 13 cm			Art. no. 1062547
Height: 22,5 cm	Length: 1,5 cm	Width: 8,5 cm	Weight: 0,05 kg	Retail box: 10	Art. no. 1062547 Old art. no. - 6 ¹¹ 4 2 4 0 0 2 ¹¹ 0 1 4 1 5 7 ¹¹
					 Made of recycled (80%) and renewable (13%) materials for unique comfort and cutting performance. Needlework scissors have Micro-tip® blades and they are ideal for fine, detail cutting and trimming in tight spaces. Super sharp recycled (85-95%) stainless steel blades are slender for excellent precision. Ergonomic handles are made of recycled plastic (66%) and renewable cellulose fibre (34%). Made sustainably in Finland and tested by hand. For right- and left-handed.
ReNew Ma	nicure scisso	ors 10 cm			Art. no. 1062548
Height: 20,4 cm	Length: 1,3 cm	Width: 8,5 cm	Weight: 0,02 kg	Retail box: 10	Old art. no 6 4 2 4 0 0 2 0 1 4 1 6 4
					 Made of recycled (80%) and renewable (13%) materials for unique comfort and cutting performance. Manicure scissors are ideal for clean, neat trimming of nails. Super sharp recycled (85-95%) stainless steel blades are slender for excellent precision.





ReNew Needlework scissors 13 cm								
Height: 22,5 cm	Length: 1,5 cm	Width: 8,5 cm	Weight: 0,0					

ReNew Manicure scissors 10 cm							
Height: 20,4 cm	Length: 1,3 cm	Width: 8,5 cm	Weight: 0,02 kg	Reta			

Features & benefits

Made of recycled and renewable materials

Total scissors are made of 80% recycled materials and 13% renewable materials. Scissors are 100% recyclable. Scissors packaging is made of 100% recycled and recyclable paper fiber.

Sharp blades

Durable stainless steel blades are made of 85-95% recycled stainless steel.

3 Erg

Comfortable handles are made of 66% recycled plastic (post consumer package waste) and 34% natural cellulose fiber.

4 Made in Finland

These scissors are made using an eco-friendly process in our environment-, quality- and safety-certified scissors factory in Billnäs, Finland.

5 Tested by hand

Scissors are tested by hand at the factory. Only our very best scissors are ever cleared to leave the factory.

> Tested by hand

Made in Finland

- der for excellent precision.
- Ergonomic handles are made of recycled plastic (66%) and renewable cellulose fibre (34%).
- Made sustainably in Finland and tested by hand.
- For right- and left-handed.



Rakes p.66 Grass Shears p.7

//

Lawn Care

Weed Pullers p.76 Stay Sharp p.80

Rakes

Fiskars rakes are designed for comfortable raking, cleaning and gathering. Our four ranges offer a wide selection of rakes including leaf and soil rakes.

XACT™ Premium quality materials and ergonomic, aluminium shafts for ultimate performance



ERGONOMIC[™] Special teardrop-shaped shaft with wide head for effective raking



WHITE Beautiful, white rakes are the perfect addition to your garden



SOLID™ A versatile selection of rakes ranging from lawn to soil care

Xact[™] Rakes

Xact™ Leaf Rake, XXL, 620 mm					Art. no. 1027036		
Height: 18,9 cm	Length: 1 cm	Width: 8,5 cm	Weight: 0,02 kg	Retail box: 10	Old art. no	6 ¹ 411501 ¹¹ 350817 ¹¹	
Ð			VPA Second	OUARANTEE 25 VEARS	desgiend for efficient lea • Hardened aluminium s without sacrificing streng • SoftGrip™ handle allow	haft with unique profile reduces weight gth for effortless strokes. ws for multiple hand positions, while shape provides good support during use	

Xact [™] Law	n Rake, L, 49	0 mm	Art. no. 1027037	z		
Height: 4,4 cm	Length: 176 cm	Width: 49 cm	Weight: 0,80 kg	Retail box: 4	Old art. no. –	6 ¹¹ 4 1 1 5 0 1 ¹¹ 3 5 0 8 2 4
9				QUARANTEE 25 YEARS	designed for easily gathe areas. • Hardened aluminium sl without sacrificing streng • SoftGrip™ handle allow	, vs for multiple hand positions, while hape provides good support during use.

Xact[™] Rose Rake, S, 230 mm Height: 7,1 cm Length: 165,5 cm Width: 23,5 cm Weight: 0,79 kg



Xact[™] Soil Rake, M, 370 mm Height: 8,5 cm Length: 164 cm Width: 37,3 cm Weight: 1,04 kg Retail box: 4

GUARAN 22 YEAR

	Art. no.	1027038	EAN
Retail box: 4	Old art. no.		6"411501"350831"
GUARANTEE 25 VEARS	raking in r • Efficient between a • Hardene without sa • SoftGrip exception	narrow areas. tor cleaning and s and under plants. ed aluminium shaft acrificing strength f o™ handle allows fo	ad with 10 prongs makes it ideal for preading soil in small spaces around, with unique profile reduces weight or effortless strokes. or multiple hand positions, while pe provides good support during use asy storage.
	Art. no.	1027039	EA
Retail box: 4	Old art. no.		6 4 1 1 5 0 1 3 5 0 8 4 8



• Durable, stainless steel head with 13 prongs for raking in larger areas.

• Ideal for preparing planting beds, leveling soil, cleaning and spreading.

 Hardened aluminium shaft with unique profile reduces weight without sacrificing strength for effortless strokes.

 SoftGrip[™] handle allows for multiple hand positions, while exceptional handle end shape provides good support during use.

Convenient hang hole for easy storage.

1000

Ergonomic[™] Rakes

Ergonomic™ Lawn/Leaf Rake					Art. no. 10	00660	z
Height: 4,5 cm	Length: 184 cm	Width: 61 cm	Weight: 0,77 kg	Retail box: 4	Old art. no. 13	5 9 0 5 5 6 1 3 3 5 7 0 5	
D			20	VPA	 Sturdy, flexi 		large lawn areas. specific geometry helps prevent twig ıght.

White Rakes

Leaf Rake,	white		Art. no. 1019606					
Height: 5,2 cm	Length: 172 cm	Width: 52 cm	Weight: 0,55 kg	Retail box: 4	Old art. no. 135563			
}	-					e for cleaning the lawn and yard. s help prevent twigs and leaves from		

Soil Rake, white Height: 6,5 cm Length: 158 cm Width: 36 cm Weight: 0,64 kg Retai

Classic Rakes

Classic Leaf Rake, XL						1001584	Z 3" 157331" 355914
Height: 4,2 cm	Length: 173,5 cm	Width: 64,6 cm	Weight: 0,90 kg	Retail box: 5	Old art. no.		3 ¹¹⁵⁷³³¹ 355914



VPA
Geprüfte
Schemen

• Extra wide head (65 cm) and wooden shaft. • Flat, rigid and curved plastic tines reduce leaves from sliding up and blocking the head. Rounded edges make it suitable for all types of terrain.

Classic Leaf Rake						1003708	EAN
Height: 9cm	Length: 198 cm	Width: 47 cm	Weight: 1,33 kg	Retail box: 4	Old art. no.		6"411501" 358202"





For all raking tasks in the garden, including raking leaves to removing grass cuttings from the lawn.
FSC[®] certified wood.

Classic Soil Rake						1003705	EAN
Height: 6,5 cm	Length: 168 cm	Width: 36 cm	Weight: 1,03 kg	Retail box: 4	Old art. no.	135760	B 6 ¹ 4 1 1 5 0 1 ¹¹ 3 5 7 6 0 1 ¹¹





 Optimal for loosening up soil in planting beds and other general gardening tasks like raking branches or spreading mulch. • FSC[®] certified wood.

Rose Rake, white					Art. no. 1019607	z
Height: 6,5 cm	Length: 158 cm	Width: 24,5 cm	Weight: 0,52 kg	Retail box: 4	Old art. no. 135503	B 6 4 1 1 5 0 1 3 5 5 0 3 4
\					around trees and under p	ning and spreading soil in small spaces plants. r raking between and under plants



	Art. no.	1019608	EAN	6 [°] 4 1 1 5 0 1 [°] 3 5 5 2 3 2 [°]
ail box: 4	Old art. no.	135523	Ē	6 4 1 1 5 0 1 3 5 5 2 3 2

• Light soil rake for preparing planting beds, leveling soil, cleaning and spreading.

• Durable hardened head with 14 prongs for raking in larger areas.

KEY BENEFITS

- ✓ Hole for easy storage
- ✓ SoftGrip[™] handle for optimal grip
- ✓ Oval-shaped, lightweight aluminium shaft
- ✓ Optimal anti-shock surface structure ensures a comfortable, firm grip
- ✓ Plastic sleeve maximises the grip while insulating from cold

Solid[™] Rakes

Solid [™] Le	af Rake, XL		Art. no. 1015645		
Height: 4,2 cm	Length: 176 cm	Width: 62 cm	Weight: 0,83 kg	Retail box: 5	Old art. no. 135090
	→		ă.	VPA	 Extra-wide head (65 cm) makes it easy to quickly rake large areas. Durable, aluminium lightweight shaft. 27 flat, rigid and curved plastic tines prevent leaves from sliding up and blocking the head.
Solid™ Le	af Rake, Lass	embled			Art. no. 1003465
Height: 5 cm	Length: 175 cm	Width: 52 cm	Weight: 0,50 kg	Retail box: 5	Old art. no. 135016

Solid™ Uni	iversal Garder	n Rake	Art. no. 1003466	z		
Height: 11 cm	Length: 167 cm	Width: 41 cm	Weight: 0,44 kg	Retail box: 5	Old art. no. 135066	6 4 1 5 0 6 4
}				VPA S Geodetic	 For raking long, loose planting beds. Leveling function for e Lightweight, yet durab 	0

id™ Lea	f Rake, Lass	embled			Art. no.	1003465	z	
:5cm	Length: 175 cm	Width: 52 cm	Weight: 0,50 kg	Retail box: 5	Old art. no.	135016	EA	6 411501 350169
				VPA Gentle Gentle	 Sturdy a twigs and 	ke for working on and flexible tines v l leaves from getti ight, yet durable a	vith sp ing ca	becific geometry help prevent ught.

Solid [™] Leaf Rake, M assembled					Art. no. 1063090	z	
Height: 3,5 cm	Length: 172 cm	Width: 44 cm	Weight: 0,52 kg	Retail box: 5	Old art. no	EA	6 4 1 1 5 0 1 7 0 4 3 5 1



 Medium-sized all-purpose rake for working in smaller areas like around trees or under bushes.

• Sturdy tines work well on rooty and uneven surfaces.

• Lightweight but durable aluminium handle.

Solid[™] Rakes

Solid™ leaf and lawn rakes feature an impressively lightweight design that makes every stroke effortless. Durable, plastic tines are great for raking and general clearing - season after season.



SOLID XL

 Features durable tines and a strong, yet lightweight aluminium handle, making it ideal for raking and moving large quantities of leaves and lawn debris

SOLID L

- Wide rake for working on large lawn areas
- Sturdy and flexible tines with specific geometry help prevent twigs and leaves from getting caught

SOLID M

- Medium-sized all-purpose rake for working around trees or under bushes • Sturdy tines work well on
- rooty and uneven surfaces

SOLID UNIVERSAL

- For raking loose grass and
- branches Great for preparing plant-
- ing beds Lightweight, durable
- aluminium handle

Solid™ Shaft						1014913	z	
Height: 3cm	Length: 157,5 cm	Width: 2,8 cm	Weight: 0,31 kg	Retail box: 10	Old art. no.	135001	Ë	6 ¹ 4 1 1 5 0 1 ¹¹ 3 5 0 0 1 5 ¹
					• Lightwei	aht and durable alu	umin	ium construction.

Solid™ Leaf Rake, L head						1014915	EAN	
Height: 5,4 cm	Length: 22,8 cm	Width: 51,1 cm	Weight: 0,23 kg	Retail box: 10	Old art. no.	135014	ĒA	6" 4 1 1 5 0 1" 3 5 0 1 4 5
	Million				 Sturdy a and leaves 	from getting ca	vith sp ught.	lawn areas. becific geometry prevent twigs aft (article No 1014913).



Solid™ Leaf Rake, M head							
Height: 6,4 cm	Length: 21,2 cm	Width: 41,5 cm	Weight: 0,15 kg	Retail bo			



- Compatible with Solid[™] rake heads (article No 1063089,
- 1014915 & 1014917).
- Spare part for rakes (article No 1003465, 1063090 & 1003466).

- Spare part for rake (article No 1003465).

	Art. no. 1063089	6 4 1 1 5 0 1 7 0 4 3 4 4
ail box: 10	Old art. no	6 4 1 1 5 0 1 7 0 4 3 4 4

• Medium-sized all-purpose rake for working in smaller areas like around trees or under bushes.

- Sturdy tines work well on rooty and uneven surfaces.
- Complementary to Solid[™] Shaft (article No 1014913).

• Spare part for rake (article No 1063090).

	Art. no. 10 [.]	14917 g	
ail box: 10	Old art. no. 13		6 ¹ 4 1 1 5 0 1 ¹¹ 3 5 0 6 4 0 ¹

- For raking long, loose grass or branches and for preparing planting beds.
- Leveling function to even the soil bed.
- Complementary to Solid Shaft (article No 1014913).
- Spare part for rake (article No 1003466).

Grass Shears

Fiskars grass shears are ergonomically designed with unique, user-friendly features. Our ingenious Servo-System[™] technology prevents blades from jamming. Additionally, blades are made from hardened stainless steel for long durability.

Grass Shears

PowerLever™ Grass and Hedge Shears (GS53)					Art. no.	1001565	z
Height: 15,5 cm	Length: 90 cm	Width: 20,5 cm	Weight: 1,31 kg	Retail box: 4	Old art. no.	113710	6 411502 967106
		3C	ili	reddot design award winner 2002	• Cuts up 2,5 m.	ng grass, hedges a to 10 mm at the ba head adjusts up to	ase of the blade and reaches up to
				GOOD DESIGN AWARD® WINNER			

Servo-System[™] Grass Shears, Long (GS46) Width: 25 cm Weight: 0,74 kg Retail Height: 8 cm Length: 105 cm Ø Servo-System[™] Grass Shears (GS42)

		(
Height: 4,5 cm	Length: 34,4 cm	Width: 12 cm	Weight: 0,31 kg	F





SmartFit™	Grass Shears	s (GS40)			Art. no. 1023632	
Height: 3 cm Length: 38 cm Width: 13 cm Weight: 0,35 kg Retail box: 5 Old art. no					6 ¹ 4 1 1 5 0 1 1 2 0 1 0 6 ¹	
					 For trimming lawn edges a Cutting angle adjustable to 	



Height: 3,2 cm Length: 43 cm Width: 13 cm Weight: 0,28 kg Retail box: 5 Old art. no Image: 6 4 1 1 5 0 1 1 5 0 2 8 8	Grass Shears, white (GS41)					Art. no. 1026917	z	
	Height: 3,2 cm	Length: 43 cm	Width: 13 cm	Weight: 0,28 kg	Retail box: 5	Old art. no	EAI	6 4 1 1 5 0 1 1 5 0 2 8 8





Cutting head adjusts

up to 360°

POWERLEVER™ Cutting head adjusts up to 270°



SERVO-SYSTEM[™] Cutting head adjusts up to 360°



	Art. no. 1000590	
ail box: 4	Old art. no. 113690	E 6 411501 966902
)	For trimming lawn edges Cutting angle adjustable	

reddot design award winner 2006

- Cutting angle adjustable to 360°.
 Ergonomic handle with finger protection.
- Servo-System[™] technology prevents the blades from jamming.

	Art. no.	1000589	AN	
Retail box: 4	Old art. no.	113680	Ë	6 ¹¹ 4 1 1 5 0 1 ¹¹ 9 6 6 8 0 3 ¹¹

- For trimming lawn edges and hedges.
- Cutting angle adjustable to 360°.
- Ergonomic handle with finger protection.
- Servo-System[™] technology prevents the blades from jamming.

- Ergonomic handle with finger protection.

- For trimming lawn edges and hedges.
- White colour for added visibility.
- Cutting angle adjustable to 180°.
- · Ergonomic handle with finger protection.

Solid [™] Gra	ss Shears (G	S21)			Art. no.	1026826	z	
Height: 4,5 cm	Length: 31,5 cm	Width: 8,5 cm	Weight: 0,32 kg	Retail box: 4	Old art. no.	-	Ē	6 ¹¹ 4 1 1 5 0 1 ¹¹ 1 5 0 2 6 4 ¹



For trimming lawn edges and hedges.Non-slip handles for comfortable grip.

Grass Shea	rs (S50)				Art. no.	1000557	EAN
Height: 1 cm	Length: 22 cm	Width: 9,5 cm	Weight: 0,09 kg	Retail box: 3	Old art. no.	111090	6 ¹ 411501 110909



For trimming lawn edges and hedges.
SoftGrip™ cover in upper handle for increased comfort.
Precise and easy cutting thanks to adjustable blade tension and power-saving spring mechanism.





Weed Pullers

Our sturdy range of weed pullers offer a range of features including an ergonomic handle design, an adjustable shaft with SmartFit[™] technology that adapts to different size users, and beautifully designed white and Solid[™] weed pullers with light, aluminium construction for ease of use.




Adjustable shaft length

Ergonomic grip design

Weed Pullers








Easy and effective weeding





Push weed puller blades into the ground, surrounding the weed.

pull the shaft.

Beautiful white design

	Art. no. 1020126	
ail box: 4	Old art. no. 139950	6 ¹ 411501 ¹ 399502 ¹
	• For effortless removal o	

• Ergonomically designed handle.

Telescopic aluminium shaft can be adjusted between 990-1190

	Art. no. 1020127	
ail box: 4	Old art. no. 139940	8 6 4 1 1 5 0 1 3 9 9 4 0 3

• Light for ergonomic, effortless removal of root weeds.

Classic & Solid[™] Lawn Care Tools

Classic Lawn Edger					Art. no.	1003707	z	
Height: 4cm	Length: 104,2 cm	Width: 23,7 cm	Weight: 1,00 kg	Retail box: 4	Old art. no.	136860	EAN	6 4 1 1 5 0 1 3 6 8 6 0 7
4			-1	Figure 1 and the set	 After cut or soil bloc 	ting a straight li	ine with	es on planting beds and lawns the lawn edger, remove weeds bade, fork or cultiweeder.

Solid™ La	wn Edger				Art. no.	1011617	Z 7 ¹¹ 3 1 7 7 9 7 ¹¹ 0 3 5 0 0 3 ¹
Height: 3 cm	Length: 110 cm	Width: 30,5 cm	Weight: 1,85 kg	Retail box: 3	Old art. no.	5371	7" 3 1 7 7 9 7" 0 3 5 0 0 3"
4		_	_			all steel construction for cutting straight	on. edges on lawns and planting beds.

Solid™ Gripper						1062271	
Height: 5 cm	Length: 87,5 cm	Width: 17 cm	Weight: 0,40 kg	Retail box: 5	Old art. no.	-	6 4 1 1 5 0 1 3 1 1 4 6 7



• Ergonomic, standing position makes it easy to collect debris from the ground. • Rubber pads grip easilly on to paper, leaves, sticks and other

debris. • Steel shaft.

Ergo™ Pop-up Bag, S, 73L						1028371	EAN	6 [°] 4 1 1 5 0 1 [°] 6 0 0 1 8 9 [°]
Height: 4cm	Length: 45 cm	Width: 45 cm	Weight: 0,71 kg	Retail box: 10	Old art. no.		Ä	6 411501 600189




Ideal for collecting wet yard and garden waste like damp leaves, weeds, grass clippings or even toys.
Folds to 3 cm for space-saving storage.
Internal spring pops it up for use.
Tear- and mildew-resistant construction provides durability and provides durability and provides durability.

easy cleaning.Height closed: 30 mm, Height open: 460 mm.

Ergo™ Pop-up Bag, M, 175L						1028372	z	
Height: 4 cm	Length: 53 cm	Width: 53 cm	Weight: 1,21 kg	Retail box: 8	Old art. no.	-	Ш	6 ¹¹ 4 1 1 5 0 1 ¹¹ 6 0 0 1 9 6 ¹

• Ideal for collecting wet yard and garden waste like damp leaves,

weeds, grass clippings or even toys.Folds to 3 cm for space-saving storage.



easy cleaning.

• Height closed: 30 mm, Height open: 700 mm.

Ergo™ Po	p-up Bag, L, 2	19L	Art. no. 1028373			
Height: 4 cm	Length: 59 cm	Width: 59 cm	Old art. no			
					weeds, grass clippings • Folds to 3 cm for space • Internal spring pops it • Tear- and mildew-resi easy cleaning.	ce-saving storage.

Solid™ Pop-up Garden Bag, 56 I					Art. no.	1015646	EAN	
Height: 3 cmLength: 40 cmWidth: 40 cmWeight: 0,60 kgRetail box: 6						Old art. no. 135041		6"411501" 350411
a - 8					or grass c	lippings.	,	d garden waste like damp leave open: 460 mm.



Solid™ Pop-up Garden Bag, 172 I						1015647	z	6 ["] 4 1 1 5 0 1 ["] 3 5 0 4 2 8"
Height: 3 cm	Length: 56 cm	Width: 56 cm	Weight: 1,25 kg	Retail box: 6	Old art. no.	135042	à	6 ¹¹ 4 1 1 5 0 1 ¹¹ 3 5 0 4 2 8 ¹



• Ideal for collecting weeds, grass clippings, other types of yard waste or even toys or laundry off the clothesline.

• Folds to 10 cm for space-saving storage.

• Internal spring pops it up for use.

• Tear- and mildew-resistant construction provides durability and easy cleaning.

• Height closed: 20 mm, Height open: 700 mm.

StaySharp[™]

Fiskars StaySharp[™] Max Reel Mower promotes greener, healthier lawns by cleanly cutting each blade of grass with a scissors-like action. This minimises the lawn's moisture loss, while reducing exposure to disease.



out unwanted contact for long-lasting performance

- Precision-ground, hardened steel blades
- Ergonomic, height-adjustable handle with padded grip for more comfort
- Directs clippings away from your feet



StaySharp	[™] Max Reel I	Nower			Art. no. 1000591	z
Height: 60 cm	Length: 61 cm	Width: 37 cm	Weight: 20,00 kg	Retail box: 1	Old art. no. 113880	6 4 1 1 5 0 1 1 3 8 8 0 4
					 2x more cutting power cor 60% easier to push than of Cut height adjustable betw Compatible with grass cate 	veen 2 -10 cm.
StaySharp	™ Plus Reel I	Nower			Art. no. 1015649	EAN
Height: 34,5 cm	Length: 60 cm	Width: 45,5 cm	Weight: 18,00 kg	Retail box: 1	Old art. no. 113872	6"411501"138729
R					 75% more cutting power c 40% easier to push than of Cut height adjustable betw 	

StaySharp [™] Grass Catcher						1000592	z	6 ¹¹ 4 1 1 5 0 1 ¹¹ 1 3 8 8 3 5 ¹
Height: 54,5 cm	Length: 55 cm	Width: 6 cm	Weight: 1,59 kg	Retail box: 1	Old art. no.	113883	EA	6 4 1 1 5 0 1 1 3 8 8 3 5





• Simple, tool-free assembly with Fiskars StaySharp[™] Max Mower.

• Effective capacity of approximately 18 litres.

• UV- and mildew-resistant polyester screen with heavy-duty steel frame for long-lasting performance.

Growing & Planting **p.86** Harvesting **p.92** Spades, Shovels & Forks **p.95**

Soil Care

QuikDrill[™] p.104 Cultivating Tools p.107 Nursery Tools p.112

Planting and growing

The right tools for every planting task:

Large hole for dropping bulbs or seedlings Maximum size 55 mm

Handles _____ made from ultra durable composite material

Shaft made _____ from lightweight aluminium



Lock Lock the blade in open position for planting



How to use






by pressing the pedal. to open up hole until you hear a click.



Drop your bulb or sapling through the top of the planter. Size up to 50mm.



Pull planter from the ground, cover your bulb and tap down with your foot.



Solid[™] Seed planting trowel

Offers four seed-planting essentials in one lightweight, durable tool



Solid[™] Hand spreader

Use to spread seeds, salt, sand, fertilizer and more



Depth 150mm

Solid[™] Hand bulb planter

Durable, FiberComp[™] reinforced plastic body

Comfortable handle For loosening the soil

Easy depth scale Measurements in centimeters and inches

Circular motion and sharp teeth Help to pass through tight ground





Solid[™] Planting stick

Creates divots and holes for planting seeds at the correct depth



New Bulb planters

Features & benefits

Xact[™] Standing bulb planter

Perfect for planting bulbs and small saplings without bending

Release button

- Aluminium shaft & FiberComp[™] handle
- 8 Planting depth 150 mm
- 4 Max. bulb size 55 mm

Erao™ **Bulb planter**

- Comfortable handle for loosening the soil
- Circular motion and sharp teeth allow it to pass easily through dense soil
- Stainless steel shaft & FiberComp[™] handle

Solid[™] Hand bulb planter

- Durable, glass fiber reinforced plastic body
- Comfortable handle for loosening the soil
- Circular motion and sharp teeth help to pass through tight ground
- Easy-to-clean surface



Planting Tools

Xact [™] Sta	nding Bulb Pla	anter	Art. no. 1057077			
Height: 31 cm	Length: 105.3 cm	Width: 30 cm	Weight: 2 kg	Retail box: 4	Oldart. no	
					 Allows you to plant bulbs and small saplings up to 50mm, without bending or kneeling. Durable, lightweight aluminium shaft has a bladed end and stepping pedal for effortless hole creation. A locking mechanism on the stepping pedal holds the blade open, allowing you to drop your bulb through the top of the planter for perfect placement. Pull planter from the ground, cover your bulb, and tap down with your foot. Planting depth up to 150 mm. 	
Ergo [™] Sta	nding Bulb Pla	anter			Art. no. 1057078	
Height: 10.5 cm	Length: 99.5 cm	Width: 27.5 cm	Weight: 1.93 kg	Retail box: 4	Oldart.no	
X			1	VPA	 Digs and fills holes for less time kneeling and bending. Non-slip standing board allows you to easily push the tool into the ground. Cone features sharp teeth for powering through even tough soil. Handle trigger releases soil over the bulb and hole for quick, efficient planting. Shaft is made of durable steel for years of reliable use. 	

Solid [™] Han	d Bulb Plante	er	Art. no. 1057079	z		
Height: 10.3 cm	Length: 24.3 cm	Width: 11.7 cm	Weight: 0.25 kg	Retail box: 12	Old art. no	6"411501"311344
-						planting of bulbs and seedlings.

Gepnitte









• Planting depth up to 150 mm.

motion.

• Planter features measuring guide on side for accurate depth. • A simple trigger opens the blade to release soil over the hole and bulb.

• Suited for bulbs up to 65 mm wide and planting depth of up to 125 mm.

Made of durable, weather-resistant FiberComp[™].

Solid[™] Planting Tools

Solid [™] Seed Planting Trowel						Art. no. 1057641		
Height: 6.4 cm	Length: 33 cm	Width: 2.2 cm	Weight: 0.06 kg	Retail box: 16	Old art. no		6 4 1 1 5 0 1 " 3 1 1 2 7 6	
0	1	-	(SGS SAAR Regularised Correction	tool. • Unique tool, all in • Deboss trowel an	tool features a tegrated into or sed, easy to rea d widger won't f lightweight, ru	ing essentials in one lightweight, durab trowel, stylus, widger and measuring ne 2-piece tool. Id, English and metric measurements o tade or erode. Just-proof FiberComp® for superior	

Solid [™] Plar	nting Stick				Art. no. 1057080	z
Height: 0.3 cm	Length: 26.2 cm	Width: 13 cm	Weight: 0.08 kg	Retail box: 16	Old art. no	-B 6 ¹ 411501 ¹ 311351 ¹

• Creates divots and holes for planting seeds at the correct depth.

- Measuring scale on tip of tool allows for depth of up to 150 mm.
 Unique L-shaped handle provides maximum torque and comfort.
- Lightweight, yet incredibly strong, FiberComp[™] construction is weather-resistant and easy to clean.

Solid [™] Spreader						1057076	z	
Height: 13.1 cm	Length: 30 cm	Width: 16.5 cm	Weight: 0.28 kg	Retail box: 12	Old art. no.	-	Ä	6 4 1 1 5 0 1 3 1 1 3 1 3



Ideal for accurate spreading of sand, salt, fertilizer and more.
Easy-to-turn adjustment knob controls dosing while deploying your material. Choose from pour, fast flow or slower flow options.
Easy-lock system allows for quick refilling with spreading materials.

homegrown and handpicked

Plus[™] Harvesting basket

Perfect for collecting, transporting and cleaning your harvest and tools.



X-series[™] Folding produce knife

Ideal for clean and precise cuts on smaller stalks and stems. It folds for convenience and compact storage.



Harvesting tools

Intuitive tools made with durable & lightweight materials for easy, quick harvesting

X-series[™] Harvesting knife

Ideal for harvesting produce with thick stalks. It has a stainless steel blade with a flat tip for quick push cuts and a serrated section for slicing through fibrous stems.

Fixed-blade knife includes sheath and belt loop for storage, safety & convenience.



Comfortable handles Ergonomic handles interlock for one-handed use

For alternative grip option



Colander Includes draining holes for an easy way to wash harvested produce





Harvesting Tools

X-series [™] Folding produce knife K80						1062819
Height: 18,42 cm	Length: 1,83 cm	Width: 10,8 cm	Weight: 0,07 kg	Retail box: 8	Old art. no.	- 6"411501" 200945
					from sma • Precisio easy acce ing plants • Foldable storage.	e, ergonomic design offers comfort and compact ngth: 7,7 cm.
X-series™ I	larvesting kr	nife K82			Art. no.	1062830 z
Height: 34,62 cm	Length: 3,81 cm	Width: 6,99 cm	Weight: 0,25 kg	Retail box: 8	Old art. no.	- 6"411501" 200952
	_		9		push cuts plants. • Extende and contr • Includes	n-ground, stainless steel blade has a flat tip for qui and a serrated section for saw cuts through fibrou d tang for durability and ergonomic handle for cor ol. hard plastic sheath with belt loop. ngth: 15 cm.
Plus [™] Garc	len Harvest E	Basket			Art. no.	1062831
Height: 13,67 cm	Length: 60,96 cm	Width: 38,84 cm	Weight: 1,13 kg	Retail box: 6	Old art. no.	
					transporti • Colande produce, clean pro • Ergonor while fold • Made of	Plus Garden Harvest Basket is perfect for collecting and cleaning your harvest and food gardening r side has drain holes for washing just-harvested while enclosed side can be used for soaking or car duce or tools. Inic side handles are ideal for two-handed carrying ng handles interlock for comfortable, one-handed durable plastic. ons: 61 cm x 39 cm x 13 cm.
Solid™ Kne	eling pad				Art. no.	1062832 z
Height: 1,91 cm	Length: 45,72 cm	Width: 27,94 cm	Weight: 0,08 kg	Retail box: 6	Old art. no.	- 6"411501" 200976
1					working ir • Dual-lay • Moisture	Solid™ Kneeling Pad prevents sore knees when the garden. er construction provides lasting durability. e-proof outer shell protects you from rough terrain. m inner cushion provides generous padding.

Digging

To make digging as easy as possible, you need a reliable spade suitable for the task. That's why we've developed a variety of spades and shovels including spades for digging in hard soil, edging and planting, as well as light spades for soft soil. We also have shovels designed to move sand, soil and snow.



XACT™

Gardening is a demanding pastime. Fiskars Xact[™] digging tools will give you that extra push to take your gardening to a whole new level and make digging a truly pleasurable experience. Fiskars Xact digging tools fit you - combining the right length with lightweight material and durability.

ERGONOMIC[™]

Beautifully designed and realised, Fiskars Ergonomic™is a perfect selection of tools for digging and composting - all for the most discerning gardener. The spades, shovels and forks have angled shafts and handles for reduced strain on backs, hands and wrists. A resin coating on the shafts also maximise grip and comfort.

- Soft foam inner cushion provides generous padding
- Convenient handle makes carrying easy.
- Sized to offer plenty of room while working.
- Dimensions: 45.7 cm x 27.9 cm x 1.9 cm.





SOLID™

Offering simple, affordable quality and expertise for every garden, Fiskars Solid[™] range includes a wide variety of shovels, spades and forks designed to get the job done. With metal or FSC[®] certified wooden shafts, and straight or D-shaped handles, every Solid tool features the for planting seeds and bulbs and quality Fiskars is known for.

WHITE

The new beautiful White range offers you a selection of lightweight tools for planting, cultivating, raking and other gardening tasks. Fiskars versatile range of soil rakes, hoes and cultivators are ideal for weed control, moving soil, creating narrow furrows even harvesting root crops.

Xact[™] Spades, Shovels & Forks



Xact[™] Telescopic Shovel Length: **120,8-140 cm** Height: 15,9 cm Width: 22,3 cm Weight: 2,19 kg Ret

Xact[™] Soil Work Fork, M Height: 7,5 cm Length: 108 cm Width: 19 cm Weight: 1,54 kg Reta Ų redd

Xact[™] Soil Work Fork, L



Xact[™] Composting Fork, L



SmartFit[™] Fork



Telescopic shaft extends from 110.8 cm to 130 cm

• D-shaped handle with SoftGrip™ ensures digging comfort control.

• Ergonimic angled shaft that ensures ideal working position.

	Art. 10. 1000734
tail box: 4	Old art. no
	 Ideal for moving soil, sand, gravel and other bulk materials. Wide, angled head allows you to shift materials quickly and with less strain on your back. Telescopic shaft extends from 120,8 cm to 140 cm. D-shaped handle with SoftGrip™ ensures digging comfort control. Ergonimic angled shaft that ensures ideal working position.
	Art. no. 1003686
tail box: 4	Old art. no. 133480
dot design award tof the best 2014	 For loosening and turning over compacted soil. Easily move tufts of grass when bordering or planting, or use while aerating your lawn and raking out stones and weeds. For users with a height of 160 - 175 cm. Tines can be pushed easily into the ground without being stopped by stones, weeds or roots.
	Art. no. 1003685
tail box: 4	Old art. no. 133481
dot design award tof the best 2014	 For loosening and turning over compacted soil. Easily move tufts of grass when bordering or planting, or use while aerating your lawn and raking out stones and weeds. For users with a height of 175 - 195 cm. Tines can be pushed easily into the ground without being stopped by stones, weeds or roots.
	Art. no. 1003687
tail box: 4	Old art. no. 133482
dot design award to the best 2014	 For lifting, turning and spreading loose material like grass, hay, weeds, leaves, compost and other garden waste. Thin and sharp tines are more widely spaced and curved for easier pushing into compost - without getting chunky material stuck in the tines. Upright shaft helps with composting. Suitable for all heights of users.
	Art. no. 1000630
tail box: 4	Oldart. no. 133320
dot design award ner 2003	 For loosening and turning over compacted soil. Easily move tufts of grass when bordering or planting. Also great for aerating lawns or raking out stones and weeds.

Art. no. 1066734

VF

Length of fork can be adjusted between 1165-1256 mm.

Ergonomic[™] Spades & Forks

Ergonomic [™] Pro Pointed XL Spade Black					Art. no. 1066707	z
Height: 13,5 cm	Length: 130,5 cm	Width: 20,5 cm	Weight: 2,3 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 3 1 1 6 8 9
New			_0	VPAGGeode	specialised tasks and h • Ideal for driving into si • Stepping board helps • D-shaped handle is si	tone, clay and hard soils.



 Ergonomic[™] Pro Drain spade is designed for demanding,
specialised tasks and heavy lifting.
 Ideal for trenching and digging up bulbs in tough soil, as well as
splittle roots.
 Stepping board helps drive into tough soil.
 D-shaped handle is sized for working with or without gloves
• Appled aboft with pape alia aria offers added atropath and

 Angled shaft with non-slip grip offers added strength and improved ergonomics.

Ergonomic [™] Pro Shovel Black					Art. no.	1066711	z	6 4 1 1 5 0 1 3 1 1 7 1 9
Height: 17,3 cm	Length: 131,7 cm	Width: 23 cm	Weight: 2,26 kg	Retail box: 4	Old art. no.	-	Ē	6 4 1 1 5 0 1 3 1 1 7 1 9



 Ergonomic[™] Pro Shovel is designed for demanding, specialised tasks and heavy lifting.

 Ideal for transferring heavy construction and garden materials like gravel, mulch, soil and sand.

• D-shaped handle is sized for working with or without gloves. Angled shaft with non-slip grip offers added strength and improved ergonomics.

Ergonomic [™] Pro Concrete Shovel Black					Art. no.	1066713	z	
Height: 14 cm	Length: 123,9 cm	Width: 27,4 cm	Weight: 2,4 kg	Retail box: 4	Old art. no.	-	Ē	6" 4 1 1 5 0 1" 3 1 1 7 2 6



 Ergonomic[™] Pro Concrete shovel is designed for demanding, specialised tasks and heavy lifting.

• Ideal for transferring and mixing and spreading heavy-duty and wet materials.

• D-shaped handle is sized for working with or without gloves. Angled shaft with non-slip grip offers added strength and improved ergonomics.

Ergonomic [™] Pointed Spade					Art. no.	1066708	EAN
Height: 12 cm	Length: 124,9 cm	Width: 19,3 cm	Weight: 2,06 kg	Retail box: 4	Old art. no.		6"411501" 311733"



 Ergonomic[™] Pointed spade is optimised for comfort — working with your body.

• Sharp cutting edge is ideal for aerating, stirring and turning soil, cutting through roots, and digging in stone, clay and hard soil.

• D-shaped handle is sized for working with or without gloves.

- Ergonomically shaped shaft with non-slip grip that insulates from the cold.
- Stepping board adds extra strength and makes driving into tough soil easier.

 Perfected lifting angle for improved comfort and optimal digging performance.





Ergonomic	Ergonomic [™] Garden Fork								
Height: 9,5 cm	Length: 123 cm	Width: 20 cm	Weight: 2,09 kg	Retail box: 4	Old art. no. 133400				
	-	-	-0		 Angeled shaft and and wrists. 	iting lawns o I handle for r	r compacted soil. r raking out stones and weeds. educed strain on back, hands ximised comfort and grip.		

Ergonomic[™] Compost Fork



	Art. no. 1066710
tail box: 4	Old art. no. 1001411
VPA G Boord	 Ergonomic[™] Rounded spade is optimised for comfort — working with your body. Sharp cutting edge is ideal for digging, edging and planting in standard, grassy topsoil. Ergonomically shaped shaft with non-slip grip that insulates from the cold. Stepping board adds extra strength and makes driving into tough soil easier. Perfected lifting angle for improved comfort and optimal digging performance.
	Art. no. 1066712
tail box: 4	Old art. no. 1001579
VPA Cocothe Socherheit	 Ergonomic[™] Shovel is optimised for comfort — working with your body. Wide scoop head is ideal for moving bulky materials, including gravel, sand and soil. Ergonomically shaped shaft with non-slip grip that insulates from the cold.

 Perfected lifting angle for improved comfort and optimal digging performance.





	Art. no.	1001695	z	
ail box: 4	Old art. no.	133430	Ш Ш	5 905568 902504

• For lifting, turning and spreading loose material like grass, hay, weeds, leaves, compost and other garden waste.

• Angeled shaft and handle for reduced strain on back, hands and wrists.

• Plastic coating on shaft for maximised comfort and grip.

White Spade & Fork

Pointed Spade, white					Art. no. 1067519	B ⁶ 411501 ¹¹ 311474 ¹
Height: 12 cm	Length: 105 cm	Width: 19,3 cm	Weight: 1,95 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 3 1 1 4 7 4
New	-		-0	VPA	modern style to gardening.	ghtweight, easy to use, and adds a

 Pointed blade edge is ideal for digging, edging and planting in standard, grassy topsoil.

· Conveniently sized for gardening in small or tight spaces. • D-shaped handle with comfortable grip insulates from the cold. • Stepping board helps you break through soil.

Digging Fork, white					Art. no.	1019603	z	
Height: 9,8 cm	Length: 105 cm	Width: 18 cm	Weight: 1,13 kg	Retail box: 4	Old art. no.	133503	E	6 4 1 1 5 0 1 3 3 5 0 3 6

• Light fork for loosening and turning over soil, harvesting and composting.

Solid[™]+ & Solid[™] Spades & Forks





Solid[™]+ Concrete Shovel




Solid™ Metal Car Spade					Art. no. 1066715	z
Height: 10,5 cm	Length: 80 cm	Width: 18,2 cm	Weight: 1,42 kg	Retail box: 4	Old art. no. 1014809	B 6"411501" 311825
New	-	-0		VPA Contract	car.	veniently sized to fit in the boot of your deal for digging out of snow, ice or mud shaft for optimal durability

Solid™ Metal Pointed Spade					Art. no. 1066716	z
Height: 12,1 cm	Length: 116,6 cm	Width: 18 cm	Weight: 1,85 kg	Retail box: 4	Old art. no. 1003455	B 6 4 1 1 5 0 1 3 1 1 8 3 2
New	-	-	0	VPA Genile	 Sharp, pointed blade ed for cutting turf or roots. 	offers affordable quality for every garden. dge is ideal for general digging tasks and ong metal shaft for optimal durability.

White digging tools

Our white range offers you a selection of lightweight tools for planting, cultivating, raking and other gardening tasks. This versatile range includes soil rakes, hoes and cultivators for weed control, moving soil, creating narrow furrows for planting seeds and bulbs, and even harvesting root crops.

- Oval-shaped, lightweight aluminium shaft
- Plastic sleeve maximises grip while insulating from the cold



	Art. no.	1067516	EAN	
tail box: 4	Old art. no.	-	Ŭ,	6 4 1 1 5 0 1 3 1 1 5 5 9
VPA General Control of	garden. • Ideal for o • Stepping	digging in hard gro board helps drive	und lik into to	,

	Art. no. 10675	7	6"411501" 311566"
tail box: 4	Old art. no	EV	6" 4 1 1 5 0 1" 3 1 1 5 6 6"
	 Solid™+ Spade, 	XL blade long	shaft offers affordable quality for

• Ideal for digging in hard ground like stone and clay.

• Long, angled shaft provides ergonomic use for tallers users. • Stepping board helps drive into tough soil.

• D-shaped handle is perfect for hands of all sizes, with or without gloves.

	Art. no.	1067518	z	6 ¹¹ 4 1 1 5 0 1 ¹¹ 3 1 1 5 7 3 ¹¹
ail box: 4	Old art. no.	-	Ē	6 4 1 1 5 0 1 3 1 1 5 7 3



● Solid[™]+ Concrete Shovel offers affordable quality for every garden.

• Ideal for working with sand, gravel, wet concrete and other heavy-duty materials.

• Boron steel construction increases strength.

• D-shaped handle is perfect for hands of all sizes, with or without gloves.



 Easy-to-see orange D-shaped handle is perfect for hands of all sizes, with or without gloves.



Stepping board helps drive into tough soil.

• D-shaped handle is perfect for hands of all sizes, with or without aloves.

Solid [™] Metal Rounded Spade					Art. no.	1066717	6 4 1 1 5 0 1 3 1 1 8 4 9
Height: 12,4 cm	Length: 116,6 cm	Width: 18 cm	Weight: 1,90 kg	Retail box: 4	Old art. no.	1003456	6 411501 311849
	- 1. I				• Solid™ I	Rounded spade of	fers affordable quality for every



Gepruffe Sicherheit

garden. garden.
Sharp, rounded blade edge is ideal for digging, edging and planting in standard, grassy topsoil.
Head is welded to a strong metal shaft for optimal durability.
Stepping board helps drive into tough soil.
D-shaped handle is perfect for hands of all sizes, with or without always and the standard of the standard of

gloves.

Solid™ Metal Shovel D Handle					Art. no.	1066718	z	6" 4 1 1 5 0 1" 3 1 1 8 5 6
Height: 17,6 cm	Length: 126,7 cm	Width: 23 cm	Weight: 2,13 kg	Retail box: 4	Old art. no.	1003457	Ē	6 4 1 1 5 0 1 3 1 1 8 5 6



 Solid[™] Shovel offers affordable quality for every garden.
 Durable, wide scoop is ideal for efficiently moving dirt, sand,
gravel and other bulky garden materials.
 Head is welded to a strong metal shaft for optimal durability.
• D-shaped handle is perfect for hands of all sizes, with or without
gloves.

Solid [™] Metal Shovel I Handle					Art. no.	1066720	z	6 411501 311863
Height: 17,4 cm	Length: 149 cm	Width: 23 cm	Weight: 2,20 kg	Retail box: 4	Old art. no.	-	Ш Ш	6" 4 1 1 5 0 1" 3 1 1 8 6 3"



SolidTM Shovel offers affordable quality for every garden.
Durable, wide scoop is ideal for efficiently moving dirt, sand, gravel and other bulky garden materials.
Head is welded to a strong metal shaft for optimal durability.
Straight handle offers a traditional, seamless grip.

Solid [™] Fork	ζ				Art. no.	1003458	
Height: 8,5 cm	Length: 120,5 cm	Width: 18 cm	Weight: 1,66 kg	Retail box: 4	Old art. no.	133423	6 411501 334237



For loosening and turning over compacted soil.
Also great for aerating lawns or raking out stones and weeds.

Solid [™] Con	npost Fork				Art. no.	1003459	EAN
Height: 10 cm	Length: 127 cm	Width: 28 cm	Weight: 1,58 kg	Retail box: 4	Old art. no.		6 4 1 1 5 0 1 3 3 4 3 3 6





• For lifting, turning and spreading loose material like grass, hay, weeds, leaves, compost and other garden waste.



QuikDrill[™]

Fiskars QuikDrill™ makes many garden tasks simpler, easier and more precise. It is a handy tool for planting flowers or bushes, or aerating and fertilizing the ground.

Classic Soil Tools

Fiskars Classic tools are originals featuring timeless design and attention to detail. Better with time, after a few years, you start wondering how long you've had them because it feels like they have always been there.

QuikDrill™	Garden Drill	S			Art. no. 1000636	
Height: 10 cm	Length: 111 cm	Width: 51 cm	Weight: 1,80 kg	Retail box: 2	Old art. no. 134710	0 <i>7</i>
- 1		-{			 For planting bulbs, aerating and fertilizing soil and insta small posts. Drilling hole width 100 mm. 	lling
QuikDrill™	⁴ Garden Drill,	м			Art. no. 1000638	
Height: 15 cm	Length: 111 cm	Width: 51 cm	Weight: 2,15 kg	Retail box: 2	Oldart.no. 134720	0 6 C
		P		VPA	 For perennial planting, aerating and mixing compost ar ing medium sized posts. Drilling hole width 150 mm. 	nd ins
¥		-				
QuikDrill™	⁴ Garden Drill,	L			Art. no. 1000640	



VPA

• For planting hedges and trees, drilling compost holes and installing large posts.Drilling hole width 200 mm.



Classic Dig	ging Spade		Art.no. 1003690			
Height: 8 cm	Length: 106 cm	Width: 19,5 cm	Weight: 1,62 kg	Retail box: 4	Old art. no. 131830	B 6 4 1 1 5 0 1 3 1 8 3 0 5
	-		-Cl	Fisc View In Long View In Long		ade for digging in hard soil. ugh soil layers and roots.

Classic Ga	rdener Spade	;	Art. no. 1003691	z		
Height: 8 cm	Length: 106 cm	Width: 19,5 cm	Weight: 1,85 kg	Retail box: 4	Old art. no. 131790	6 ⁶ 411501 ¹¹ 317902 ¹
	-	_	-0	Figure 1 and the second		rden soil with grass layer and soft ground. ger planting holes, edging beds and s of soil.

Classic Digging Fork						1003692	z	
Height: 9,5 cm	Length: 110,5 cm	Width: 20,5 cm	Weight: 1,50 kg	Retail box: 4	Old art. no.	133750	EAN	6" 4 1 1 5 0 1" 3 3 7 5 0 4
	}—	-	0	FSC FSC FSC classed Transmitted house	beds or ve • Easily m while aera • Tines ca stopped b	egetable garden. ove tufts of grass ting your lawn and	wher d raki	over compacted soil in planting n bordering or planting, or use ing out stones and weeds. o the ground without being ots.







Classic Pro Lifting Fork 3 prongs red					Art. no. 1020746	z
Height: 4 cm	Length: 140 cm	Width: 18 cm	Weight: 1,3 kg	Retail box: 3	Old art. no. 134640	6 411501 337306
)	and the Party		Contraction of the second seco	 A special fork designed for Powder coated steel heat The ergonomic D-handle better control and balance. Lacquered ash handle. FSC[®] certified wood. 	d. provides effectiveness as well as

Classic Cul	tiweeder	Art. no. 1003695				6 4 1 1 5 0 1 3 6 7 0 0 6		
Height: 17 cm	Length: 169 cm	Width: 12,5 cm	Weight: 0,93 kg	Retail box: 4	Old art. no. 1	36700	Ë	6 4 1 1 5 0 1 3 6 7 0 0 6
Des.					• Dual tool fo	or cultivating, bre	akin	g up soil deep down and



 Dual tool for cultivating, breaking up soir removing weeds before planting. FSC[®] certified wood.
--

Classic Pro	Contractor H	loe Long Har	ndle		Art. no.	1014793	z	
Height: 22 cm	Length: 124 cm	Width: 32 cm	Weight: 1,43 kg	Retail box: 5	Old art. no.	136750	ä	6 ¹¹ 4 1 1 5 0 1 ¹¹ 3 6 7 3 0 3 ¹¹





Classic Pot	ato Hoe				Art. no.	1003709	EAN	
Height: 3,5 cm	Length: 124 cm	Width: 20 cm	Weight: 1,23 kg	Retail box: 4	Old art. no.	136750	6"411501"367501]

The mark of seconsible forest

The mark of responsible forest



• Dig up potatoes and other vegetables without harming them. FSC FSC FSC[®] certified wood.

Cultivating Tools

Fiskars cultivating tools are designed for comfortable planting, cultivating, weeding and seeding. The three different ranges offer a wide selection of tools from weeders to rose rakes.



Perfect tools covering all cultivating tasks with ultimate performance

Selected ergonomic tools for the most discerning gardener



WHITE A beautiful, versatile range of light tools



SOLID™ All-purpose, basic garden tools

Xact[™] Soil Care Tools

Xact [™] 3-pi	rong Cultivato	or, 150 mm			Art. no. 1027040	z
Height: 11,6 cm	Length: 172 cm	Width: 14,8 cm	Weight: 0,88 kg	Retail box: 4	Old art. no	6 ¹¹ 4 1 1 5 0 1 ¹¹ 3 5 0 8 5 5 ¹
			VPAS	CUARANTEE 25 VEARS VEARS	compacted soil. • Rigid, sturdy, stainless while tilling and cultivatir • Hardened aluminium s without sacrificing stren • SoftGrip TM handle allo exceptional shape provi	ng cultivator for efficient loosening of s steel prongs penetrate soil precisely ng. shaft with unique profile reduces weight igth for effortless strokes. ws for multiple hand positions, while its ides good support during use. ole on handle for easy storage.
Xact [™] Dut	ch Hoe, 125 n	nm			Art. no. 1027041	EAN
Height: 4cm	Length: 170 cm	Width: 12,4 cm	Weight: 0,80 kg	Retail box: 4	Old art. no. –	6"411501"350862"
-				CUARANTEE 25 VEARS VEARS	 below the soil surface. Sharp stainless steel b weeding and cultivating Hardened aluminium s without sacrificing stren SoftGripTM handle allo exceptional shape provi 	motion efficiently uproots weeds just blades penetrate soil precisely while shaft with unique profile reduces weight igth for effortless strokes. ws for multiple hand positions, while its ides good support during use. ole on handle for easy storage.
Xact [™] Pus	h-Pull Weede	er, 135 mm			Art. no. 1027042	EAN
Height: 11,6 cm	Length: 167,5 cm	Width: 13,5 cm	Weight: 0,76 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 3 5 0 8 7 9
(}			VPA	CUARANTEE 25 VEARS VEARS	bles without damaging f Mobile, stainless steel push stroke below the s Hardened aluminium s without sacrificing stren SoftGrip TM handle allo exceptional shape provi	blade cuts through weeds on the pull an
Xact [™] Wee	eding Knife, 3	0 mm			Art. no. 1027112	z
Height: 2,9 cm	Length: 173 cm	Width: 9,5 cm	Weight: 0,73 kg	Retail box: 4	Old art. no	6 ¹¹ 411501 350886
				GUARANTEE	tween paving stones an	nife for removing weeds and moss be- Id patios. nless steel blades provide ultimate perfo



mance and control. Hardened aluminium shaft with unique profile reduces weight ■ Raidened addiminant shar with unique promotocococ neight without sacrificing strength for effortless strokes.
■ SoftGrip™ handle allows for multiple hand positions, while its

exceptional shape provides good support during use.
Convenient hanging hole on handle for easy storage.

Ergonomic[™] Soil Care Tools

•	Soil Rake		Art. no.				
Height: 7 cm Ler	ngth: 154 cm V	Width: 38 cm	Weight: 0,70 kg	Retail box: 4	Old art. no.	135510	5 9 0 5 5 6 8 8 0 0 2 4 4
							ig beds, smoothing down soil and ike raking branches or spreading


Cultivator				Art. no. 1	001301 Z	
ngth: 167 cm	Width: 12 cm	Weight: 0,79 kg	Retail box: 4	Old art. no. 1		7 ¹¹ 3 1 7 7 9 1 ¹¹ 1 1 6 6 6 1
		1		Cultivator	for loosening and tilin	g soil before planting.
					ngth: 167 cm Width: 12 cm Weight: 0,79 kg Retail box: 4 Old art. no. 1	

Ergonomi		Art. no.	1000675	EAN	7" 3 1 7 7 9 1" 1 1 2 6 0 1			
Height: 9 cm	Length: 155 cm	Width: 20 cm	Weight: 0,53 kg	Retail box: 4	Old art. no.	136500		7 ¹ 3 1 7 7 9 1 ¹ 1 1 2 6 0 1 ¹
(-					removing weed r cultivation.	ls betwe	en rows of plants or breaking

Fiskars Ergonomic[™]

Beautifully designed and realised, Fiskars Ergonomic[™] is a perfect selection of tools for cultivating, planting, digging, shovelling and composting - all for the most discerning gardener.

- Teardrop-shaped shaft enables ergonomic working positions
- Hanging loop for easy storage
- Plastic coating on shaft maximises grip and comfort
- Boron steel material for strength



. .

White Soil Care Tools

Weeding Knife, white						1019604	EA
Height: 3cm	Length: 161 cm	Width: 7,5 cm	Weight: 0,41 kg	Retail box: 4	Old art. no.	136543	6 4 1 1 5 0 1 3 6 5 4 3 9

• Light weeding knife for removing weeds from patios or tight spaces in vegetable or flower beds. • Steel head is shaped to fit easily into tight places.

Solid[™] Soil Care Tools

Solid™ Cu	ltivator		Art. no. 1016034	EAN	6" 4 1 1 5 0 1" 3 5 7 1 4 4		
Height: 12 cm	Length: 167 cm	Width: 13 cm	Weight: 0,59 kg	Retail box: 4	Old art. no. 135714	EP	6 ¹¹ 4 1 1 5 0 1 ¹¹ 3 5 7 1 4 4 ¹
a			-		 Easy-to-use tool for loc Hardened carbon steel Aluminium handle. 		and tilling soil before planting.



G

Iarger areas.Sharp steel blade to remove weeds.

Solid™ Ho	е		Art. no.	1016035			
Height: 14 cm	Length: 164 cm	Width: 16 cm	Weight: 0,52 kg	Retail box: 4	Old art. no.	135713	6 ¹¹ 4 1 1 5 0 1 ¹¹ 3 5 7 1 3 7 ¹¹
1—					breaking u	tool for removing wee up the soil for cultivation ad carbon steel blade.	

Cultivator, white						1019611	LAN CONTRACTOR
Height: 11 cm	Length: 164 cm	Width: 9,5 cm	Weight: 0,55 kg	Retail box: 4	Old art. no.		6 ⁶ 4 1 1 5 0 1 ¹¹ 3 6 5 7 3 6 ¹

1000

• Light cultivator for loosening compacted soil. Sharp, hardened steel prongs penetrate soil easily when cultivating.

Solid [™] Soil Rake										
Height: 7 cm	Length: 156,5 cm	Width: 36 cm	Weight: 0,62 kg	Reta						
F										
ţ										

Hoe, white					Art. no.	1019609		
Height: 9cm	Length: 158 cm	Width: 19,5 cm	Weight: 0,48 kg	Retail box: 4	Old art. no.		6 4 1 1 5 0 1 3 6 5 5 3	8



• Light hoe for removing weeds and loosening soil in vegetable beds and under plants.Steel blade with sharp edges for reaching under plants.

	Art. no.	1016036	E 6 411501 357151	
tail box: 4	Old art. no.	135715	6"411501" 357151	

• All-purpose soil rake for preparing planting beds, smoothing down soil and other general gardening tasks like raking branches or spreading mulch.

• Hardened carbon steel blade.

Aluminium handle.

Nursery Tools

Fiskars nursery tools are ergonomically designed with rounded edges to minimise soil and root damage while planting, cultivating, weeding and seeding.





XACT™

PLANTERS

Perfect tools covering

all nursing tasks with

ultimate performance

PREMIUM PLANTERS Ergonomically designed for

Ergonomically designed for comfortable planting ERGO™

PLANTERS

for demanding

cultivating tasks

Robust nursery tools



WHITE PLANTERS Lightweight and rust-free nursery tools



SOLID[™] PLANTERS Lightweight and rust-free nursery tools

Xact[™] Hand Tools

	wel				Art. no. 1027043
Height: 5 cm	Length: 37,5 cm	Width: 8,3 cm	Weight: 0,28 kg	Retail box: 4	Old art. no
15				CUARANTEE 25 VEARS VEARS	 Ideal for digging while planting, taking up plants and turning soil. Large stainless steel head with sharpened edges moves no soil, faster, while cutting easily through tough turf. Comfortable SoftGrip™ handle allows for multiple handle positions, while its longer length brings balance and extra powhen needed. Convenient hanging hole on handle for easy storage.
Xact™ Har	nd Rake				Art. no. 1027044
Height: 4 cm	Length: 44,3 cm	Width: 12,3 cm	Weight: 0,20 kg	Retail box: 4	Old art. no
1979		•		CUARANTEE 25 VEARS VEARS	 Fan shaped hand rake is the perfect tool for raking up leave weeds and grass cuttings in small flowerbeds and hard-to-re areas. Perfectly finished stainless steel head with 7 prongs provide ultimate precision and control. Comfortable SoftGrip™ handle allows for multiple handle positions, while its longer length brings balance and extra powhen needed. Convenient hanging hole on handle for easy storage.
Xact™ Sm	all Weeding K	nife			Art. no. 1027045
Height: 3 cm	Length: 33,8 cm	Width: 9,4 cm	Weight: 0,27 kg	Retail box: 4	Old art. no 6'4 1 1 5 0 1' 3 5 1 0 2 9
-			VPA Certification	CUJARANTEE 25 VEARS VEARS reddot award 2019 winner	 tween paving stones and patios. Precisely finished stainless steel blades provide ultimate permance and control. Comfortable SoftGrip™ handle allows for multiple handle positions, while its longer length brings balance and extra powhen needed. Convenient hanging hole on handle for easy storage.
Xact™ Ext	ractor				Art. no. 1027046
Height: 3,6 cm	Length: 39,6 cm	Width: 4,3 cm	Weight: 0,26 kg	Retail box: 4	Old art. no
	1			GUARANTEE 25 YEARS	 Effective hand extractor for removing deep rooted weeds w minimal soil adhesion. Long, sharp stainless steel blade provides precision and efficiency. Comfortable SoftGrip™ handle allows for multiple handle positions, while its longer length brings balance and extra po when needed.
P				reddot award 2019 winner	Convenient hanging hole on handle for easy storage.
Xact™ Cul	tivator				
Xact™ Cul Height: 6,2 cm	tivator Length: 32,3 cm	Width: 9,2 cm	Weight: 0,26 kg		

Premium Planters[™] Trowel

Length: 37,5 cm Width: 8,7 cm

Height: 5,7 cm

Premium Planters[™] Nursery Tools

Fiskars Premium Planters[™] tools are constructed with added durability for repetitive tasks and heavy use in tough, hard ground.

Weight: 0,13 kg

Ergo[™] Hand Tools

Ergo™ Trowel					Art. no. 1027017	z
Height: 2,5 cm	Length: 30 cm	Width: 7,5 cm	Weight: 0,17 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 3 5 0 7 1 8
	•			VPA S Create Schenet	clods. • Lightweight, ergonom hand and helps reduce t	k while digging in dense soil.

Ergo™ Tra	nsplanter		Art. no. 1027018	z		
Height: 2,5 cm	Length: 30 cm	Width: 5,5 cm	Weight: 0,14 kg	Retail box: 4	Old art. no	6 ¹ 411501 ¹ 350725 ¹
	- •			VPA Castle Gestife Schemer	hand and helps reduce f • Steel head won't break	ically shaped handle feels natural in you

Ergo [™] Cul	tivator		Art. no. 1027019			
Height: 4,5 cm	Length: 30,5 cm	Width: 8,5 cm	Weight: 0,25 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 3 5 0 7 3 2
3-	-000000			VPA G Becchie	clods. • Lightweight, ergonomic hand and helps reduce fa • Steel head won't break	h soil and breaking up hardened dirt cally shaped handle feels natural in your atigue. while digging in dense soil.

Ergo [™] Cul	tivator Hoe				Art. no. 1027030	
Height: 7,5 cm	Length: 30,5 cm	Width: 18 cm	Weight: 0,25 kg	Retail box: 4	Old art. no	 ∎∎ 7 4 9
\vdash				VPA Good	 Ideal for loosening, aerating and shaping tough soil. Lightweight, ergonomically shaped handle feels nature hand and helps reduce fatigue. Sharpened hoe blade breaks up hard soil easily. Large cultivator tines provide maximum soil contact to work. Handle hang hole offers easy storage. 	
Ergo™ We	eding Knife				Art. no. 1027031	
Height: 2,5 cm	Length: 31 cm	Width: 2,5 cm	Weight: 0,13 kg	Retail box: 4	Old art. no	 7 5 6
	-				Ideal for removing dandelions, thistles and other invas	sive plan'

	Old art. no. 137210 • For planting and weeding in hard grou • Perfect for use in narrow bed layouts.	Retail box: 4	Weight: 0,11 kg	Width: 7 cm		Premium Planters [™] Transplanter					
		<i>a</i> 5		vviatn: 7 cm	Length: 27,5 cm	Height: 4 cm					
		reddat design award winner 2011									
z	Art. no. 1000728 z			tivator	Planters™ Cul	Premium F					
6"411501" 372208	Old art. no. 137220 6 4	Retail box: 4	Weight: 0,14 kg	Width: 8 cm	Length: 25 cm	Height: 5cm					
		Retail box: 4	Weight: 0,14 kg								

Retail box: 4

reddot design award winner 2011

Ŷ

Art. no. 1000726

Old art. no. 137200

• For planting and transplanting in hard ground.

411501"372000

- Handle hang hole offers easy storage



- ur
- for perfect transplants.



- Large tines provide maximum soil contact to speed up work.





- nts. • Lightweight, ergonomically shaped handle feels natural in your hand and helps reduce fatigue.
- Steel head won't break while digging in dense soil.
- Sharpened forked tip helps you remove weeds by the roots.

White Nursery Tools

Trowel, wh	ite				Art. no. 1027032	EAN
Height: 4,7 cm	Length: 29,1 cm	Width: 8,3 cm	Weight: 0,08 kg	Retail box: 16	Old art. no	6 4 1 1 5 0 1 3 5 0 7 6 3
	.0			VPA Generation	 Ideal for planting and transp Lightweight, durable FiberC Rustproof. Hang hole for easy storage. Can lift up to 35 kg. 	
Transplant	er, white	1			Art. no. 1027033	EAN
Height: 4,2 cm	Length: 29,1 cm	Width: 5,8 cm	Weight: 0,07 kg	Retail box: 16	Old art. no	6 ¹¹ 411501 ¹¹ 350770 ¹¹
	.0			VPA G Geode Schemet	 Ideal for planting and weedin Perfect for use in narrow bee Lightweight, durable FiberC Rustproof. Hang hole for easy storage. Can lift up to 35 kg. 	d layouts and on balconies.
Fork, white	<u></u>				Art. no. 1027034	





Ideal for planting and weeding whilst protecting roots.
Lightweight, durable FiberComp[™] material. Rustproof.

• Hang hole for easy storage. Can lift up to 35 kg.

Cultivator H	loe, white				Art. no. 1027035	z	
Height: 5cm	Length: 27,6 cm	Width: 7,6 cm	Weight: 0,09 kg	Retail box: 16	Old art. no	EAL	6 ¹¹ 4 1 1 5 0 1 ¹¹ 3 5 0 7 9 4



VPA Gentite Sicherhet

Ideal for multiple planting and weeding tasks.
Lightweight, durable FiberComp™ material.
Rustproof. Hang hole for easy storage.Can lift up to 35 kg.



Solid™ Pla		Art. no.	1000694	z				
Height: 4,7 cm	Length: 29,1 cm	Width: 8,3 cm	Weight: 0,08 kg	Retail box: 16	Old art. no.	137000	EA	6 ¹ 4 1 1 5 0 3 ¹¹ 4 6 0 1 0 1 ¹
				VPAS	 Lightwe Rustpro Hang he 	planting and t right, durable F oof. Die for easy sto up to 35 kg.	iberCom	

Solid [™] Planters Transplanter						1000695	z	
Height: 4,2 cm	Length: 29,1 cm	Width: 5,8 cm	Weight: 0,07 kg	Retail box: 16	Old art. no.	137010	EAN	6 4 1 1 5 0 3 4 6 0 2 0 0
				VPAS	 Perfect Lightwe Rustpro Hang ho 	ight, durable F	ow bed la FiberCom	ayouts and on balconies.

Solid [™] Plar	Solid [™] Planters Cultivator							
Height: 5 cm	Length: 27,6 cm	Width: 7,6 cm	Weight: 0,09 kg	Retail box: 16	Old art. no.		EAN	6" 4 1 1 5 0 3" 4 6 0 3 0 9"
				212		aerating and looser		

-	-	-
1		

Solid™ Pla	anters Weed F	ork	Art. no. 1000696			
Height: 4 cm	Length: 26,3 cm	Width: 7,8 cm	Weight: 0,09 kg	Retail box: 16	Old art. no. 137030	6 411502 460409
•				VPA S		l weeding whilst protecting roots. FiberComp™ material. torage.

Solid™ Planters Hoe						1001601	
Height: 7,5 cm	Length: 32,2 cm	Width: 19,9 cm	Weight: 0,15 kg	Retail box: 16	Old art. no.	137040	6 ¹¹ 4 1 1 5 0 2 ¹¹ 4 6 0 5 0 8 ¹
-	-				LightweRustproHang ho	ight, durable Fiber	and weeding tasks. rComp™ material. je.



- Lightweight, durable FiberComp[™] material.
- Rustproof.
- Hang hole for easy storage.
- Can lift up to 35 kg.

Yard Cleaning



Patio & Yard Brooms

Fiskars offers a range of brooms that make light work of outdoor yard and garden clearing, including front doors, sidewalks, driveways, garages, stairs, wooden decks and more.

Our brooms' ingeniously-designed heads combine attractive design with functionality and durability.

Features & benefits

Easy storage

Functional grip knob offers a comfortable grip & easy storage solution

2 Durable materials & construction

Perfect selection of durable, weather tolerant materials suitable for outdoor use

Sefficient & effortless to use

Optimal combination of bristles for efficient sweeping of different surfaces. The light weight aluminium handles ensures that sweeping can be undertaken without fatigue or back ache.

Modern functional design

Purposefully designed broom heads that reach & sweep even the tightest spots. The brooms have an aesthetic design that is pleasant to have by your front door.

Light Broom

Patio Broom	n, white		Art. no. 1025927			
Height: 12,5 cm	Length: 162 cm	Width: 43,5 cm	Weight: 0,63 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 3 1 0 3 9 2
ŀ			VPA Centre		en decks, balconies & terPerfect for cleaning of sOffers a clean sweep of	maller particles. all garden leaves and debris. curve inwards, making it ideal for cleanly garden leaves and debris. comfortable, secure grip. d ergonomics.

Solid[™] All Purpose Yard Brooms

Solid™ All	Purpose Yard	Broom, M	Art. no. 1025921	EAN		
Height: 10 cm	Length: 169 cm	Width: 38 cm	Weight: 0,63 kg	Retail box: 4	Old art. no	6"411501"310378"
F		-	VPAGG		other yard areas. • Offers a clean sweep of all g • The ends of the broom curv gathering and sweeping gard • PowerClean™ combines so sweeping.	e inwards, making it ideal for clea
Solid™ All	Purpose Yarc	l Broom, L			Art. no. 1025926	AA
Height: 12,5 cm	Length: 172 cm	Width: 48 cm	Weight: 0,87 kg	Retail box: 2	Old art. no	6"411501"310385
-			VPA G Book		other large areas like drivewa • Cleanly sweeps garden lea scrapping edge for stubborn	ves and debris, while featuring a

Solid[™] All Purpose Yard Broom Head, M

Height: 20 cm Length: 37,5 cm Width: 10,5 cm Weight: 0,39 kg









	Art. no.	1025930	EAN	6" 4 1 1 5 0 1" 3 1 0 4 2 2"
Retail box: 6	Old art. no.	-	μ Π	6 ¹¹ 4 1 1 5 0 1 ¹¹ 3 1 0 4 2 2 ¹

• All-purpose yard broom for cleaning pavements, patios and other yard areas.

Offers a clean sweep of all garden leaves and debris.

• The ends of the broom curve inwards, making it ideal for cleanly gathering and sweeping garden leaves and debris.

• PowerClean[™] combines soft and hard bristles for efficient sweeping.

Modern, functional, lightweight design for better ergonomics.

Use with Solid[™] Shaft (1014913).

• Spare part for Solid™ All purpose broom, M (1025921).

Solid™ All Purpose Yard Broom Head, L						1025931	
Height: 20 cm	Length: 47 cm	Width: 10,5 cm	Weight: 0,57 kg	Retail box: 4	Old art. no.	-	6 4 1 1 5 0 1 3 10 4 3 9
	8. 				other larg • Cleanly scrapping • PowerC sweeping • Modern • Use with	e areas like drivewa sweeps garden leav g edge for stubborn clean™ combines sc g. h, functional, lightwe h Solid™ Shaft (1014	ves and debris, while featuring a dirt. oft and hard bristles for efficient ight design for better ergonomic
Solid [™] Shaft					Art. no.	1014913	AA
Height: 3 cm	Length: 157,5 cm	Width: 2,8 cm	Weight: 0,31 kg	Retail box: 10	Old art. no.		6 4 1 1 5 0 1 3 5 0 0 1 5


Lightweight, durable aluminium construction.
Compatible with Solid[™] Broom heads (article No 1025930 & 1025931).



Kids Tools

My First Fiskars Kids Tools

MyFirst Fish	kars Shovel				Art. no.	1001421	z
Height: 10,7 cm	Length: 88,1 cm	Width: 19 cm	Weight: 0,28 kg	Retail box: 5	Old art. no.	138180	6"411501" 381804"
			0	reddot design award winner 2013		nforced plastic sco durability.	oop for maximum funtionality and
		SESUY SAAR WEX.924-VEY SECOND	FENNIA HONORARY ME	Drize 14			



MyFirst Fiskars Rake



MyFirst Fiskars Broom



	Art. no. 1001420	g 6 ¹¹ 411501 ¹¹ 381705 ¹
ail box: 5	Old art. no. 138170	6 ¹ 411501 ¹ 381705 ¹
2	Fibre-reinforced plas	tic scoop for maximum functionality and

	Art. no.	1001419	EAN	
ail box: 5	Old art. no.	138160	Ë	6 ¹ 4 1 1 5 0 1 ¹¹ 3 8 1 6 0 6 ¹¹
N				

reddot design award winner 2013

• Flexible plastic tines for maximum functionality and long term durability.

	Art. no.	1001418	z	6 ¹¹ 4 1 1 5 0 1 ¹¹ 3 8 1 5 0 7 ¹¹
ail box: 5	Old art. no.	138150	Ē	6 4 1 1 5 0 1 3 8 1 5 0 7

reddot design awar

• Thick, but soft plastic bristles for maximum comfort, functionality and long-term durability.

		- Cultivator S	A	Art. no.	1062471	EAN				
Height: 24 cm	Length: 3.4 cm	Width: 7 cm	Weight: 0.99 kg	Retail box:	24 0	ld art. no.	-	Ē	6 4 1 1 5 0 1 7 0 4	214
2	ÎÅ.		S				ndles allow f		e grips. rials for durability.	
MyFirst Fis	skars 4pc Sho	ort-handled S	et		ļ	Art. no.	1062472	z		
Height: 33.3 cm	Length: 5.7 cm	Width: 22.86 cm	Weight: 0.22 kg	Retail box:	18 O	ld art. no.	-	EAN	6 411501 704	221
A	TW2			Age here-state com					ght-sized for kids' han rials for durability.	
1		-						_		
MyFirst Fis	skars Essentia	als Set			A	Art. no.	1062473	EAN		
Height: 10.7 cm	Skars Essentia	als Set Width: 19 cm	Weight: 0.39 kg	Retail box:	4 0	ld art. no.	-	EAN	6 ¹¹ 411501 ¹¹ 704	238
Height: 10.7 cm	Length: 88.1 cm	Width: 19 cm		Retail box:	4 0	ld art. no. • Lightwe	-	ng, alumir	6 4 1 1 5 0 1 7 0 4	t.
Height: 10.7 cm		Width: 19 cm			4 0	ld art. no. • Lightwe	- ight, yet stro	ng, alumir rced plast	ic heads.	t.
Height: 10.7 cm	Length: 88.1 cm	Width: 19 cm				ld art. no. • Lightwe • Durable	- ight, yet stroi fibre-reinfor 1062474	ng, alumir	ic heads.	

Designed for small hands and big imaginations



Fiskars QuikFit[™]

Click & Reach of 29 Click & Clean p. 134 Click & Grow p. 134

Station Law Ast

Smart and safe

Featuring interchangeable heads and handles, Fiskars QuikFit[™] offers safe, smart, neat and transportable solutions for all your garden tasks.



Shaft L + Saw

> **6**m reach

3,5m

Shaft M + Saw

QuikFit[™] Click & Reach

QuikFit™ T	ree Cutter			QuikFit™ Tree Cutter						
Height: 7,5 cm	Length: 44 cm	Width: 12,5 cm	Weight: 0,57 kg	Retail box: 6	Old art. no. 136525					
1-9	-	K			 Enhanced cutting power (x12) with PowerReel[™] mechanism No external ropes on the cutting head allows you to easily real any branch. Anvil cutting action for dry and hard wood. Cut capacity: Ø 32 mm. Recommended Shaft: Telescopic Shaft L and Telescopic Shaft M. 					
QuikFit™ C	Curved Saw				Art. no. 1000691					
Height: 6 cm	Length: 65 cm	Width: 7 cm	Weight: 0,32 kg	Retail box: 6	Old art. no. 136527 5 9 0 5 5 6 8 3 6 5 2 7 9					
-		The second second			 Top-hook ensures non-slip steadiness while pulling. Bottom knife ensures a clean and precise finishing cut from below the branch. 					
	inuit Diokor		9		Bottom knife ensures a clean and precise finishing cut from below the branch. Recommended Shaft: Telescopic Shaft L and Telescopic Shaf M.					
QuikFit™ F Height: 8,5 cm	Fruit Picker Length: 41 cm	Width: 16,8 cm	Weight: 0,23 kg	Retail box: 6	 Bottom knife ensures a clean and precise finishing cut from below the branch. Recommended Shaft: Telescopic Shaft L and Telescopic Shaft 					
		Width: 16,8 cm	Weight: 0,23 kg	Retailbox: 6	Bottom knife ensures a clean and precise finishing cut from below the branch. Recommended Shaft: Telescopic Shaft L and Telescopic Shaft M. Art. no. 1000693					
Height: 8,5 cm			Weight: 0,23 kg	Retail box: 6	 Bottom knife ensures a clean and precise finishing cut from below the branch. Recommended Shaft: Telescopic Shaft L and Telescopic Shaft M. Art. no. 1000693 Old art. no. 136950 NEW Product design updated in 2022. Broad opening makes it easy to pull fruit off the branch, while optimal design directs the fruit to the end of the tips. Machine washable, mesh bag catches the harvest, allowing y to see your yield. Durable, lightweight FiberComp™ design. 					



QuikFit™ 1	Telescopic Sh	aft, M	Art. no. 1000666				
Height: 4,5 cm	Length: 140 cm	Width: 7,5 cm	Weight: 1,01 kg	Retail box: 6	Old art. no. 136042	EAN	5 9 0 5 5 6 8 3 6 0 4 2 7
				-07	• Specially designed for reach of up to 4 metres.		reach tasks in the garden with a



Click & Reach

Within the Click & Reach range, QuikFit™ offers easy solutions for those hard-toreach tasks, paying special attention to safety. Forget the ladder when sawing high branches or cleaning gutters – let QuikFit™ do the job from the ground up.



Click & Clean

Within the Click & Clean range, QuickFit™ offers easy solutions for cleaning your lawn and yard, with special attention paid to functionality and storage efficiency. With their unique and smart design, QuikFit™ rakes and brooms allow you to tidy up your garden with minimal effort, all while keeping your shed neat and clutter-free.



Within the Click & Grow range, QuikFit™ offers easy and mobile solutions for cultivating vegetables and flowers in your garden, summer cottage or city allotment. The unique space-saving system, where one shaft can be used with several tool heads, makes transportation and storage easy.



• Brush and scraper combination offers a full complement of gutter cleaning capabilities.

 Adjustable angle ensures optimal positioning of tool safely from the ground.

Recommended Shaft: Telescopic Shaft L and Telescopic Shaft

- Fits conveniently into most cars.
- Dual locking system for maximum safety.
- Lightweight aluminium construction.
- Adjustable shaft length from 1400 2400 mm.

QuikFit[™] Click & Reach



reddot design award winner 2010

QuikFit™ Te	elescopic Sha	aft, L			Art. no.	1000665	EAN
Height: 4 cm	Length: 228,5 cm	Width: 9,5 cm	Weight: 1,55 kg	Retail box: 4	Old art. no.		5 905568 360328

• Especially designed for hard to reach tasks in the garden with a Dual locking system for maximum safety.
Lightweight aluminium construction.
Adjustable shaft length from 2280 - 4000 mm.

Contraction of the local division of the loc

QuikFit[™] Click & Clean

QuikFit™	Leaf Rake, L		Art. no.	1000642	EAN	6 [°] 4 1 1 5 0 1 [°] 3 5 0 1 3 8 [°]		
Height: 6 cm	Length: 41,5 cm	Width: 51 cm	Weight: 0,32 kg	Retail box: 6	Old art. no	135013	EA	6 ¹¹ 4 1 1 5 0 1 ¹¹ 3 5 0 1 3 8
					 Tines we 25 soft a bending. 	ork in a pull directio	on fo Jualit	eaves and grass cuttings. r more comfort with less effort. y PBT plastic tines withstand

QuikFit[™] Leaf Rake Metal

Height: 7,5 cm	Length: 59 cm	Width: 45 cm	Weight: 0,50 kg	Retail
- 3				



 Γr

QuikFit[™] Gather Rake Width: 567. the OC Height: 12

12 cm	Length: 26 cm	Width: 56,7 cm	Weight: 0,93 kg	Reta
	4			
manila				
NAM PAR	UPPLICE HISTORY	100		

QuikFit [™] Ae	erator Rake				Art. no.	1000655	z II	
Height: 8,2 cm	Length: 36 cm	Width: 35,5 cm	Weight: 0,99 kg	Retail box: 2	Old art. no.	135513	<u>5</u>	9 0 5 5 6 8 5 4 0 3 2 4



QuikFit [™] Leaf Rake, S					Art. no.	1000659	z	
Height: 4,2 cm	Length: 41 cm	Width: 22 cm	Weight: 0,17 kg	Retail box: 6	Old art. no.		Ē	6" 4 1 1 5 0 1" 3 5 5 5 1 5





	Art. no.	1000644	z	6 ¹¹ 4 1 1 5 0 1 ¹¹ 3 5 2 0 1 9
ail box: 6	Old art. no.	135201	Ē	6 4 1 1 5 0 1 3 5 2 0 1 9

For removing loose moss and grass cuttings from the lawn.22 flexible steel prongs.

Recommended Shaft: Shaft L.

	Art. no.	1000656	z	5 9 0 5 5 6 8 5 4 0 3 3 1
tail box: 2	Old art. no.	135514	Ш	5 905568 540331

• Wide rake for gathering leaves and cutting waste from lawn areas.

• Hardened carbon steel head.

Recommended Shaft: Shaft L.

• For removing moss and thatch from lawn areas. • Hardened carbon steel head.

Recommended Shaft: Shaft L.

 Convenient small leaf rake for clearing around narrow beds and borders.

Tines work in a pull direction for more comfort with less effort.
11 soft and flexible, high-quality PBT plastic tines withstand bending.

Recommended shaft: Shaft M and L.

Y reddot design award winner 2010

QuikFit™ I	Flower Rake		Art. no. 1001412 ₹		
Height: 4 cm	Length: 48,5 cm	Width: 12,5 cm	Weight: 0,22 kg	Retail box: 6	Old art. no. 135552
					 Durable FiberComp[™] frame with 7 steel tines. 13 cm working width - ideal for nursery spaces and narrow plant beds.
					Recommended shaft: Handle S and Shaft M.
QuikFit™I	Lawn Edger				Art. no. 1000690
Height: 4 cm	Length: 35 cm	Width: 19,7 cm	Weight: 0,30 kg	Retail box: 6	Old art. no. 136526
	A	• •	• •	·	 Easily clear space between your lawn and hard surfaces by stepping on the blade and driving it deep into the soil. Great for edging borders. Hardened boron steel head with flat top.



QuikFit [™] Ya	ard Broom				Art. no.	1001417	z	
Height: 10 cm	Length: 29 cm	Width: 26 cm	Weight: 0,33 kg	Retail box: 6	Old art. no.	135532	Ē	5 9 0 5 5 6 8 3 5 5 3 2 4



 All-purpose yard broom. 	
 Featuring PowerClean[™] soft and hard combing bristles for 	
efficient sweeping.	

Recommended shaft: Shaft M and L.

Recommended shaft: Shaft M and L.

QuikFit™ Patio Broom					Art. no.	1001416	EAN
Height: 9,5 cm	Length: 31 cm	Width: 38 cm	Weight: 0,34 kg	Retail box: 6	Old art. no.	135533	5 905568 355331



For sweeping smooth surfaces like patios, wooden decks and polished concrete floors.
Wide brush head and soft bristles allow for fast, efficient sweeping.

Recommended shaft: Shaft M and L.

QuikFit [™] Sweeping Broom					Art. no.	1001415	z	
Height: 7 cm	Length: 39,5 cm	Width: 26 cm	Weight: 0,39 kg	Retail box: 6	Old art. no.	135534	EA	5 9 0 5 5 6 8 3 5 5 3 4 8



A modern take on the traditional sweeping broom.
Robust construction and long bristles make it ideal for use on coarser debris, leaves, etc..

Recommended shaft: Shaft M and L.

QuikFit [™] Paving Brush					Art. no.	1000657	
Height: 4,5 cm	Length: 32,5 cm	Width: 14,5 cm	Weight: 0,19 kg	Retail box: 6	Old art. no.	ω.	5 ¹ 9 0 5 5 6 8 ¹¹ 3 5 5 2 2 5 ¹
					 Hardene Steel bri Lightwei resistance 	ed steel front blade for s stles for scrubbing pav	struction for added durability and
QuikFit [™] Pa	atio Knife				Art. no.	1000687 z	
Height: 7 cm	Length: 33,5 cm	Width: 7,5 cm	Weight: 0,16 kg	Retail box: 6	Old art. no.	136521	5 ¹¹ 9 0 5 5 6 8 ¹¹ 5 4 0 3 9 3 ¹¹



QuikFit [™] Straight Saw	
-----------------------------------	--

QuikFit [™] Straight Saw					Art. no. 1000692		
Height: 10 cm	Length: 62 cm	Width: 10 cm	Weight: 0,20 kg	Retail box: 6	Old art. no. 136528	B 5 9 0 5 5 6 8 3 6 5 2 8 6	
) <u> </u>	-			 For sawing tasks in the FiberComp[™] slider and Hardened steel blade w 	d adaptor.	



Ideal tool for removing grass, moss and weeds from between slabs, block paving, wall corners and steps.
Blade of hardened boron steel.

Recommended shaft: Shaft M and L.

Recommended shaft: Shaft M and L.

						reddot design award winner 2010
QuikFit™S	Soil Rake, 14 p	orongs			Art. no. 1000653	z
Height: 9cm	Length: 27 cm	Width: 38 cm	Weight: 0,44 kg	Retail box: 6	Old art. no. 135511	5"905568" 540300
TITITITI I	m				 For raking, levelling or smoo area. 14 spikes of hardened carbo Recommended shaft: Shaft L 	
QuikFit™ \$	Soil Rake, 16 p	orongs			Art. no. 1000654	z
Height: 8cm	Length: 26,5 cm	Width: 61,4 cm	Weight: 0,45 kg	Retail box: 6	Old art. no. 135512	5"905568" 540317"
TUTUT					Recommended shaft: Shaft L	
QuikFit™ (Height: 11 cm	Length: 26 cm	e Width: 41 cm	Weight: 0,28 kg	Retail box: 6	Art. no. 1000643	U U U U U U U U U U U U U U U U U U U
Inni	1111				and sand or packing down so	ned at a specific angle to help with n soil beds.
QuikFit [™] I	Rose Rake				Art. no. 1000651	EAN
Height: 7,5 cm	Length: 29,5 cm	Width: 24,3 cm	Weight: 0,22 kg	Retail box: 6	Old art. no. 135501	5 9 0 5 5 6 8 5 4 0 3 5 5
A	De				 Unique head shape allows y stems without causing damag Ideal for narrow bed layouts 10 teeth of hardened boron Recommended shaft: Shaft L 	steel.
QuikFit™ (Cultivator				Art. no. 1000680	EAN

QuikFit™ C	Cultiweeder				Art. no.	1000681	z
Height: 17,5 cm	Length: 41,5 cm	Width: 12,5 cm	Weight: 0,51 kg	Retail box: 6	Old art. no.	136512	5 905568 540416
A					SuitableHardene		
QuikFit™ G	arubber				Art. no.	1000685	
Height: 10 cm	Length: 36,5 cm	Width: 9 cm	Weight: 0,36 kg	Retail box: 6	Old art. no.	136517	₹ 905568 365170
- And	k				 Hardene 	ed carbon ste	erating garden flower beds. eel blade. Shaft M and L.
QuikFit™ H	loe				Art. no.	1000677	EAN
Height: 9,5 cm	Length: 32,5 cm	Width: 19,5 cm	Weight: 0,27 kg	Retail box: 6	Old art. no.	136503	5 905568 540379
a m					breaking u		
QuikFit™ P	ush-Pull Wee	eder			Art. no.	1000738	z
Height: 4,5 cm	Length: 37,5 cm	Width: 15,5 cm	Weight: 0,39 kg	Retail box: 6	Old art. no.	139970	5 905568 540409
S	>				pulling ba • Hardene	or weeding as ck and forth. ed boron stee ended shaft: {	el head.

QuikFit™ C	ultivator				Art. no.	1000680	EAN
Height: 12 cm	Length: 40 cm	Width: 12 cm	Weight: 0,40 kg	Retail box: 6	Old art. no. 136511	5 905568 540423	

134

For cultivating, scarifying, aerating and breaking up soil.
Suitable for seed bed preparation and maintenance. • Hardened carbon steel blade.

Height: 4 cm

QuikFit[™] Hoe, 3 functions

Length: 42 cm

Width: 13 cm

Recommended shaft: Shaft L.



		Art. no.	1000682	z	
Weight: 0,27 kg	Retail box: 6	Old art. no.	136513	E	5 905568 540430

For working around stems and in narrow spaces.Blade is sharpened on 3 sides to assist cultivating at different Blade of hardened boron steel.

Recommended shaft: Shaft L.

Y reddot design award winner 2010

						winner 2010
QuikFit™ [Outch Hoe				Art. no. 1000676	z
Height: 4 cm	Length: 38,5 cm	Width: 12,5 cm	Weight: 0,23 kg	Retail box: 6	Old art. no. 136502	5 905568 540362
and h	5				 Sharp, ground weeding bl. soil, creating seed rows or re Blade of hardened boron s Recommended shaft: Shaft 	steel.
QuikFit™ S	spiker				Art. no. 1000689	z
Height: 10 cm	Length: 39,5 cm	Width: 81 cm	Weight: 0,91 kg	Retail box: 2	Old art. no. 136524	8 ⁶ 411501 ⁹ 365248
S	S				 Used for aerating smaller, Allows nutrients to penetra iser, water, air and light to re Hardened steel blades. Recommended shaft: Shaft 	ate the surface and helps seed, fertil ach the roots.
QuikFit™ (Cultivator, Ang	gled			Art. no. 1000683	3
Height: 8 cm	Length: 40,5 cm	Width: 9cm	Weight: 0,34 kg	Retail box: 6	Old art. no. 136515	B 5 905568 365156
-	K				 For loosening and aerating distribution. Tool design protects plant Carbon steel head. Recommended shaft: Hand 	
QuikFit™ [Oouble Scrape	er Hoe			Art. no. 1000734	Z
Height: 14,7 cm	Length: 28,2 cm	Width: 7,5 cm	Weight: 0,20 kg	Retail box: 6	Old art. no. 137562	5 905568 375629
					 Versatile use on patios and weeds from between tiles an Can also be used to cultiva Boron steel blades with cat 	ate plant beds.





• Versatile use with dual functionality. For breaking up soil, cultivating plant beds and weeding.
Boron steel blades with carbon steel thong.

Recommended shaft: Handle S and Shaft M.

QuikFit™ Trowel						Art. no. 1000730		
Height: 5,5 cm	Length: 41 cm	Width: 7,5 cm	Weight: 0,29 kg	Retail box: 6	Old art. no.	137512	EAN	5 9 0 5 5 6 8 3 7 5 1 2 4
-					For plantBoron st	ing and transpla eel head.	nting.	
					Recomme	ended shaft: Han	dle S a	and Shaft M.

QuikFit™	Weed Extracto	or	Art. no. 1000731			
Height: 4 cm	Length: 42,5 cm	Width: 7,5 cm	Weight: 0,23 kg	Retail box: 6	Old art. no. 137522	B 5 9 0 5 5 6 8 37 5 2 2 3
a a					 For planting and trans Boron steel head. 	planting.
					Recommended shaft: H	Handle S and Shaft M.

QuikFit [™] Sł	naft, L				Art. no.	1000661	z	5 ¹¹ 905568 540461
Height: 3,5 cm	Length: 157 cm	Width: 7,5 cm	Weight: 0,49 kg	Retail box: 6	Old art. no.		EAI	5 9 0 5 5 6 8 5 4 0 4 6 1

QuikFit™		Art. no.	1000664	z				
Height: 4 cm	Length: 87,5 cm	Width: 7,5 cm	Weight: 0,31 kg	Retail box: 6	Old art. no.	136022	EA	5 9 0 5 5 6 8 3 6 0 2 2 9
-012		_			and hoes.	0		ed with nursery tools, cultivat uminium shaft with SoftGrip™

1.00

QuikFit™ H	landle, S		Art. no. 1000663	z 		
Height: 4,5 cm	Length: 25,5 cm	Width: 8cm	Weight: 0,11 kg	Retail box: 6	Old art. no. 136012	5 ¹ 905568 ¹ 360120
u m (3111					 Small handle ideal for u Teardrop-shaped, hard for optimum comfort. 	se with nursery tools. Jened aluminium shaft with SoftGrip



 Teardrop-shaped, hardened aluminium shaft with SoftGrip™ for optimum comfort.

Hang hole for easy storage.Shaft works with several heads for all-around use in the garden.

for optimum comfort.

Hang hole for easy storage.
Shaft works with several heads for all-around use in the garden.


Hang hole for easy storage.Shaft works with several heads for all-around use in the garden.



QuikFit™ Universal Adapter						1000617	
Height: 4,3 cm	Length: 17,1 cm	Width: 3cm	Weight: 0,07 kg	Retail box: 6	Old art. no.		6 4 1 1 5 0 1 3 0 0 0 3



For connecting a variety of interchangable heads produced by other manufacturers.
Lightweight FiberComp[™] construction.



Handback is a state of the s



Wood Preparation

Over 300 years of axe expertise. In the midst of the Finnish woodlands lies the small village of Fiskars, where the timeless traditions of crafting the highest quality hand tools have been passed down through the generations since 1649.

Axes p.144 WoodXpert[™] p.150 Yard clearing tools p.158

Saws p.160 Other Tools p.163 Knives p.165

Norden Axes

With Norden axes, Fiskars returns to its deep roots. The finest hickory is used to craft a handle with the authentic and natural feel of the traditional wooden axes. Yet as with all its axes, Fiskars always insists on the highest possible performance. After thorough testing, you can be sure that the blade will always stay attached, while enjoying unparalleled performance, endurance and durability.

Fiskars Norden. Pure performance.



Features & benefits

Ultimate safety

- Safest, undetachable axe head and shaft connections
- ² Virtually unbreakable, FiberComp[™] overstrike protection for lightweight, break- and shock-proof use
- 3 Hooked handle for secure grip & control



⁽³⁾ Ultra stay-sharp blades are double-hardened to optimise strength in demanding situations.

Precision-ground cutting edge with low-friction coating.

Optimally designed blades for chopping & splitting

7 High-quality, hickory wood handle made from sus-

Unbeatable performance

Optimal weight balance

tainably managed forests

8 Carbon steel blades

High quality, durable materials

tasks

FENNIAprize 20 ONOURABLE MENTION



GUARANTEE



www.fsc.org FSC® C108780

The mark of responsible forestry



Norden Axes

Norden Ch	opping Axe, N	N7	Art. no. 1051142	z		
Height: 38,6 cm	Length: 3,3 cm	Width: 17,2 cm	Weight: 0,80 kg	Retail box: 4	Old art. no	E 6"411501" 701121"
	1	9	QUARA 2 Yea	ATTE 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		
	ADE IN NLAND	Geprüfte	FENNIAPRIZE 2	C reddot award 2019 best of the best		_
Norden Ch	opping Axe, N	N10	Art. no. 1051143	EAN		
Height: 47,6 cm	Length: 3,5 cm	Width: 19,4 cm	Weight: 1,21 kg	Retail box: 4	Old art. no	6 ¹¹ 411501 ¹¹ 701138 ¹¹
		-	2	NTE 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	and small construction p	r chopping & kindling tasks on the yard orojects around the house. kes it ideal for easy one-handed use. 5,2 cm.
FI	ADE IN NLAND	Geprüffe Sicherheit	FENNIAPTIZE 20	C reddot award 2019 best of the best		
Height: 52,6 cm	Length: 3,5 cm	Width: 19,4 cm	Weight: 1,30 kg	Retailbox: 4	Art. no. 1051144 Old art. no	
		VPAC	FENNIAprize 2 HONOURABLE MENTION	Teddot award 2015 best of the best	 Its 50 cm shaft size ma use. Product: 3,2 x 49,5 x 1 FSC[®] certified wood. 	hall sized logs up to Ø 20 cm. akes it a perfect size also for 2 handed 5,2 cm.
Premium A	xe Blade Cov	er, XS	Art. no. 1057531	z		
Height: 2.5 cm	Length: 18.8 cm	Width: 10 cm	Weight: 0.037 kg	Retail box: 6	Old art. no	6 ¹ 4 1 1 5 0 1 ¹ 6 0 0 3 3 2 ¹
					 Made of recyled leather Snap closure ensures High quality leather wit Water resistant for axe 	ver for safe storage & carrying. r 100% natural materials. that blade cover stays in place. th reinforced edge for sheath durability protection against rust. ver for Fiskars axe models N7, X5, X7, A

Premium Axe Blade Cover, S						1057532			
Height: 3 cm	Length: 20.5 cm	Width: 10 cm	Weight: 0.043 kg	Retail box: 6	Old art. no	Old art. no		6 ¹¹ 4 1 1 5 0 1 ¹¹ 6 0 0 3 4 9 ¹	
					_				



• Premium axe blade cover for safe storage & carrying.

• Made of recyled leather 100% natural materials.

• Snap closure ensures that blade cover stays in place. • High quality leather with reinforced edge for sheath durability.

• Water resistant for axe protection against rust.

• Suitable axe blade cover for Fiskars axe models N10, N12, X10, X11, A10 & A11.

X-series[™] Axes

Fiskars next-generation splitting axes are a true evolution of craftsmanship, purposefully designed for one-strike splits of even the thickest logs. The special blade geometry and finish is complemented by a light sturdy shaft and perfect balance. Pick your size according to the task at hand.




KEY BENEFITS

- ✓ 35 degree convex cutting bevel angle for splitting axes - the convex shape strengthens the edge to make it less sensitive to fracture
- Perfect balance between head and shaft for the most safe, comfortable and efficient swing
- ✓ Ultralight and durable FiberComp[™] shaft minimizes fatigue and makes the axe virtually unbreakable
- ✓ Optimal anti-shock surface structure ensures a comfortable, firm grip
- ✓ Hooked end of the handle prevents the axe from slipping out of the hand
- Comes with a plastic sheath for easy carrying and storage

New

A



Chopping vs. splitting

Chopping axes

Fiskars next-generation chopping axes serve all manners of woodwork, chopping, carpentry and pruning. The range delivers a wonderful package of minimalist design and sharp-edged functionality with the right fit for all wood preparation tasks. Pick your size according to the task at hand.

The Universal Chopping Axe's thin, wide edge ensures a clean, easy cut in fresh, resinous wood, like spruce or pine.



Splitting axes

Fiskars next-generation splitting axes are a true evolution of craftsmanship –purpose-designed for one strike splits of even the thickest logs. The special blade geometry and finish is complemented by a light sturdy shaft and perfect balance. Pick your size according to the task at hand.

The Splitting Axe features a unique cutting edge that easily slices into the wood, which the thick axe blade then pushes apart.

X-series[™] Splitting Axes



X-series[™] Chopping Axes

	Camping Axe	e, XXS, X5			Art. no. 1015617
Height: 26,2 cm	Length: 3,4 cm	Width: 17,2 cm	Weight: 0,57 kg	Retail box: 4	Old art. no. 121123
MADE			reddot design award winer 2015	GUARANTEE 25 VEARS	 For kindling small wood for camp fires. Redesigned blade cover for easy transportability. New extended 25 years warranty via web registration Product: 28 x 231 x 130 mm.
X-series™	Chopping Ax	e, XS, X7			Art. no. 1015618
Height: 38,5 cm	Length: 3,4 cm	Width: 17,2 cm	Weight: 0,64 kg	Retail box: 4	Old art. no. 121423
MADE			redot design award winner 2015	GUARANTEE 255 VEARS	 For chopping small wood for camp fire. Redesigned blade cover for easy transportability. New extended 25 years warranty via web registration Product: 33 x 354 x 130 mm.
X-series [™]	Chopping Ax	e, S, X10			Art. no. 1015619
Height: 47,6 cm	Length: 3,4 cm	Width: 19,6 cm	Weight: 1,00 kg	Retail box: 4	Old art. no. 121443 6 4 1 1 5 0 1 2 1 4
MADE			reddot design award winner 2015	CULARANTEE 255 YEARS	 For carpentry and small wood work. Redesigned blade cover for easy transportability. New extended 25 years warranty via web registration Product: 33 x 445 x 152 mm.
FINLA		Contraction of the second	reddot design award winner 2015	GUARANTEE 255 YEARS	 Redesigned blade cover for easy transportability. New extended 25 years warranty via web registration Product: 33 x 445 x 152 mm.
FINLA	AND	Contraction of the second	reddot design award winner 2015 Weight: 0,09 kg	UUARANTEE 25 VEARS Retail box: 4	 Redesigned blade cover for easy transportability. New extended 25 years warranty via web registration. Product: 33 x 445 x 152 mm.

Choose the right size for you



1. LENGTH TEST long.

WOOD PREPARATION

 For kindling anally used for earning free 	







blade. Turn the shaft towards your armpit. If the end of the shaft reaches your armpit, the axe is too

2. WEIGHT TEST

Grab the axe on the shaft below the Grab the axe at the end of the shaft and let the head rest towards the ground. Lift the head up while turning your wrist close to your body. The axe should be vertical in your hand by the end of this movement. If you can't lift the axe this way, the axe is too heavy.



WoodXpert[™] Felling Levers

Fiskars WoodXpert[™] felling levers facilitate the felling down of a tree, safely and ergonomically, and also assist in sectioning logs and transportation.

Features & benefits

- 1. Sturdy, forged, hardened steel head
- 2. Optimised lever tip steers trees safely while felling
- 3. Attachable/detachable WoodXpert[™] log hook
- 4. Non-slip SoftGrip[™] ergonomic handle
- 5. Robust, yet lightweight construction
- 6. Easy & fast lock interface







WoodXpert[™] Felling Levers

WoodXpert [™] Felling Lever, M						1015438	D15438	
Height: 8,6 cm	Length: 70 cm	Width: 23 cm	Weight: 1,80 kg	Retail box: 4	Old art. no.	126051	EAN	6" 4 1 1 5 0 1" 2 6 0 5 1 2"
7				reddot design award winner 2015	 Addition Forged, Sturdy, 	hardened steel b yet lightweight, sp	suppor blade. pecial s	t for sawing and carrying log

WoodXpert[™] Felling Lever, L Reta Height: 8,6 cm Length: 115 cm Width: 23 cm Weight: 2,70 kg Ÿ reddot design award winner 2015



FL2+LH4

M size



WOOD PREPARATION

	Art. no.	1015439	EAN	6 ¹¹ 4 1 1 5 0 1 ¹¹ 2 6 0 5 2 9 ¹
ail box: 2	Old art. no.	126052	Ш	6 4 1 1 5 0 1 2 6 0 5 2 9

For steering large-sized trees when felling.

• Additionally functions as support for sawing and carrying logs. · Forged, hardened steel blade

Sturdy, yet lightweight, special steel shaft.

• Fast lock interface for log hook and tongs interoperation.


WoodXpert[™] Brush Hooks

Fiskars WoodXpert[™] brush hooks are a great choice for outdoor enthusiasts with a lot of clearing to do. Featuring precision-ground steel blades ith a rust-resistant, low-friction coating, these hooks rip through underbrush and wood with speed and ea

Features

- 1. Deep curved blade design is ideal for pull-cuts and lifting branches off the ground
- 2. Ultra-light and durable FiberComp[™] shaft minimises fatigue and makes the shaft virtually unbreakable.
- 3. Hooked handle with SoftGrip[™] for comfortable, non-slip grip
- 4. Made in Finland









WoodXpert[™] Brush Hooks

WoodXpert[™] Brush Hook (XA3) Weight: 0,51 kg Retail box: 4 Height: 55 cm Length: 2,7 cm Width: 14,5 cm Ð reddot design award winner 2015 e handling ntrolled ID 6834 ESTED & CERT

WoodXpert[™] Brush Hook (XA23)



WOOD PREPARATION

1003609

Art. no.

Old art. no. 126004

For cutting smaller branches from trees.

• For clearing weeds and brush in gardens and forests.

For stripping bark from logs.

Art. no. 1003621 Retail box: 2 Old art. no. 126005

For cutting larger branches from trees / logs.

• For clearing saplings and brush in gardens and forests.

reddot design award

• For light chopping and splitting of firewood.





FESKARSUM


WoodXper Log Hook & Tongs

Fiskars WoodXpert[™] log hooks and tongs have been designed with an emphasis on comfort and control for safe, ergonomic and efficient, one-handed operation while lifting and turning logs.

Features & benefits

- 1. Lightweight boron steel hook with a toothed inlay grips logs with ease
- 2. Ergonomic handle with SoftGrip[™]. Engages all the fingers of the hand comfortably.





4. Comes with a sturdy holster for easy storage and transport on a tool belt







WoodXpert[™] Log Tools

WoodXpe	ert™ Log Hook	ζ	Art. no.	1003624	z		
Height: 4cm	Length: 31 cm	Width: 21 cm	Weight: 0,41 kg	Retail box: 4	Old art. no	126021	6 ¹ 4 1 1 5 0 1 ¹ 2 6 0 2 1 5 ¹
	0	1	VPA General Diverse	reddot design award winner 2015	well as as	ssisting during	porting, handling and arranging logs, as g tree felling. ath for easy transport on a tool belt.
WoodXpe	rt™ Log Tong	s			Art. no.	1003625	z



Length: 38,3 cm Width: 18 cm

Height: 4 cm

WoodXpert	™ Tool Belt				Art. no.	1003626	z	6 [°] 4 1 1 5 0 1 [°] 2 6 0 0 9 3 [°]
Height: 4,5 cm	Length: 57 cm	Width: 9cm	Weight: 0,24 kg	Retail box: 4	Old art. no.	126009	Ē	6" 4 1 1 5 0 1" 2 6 0 0 9 3"



• Ideal for lifting, transporting, handling and arranging logs. • Includes plastic sheath for easy transport on a tool belt.

		Art. no.	1003625	z	6 4 1 1 5 0 1 2 6 0 3 1 4
Weight: 0,69 kg	Retail box: 4	Old art. no.	126031	EA	6 4 1 1 5 0 1 2 6 0 3 1 4

• Tool belt for attaching log hooks and tongs.

• Ergonomic support for the back.

• Firm double tightening.

WoodXpert[™] Sappies

Fiskars WoodXpert[™] sappies are ideal for ergonomic, backfriendly handling of logs, e.g., lifting, transporting, arranging and turning logs during wood preparation. Developed with

professional lumberjacks in mind, these tools feature an emphasis on lightweight performance, excellent grip and superior tool blade development, making them ideal for working longer with heavier logs.

atures

- 1. Hooked steel beak with a toothed inlay ensures solid grip
- 2. Ultralight and durable FiberComp[™] shaft minimises fatique and makes the shaft virtually unbreakable
- 3. Hooked handle with SoftGrip[™] for comfortable, non-slip grip





PISKARS X

PROVIDE THE







WoodXpert[™] Sappies

WoodXpert™ Sappie (XA2)					Art. no. 1003622	z
Height: 36,7 cm	Length: 3,2 cm	Width: 17,4 cm	Weight: 0,24 kg	Retail box: 4	Old art. no. 126006	6 4 1 1 5 0 1 2 6 0 0 6 2
(Part of the second sec	7		VPA Genter	reddot design award winner 2015	 For carrying and lifting si For handling and arrangi For turning of small logs. 	ng wood piles.

WoodXpert[™] Sappie (XA22) Weight: 0,80 kg Reta Height: 77,5 cm Length: 3,5 cm Width: 23 cm

WOOD PREPARATION

	Art. no.	1003623	₹ 6 ⁶ 411501 [°] 260079 [°]	
ail box: 2	Old art. no.	126007	6 4 1 1 5 0 1 2 6 0 0 7 9	

For lifting and transporting larger logs.

• For handling and arranging wood piles. • For turning of large logs.

Yard clearing Tools

Features & benefits

- 1. Blade curve offers pull cutting for removing suckers and clearing vines
- 2. Hardened steel blade holds its sharp edge
- Coarse saw edge cuts fibrous plants or woody branches
- 4. Finger guard for safety during use
- 5. Textured SoftGrip[™] handles fits the natural shape of your hand









Solid[™] Yard clearing tools

Solid [™] Bill	nook		Art. no. 1051232	NA		
Height: 18,8 cm	Length: 42 cm	Width: 4,5 cm	Weight: 0,45 kg	Retail box: 4	Old art. no	6 ⁶ 411501 ¹¹ 702135
		0.		CERTIFIC CERTIFIC Marked Do 7320 Do 73	 Blade is curved for One-handed use le cuttings. 	oowerful clearing of thick vegetation. quick pull cuts. eaves other hand free to grab and pile M handle helps prevent blisters.

Solid [™] Bill	hook Saw		Art. no. 1051233	EAN			
Height: 18,8 cm	Length: 54 cm	Width: 4,5 cm	Weight: 0,68 kg	Retail box: 4	Old art. no	EP	6" 4 1 1 5 0 1" 7 0 2 1 4 2"
(Barris	*	-1		CERTIFIC CERTIFIC With Standing Carachia D 7220 With Standing Carachia D 7220 With Standing Carachia D 7220 With Standing Carachia D 7220	Blade is curved for	quick pull c aves other l	hand free to grab and pile

Solid [™] Hat	chet		Art. no. 1051234			
Height: 18,8 cm	Length: 54 cm	Width: 4,5 cm	Weight: 0,76 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 7 0 2 1 5 9
1997 y	Y	-1		CERTIFIC CERTIFIC Contention Contention To Table Contention To Table Contention To Table Contention	 Blade is curved for qu One-handed use leav cuttings. 	werful clearing of thick vegetation. uick pull cuts. ves other hand free to grab and pile nandle helps prevent blisters.

Solid [™] Machete					Art. no. 1051235	
Height: 18,8 cm	Length: 70 cm	Width: 4,5 cm	Weight: 0,89 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 7 0 2 1 6 6
108	-	*	~1	CERTIFIED CERTIFIED After man Andread Constants D 7320 WareWithBeards TESTED & CERTIFIED IN GERMANY	through fibrous stems. • Curved blade profile • One-handed use leav cuttings.	prush, cut thick branches and power prevents blade from sticking. ves other hand free to grab and pile handle helps prevent blisters.

Solid™ Ma	chete Axe		Art. no. 1051236			
Height: 18,8 cm	Length: 80,5 cm	Width: 4,5 cm	Weight: 1,08 kg	Retail box: 4	Old art. no	6"411501"702173"
Arrest .			-	CERTERO	 Axe-like blade head p and splitting. Blade is curved for qu One-handed use leav cuttings. 	op roots, cut branches and more. provides powerful, controlled chopping uick pull cuts. res other hand free to grab and pile handle helps prevent blisters.









Saws

To make sawing as easy as possible, you need a reliable saw that is up to the task. We have a variety of saws ranging from saws that cut stems and thicker branches to saws with curved noses for cutting in hard-to-reach or difficult positions.

Xtract[™] Saws

Fiskars Xtract[™] saws feature a unique, retractable mechanism and include an integrated belt clip for safe and easy transport and storage. Hardened steel blades ensure a long lifetime of sharpness, while a SoftGrip[™] handle with finger guard ensures a safe grip.

Plus Folding saws

Fiskars Plus[™] folding saws feature three cutting positions to allow you to approach every cut from the best angle. Power Tooth[™] blades have razor-sharp, triple-ground teeth for quick and clean cutting, and a secure locking mechanism also holds the blade closed for safe storage and transport.

Fixed blade saws

Fiskars fixed blade saws feature a highly efficient tooth profile for fast, accurate sawing. Impulse-hardened blades stay sharper longer, while a SoftGrip[™] ergonomic curved handle with finger guard ensures a safe and comfortable grip.

Bow Saws

Fiskars bow saws are excellent for sawing stems and thicker branches. A curved nose enables cutting in hard-toreach or difficult positions. Bow saws also cut on both the push and pull stroke for efficient sawing.



Saws

Fiskars saws have teeth designed especially for wood. They allow you to prune branches and clear foliage in difficult positions safely with a lightweight saw. Fiskars Xtract[™] range features a unique retractable mechanism and integrated belt clip making them safe to carry and easy to store.


See high reach telescopic saws on page 56 (Tree pruners) & page 129 (QuikFit Curved saw)

Xtract[™] Saws

Xtract [™] G	iarden Saw, L	(SW75)		
Height: 4 cm	Length: 39 cm	Width: 9 cm	Weight: 0,23 kg	Retail
-		-	VPA Gente	reddot o winner 2

Xtract [™] Ga	SW73)	Art. no. 100061					
Height: 3,5 cm	Length: 27,5 cm	Width: 9 cm	Weight: 0,12 kg	Retail box: 4	Old art. no. 123870	70 E A N	6"411501"238702"
-	6	Xaa ja	VPA Gesuite Sichemat	reddot design award winner 2012	 Efficiently saws f Blade length 160 Cut capacity 120 	60 mm.	

Xtract™ Builder's Saw (SW72)						Art. no. 1000612	
Height: 3,5 cm	Length: 27,5 cm	Width: 9 cm	Weight: 0,12 kg	Retail box: 4	Old art. no. 12:	6 4 1 1 5 0 1 2 3 8 6 0 3	
-	6		VPA Contraction of the second	reddot design award winner 2012	 Fine teeth fo Blade length Cut capacity 		s and wood strips.





- t design award
- Efficiently saws fresh wood.
- Blade length 255 mm.
- Large cut capacity up to 220 mm.

Folding & Fixed Blade Saws

Plus Foldin	g Saw SW69				Art. no. 1067553			
Height: 2,8 cm	Length: 33 cm	Width: 12 cm	Weight: 0,31 kg	Retail box: 4	Oldart. no 6"411501" 201348			
New	C C			VPA Control Co	 Ideal for quick, clean cuts through thick stems and branch 3 cutting positions: undercut for clean starting cuts, straig general cuts and pistol-grip for added leverage. Blade length: 200 mm 			
Plus Foldin	g Saw SW68				Art. no. 1067552			
Height: 2,8 cm	Length: 26,9 cm	Width: 12 cm	Weight: 0,25 kg	Retail box: 4	Oldart.no			
New	0			VPA	 Ideal for quick, clean cuts through thick stems and branch 3 cutting positions: undercut for clean starting cuts, straig general cuts and pistol-grip for added leverage. Blade length: 150 mm 			
Profession	al Pruning Sa	w (SW-330)			Art. no. 1020199			
Height: 4,9 cm	Length: 59 cm	Width: 16,4 cm	Weight: 0,23 kg	Retail box: 4	Oldart.no. 123330			
				VPA	 Lightweight 230 g. Professional quality carbon steel blades, SK5. Blades for every task. Balanced weight distribution. Hollow grinded blade. Integrated sawdust removal teeth. Sturdy grip with SoftGrip[™]. Easy maintainability, all parts are replaceable. 			
Profession	al Pruning Sa	w (SW-240)			Art. no. 1020200 z			
Height: 4,9 cm	Length: 59 cm	Width: 16,4 cm	Weight: 0,20 kg	Retail box: 4	Oldart.no. 123240			
				VPA Geodese	 Lightweight 200 g. Professional quality carbon steel blades, SK5. Blades for every task. Balanced weight distribution. Hollow grinded blade . Integrated sawdust removal teeth. Sturdy grip with SoftGrip[™]. Easy maintainability, all parts are replaceable. 			
Fixed Blade	e Saw (SW84))			Art. no. 1001620 z			
Height: 2,5 cm	Length: 50 cm	Width: 9,5 cm	Weight: 0,34 kg	Retail box: 4	Oldart. no. 123840			

• Blade length 320 mm.

• Cut capacity 150 mm.



24" Bow Sa	aw (SW31)			
Height: 1,9 cm	Length: 70 cm	Width: 21,5 cm	Weight: 0,60 kg	Retai
	-			
1				
/		1.1	A.	

Replacement parts available for professional pruning saws & bow saws. See pages 214 - 221.


Splitting Tools, Sledge Hammers & Wedges

Sledge Har	nmer, L		Art. no. 1001619	z		
Height: 5,6 cm	Length: 90 cm	Width: 14 cm	Weight: 4,1 kg	Retail box: 2	Old art. no. 120040	6 ¹ 4 1 1 5 0 1 ¹ 2 0 0 4 0 2 ¹
					on the striking surface. • Less jarring from mis-h	ess risk of chipping due to rounded edge nits due to rubber mis-hit guard. d comfort due to fiberglass core and nti-vibration handle.

Sledge Ham	nmer, XL		Art. no. 1001431	EA		
Height: 6cm	Length: 90 cm	Width: 15 cm	Weight: 5,1 kg	Retail box: 2	Old art. no. 120030	6"411501" 200303"
-		_	9	VPA	on the striking surface. • Less jarring from mis-hit	s risk of chipping due to rounded edges ts due to rubber mis-hit guard. comfort due to fiberglass core and -vibration handle.

	Art. no.	1001621	z	5" 7 0 2 2 6 4" 1 4 1 0 0 4"
tail box: 4	Old art. no.	124800	Ш	5 7 0 2 2 6 4 1 4 1 0 0 4

• Excellent for sawing 10-20 cm stems and branches.



• Excellent for sawing >20 cm stems and thicker branches.





Helicoidal Splitting Wedge SAFE-T						1001615	2
Height: 6,5 cm	Length: 26 cm	Width: 6,5 cm	Weight: 2,15 kg	Retail box: 4	Old art. no.	120021	6 4 1 1 5 0 1 2 0 0 2 1 1
				reddot design award winner 2009	the need t • Highly-re • Reduce	o use several we esistant, polyami d risk of flying par	the wood burst more easily, eliminating edges. ide striking surface and metal ring. articles also eliminates the need to ce to remove burring.





Replaceable striking surface for Helicoidal Splitting Wedge SAFE-T (article No 1001615).

Splitting Wedge Drop Forged					Art. no.	1001614	EAN
Height: 5,2 cm	Length: 20,5 cm	Width: 8 cm	Weight: 0,71 kg	Retail box: 4	Old art. no.	120010	6 411503 164603



• For splitting difficult logs. • Forged steel. • Lightweight.

Splitting We	edge Helicoid	lal			Art. no.	1000600	z	
Height: 6cm	Length: 21 cm	Width: 4,5 cm	Weight: 2,20 kg	Retail box: 4	Old art. no.	120020	Ē	6 4 1 1 5 0 1 2 0 0 2 0 4



• Helicoidal shape makes the wood burst more easily, eliminating the need to use several wedges.

• Rounded head helps eliminate material fragmentation. • Anti-return slot.

• Forged steel.

Knives

Fiskars designs knives for a range of smaller gardening applications. Their hard-wearing blades are made from stainless steel to ensure years of trouble-free operation.

Utility Knife	(K40)			
Height: 22,2 cm	Length: 3,3 cm	Width: 9cm	Weight: 0,07 kg	Retail
	¹			sign Zentr rdrhein W sign-Inno

Hooked Grafting Knife (K62)					Art. no.	1001623	z
Height: 1,2 cm	Length: 17 cm	Width: 2,3 cm	Weight: 0,05 kg	Retail box: 4	Old art. no.	125880	8 0 0 8 2 2 0 0 2 0 4 7 3
~					laterals. • Handle d		g flowers and vegetables and cutting attached with a brass rivet.

Grafting Pen Knife (K60)		Art. no. 100	01625			
leight: 1,2 cm Length: 16,8 cm	Width: 2,3 cm	Weight: 0,05 kg	Retail box: 4	Old art. no. 125		8 0 0 8 2 2 0 0 2 0 4 9 7
				plants and bus	shes. cycled plastic attac	ooden canes for holding small

Mineral Wo)	Art. no. 1001626	z				
Height: 1,8 cm	Length: 42 cm	Width: 3,8 cm	Weight: 0,14 kg	Retail box: 4	Old art. no. 125870	EAN	6 ¹¹ 4 1 1 5 0 2 ¹¹ 8 7 9 0 2 7 ¹¹
					 For cutting mineral woo Ergonomically designe Stainless steel blade. 		e with finger guard.



ovation

• Ergonomically designed plastic handle with finger guard.

• Stainless steel blade, length 100 mm.

Nake watering a joy

Waterwheels p Hoses p.170 Sprinklers p.17 Spray Nozzles Connectors **p.** Accessories **p**

Waterwheel XL & Waterwheel XL, with wheels Freestanding placement and 360° rotation

Integrated accessory locker easily stores your watering accessories inside the reel

> Freely place the reel at the ideal watering spot in your garden

Easy roll-out and automatic roll-in

Telescopic handle for

convenient handling


Free placeme 360

Soft surface on wheels for easy moving

Soft pads allow for secure grip to the ground or patio

with stable horizontal

usage



Choose the right product for your watering needs


See the packaging symbols for garden size suggestions



Waterwheels



WATERING TOOLS



	Art. no.	1025933	2
ail box: 1	Old art. no.	-	6 ¹ 4 1 1 5 0 1 ¹ 5 1 0 6 1 7 ¹
	• Doody t		handy accessory storage looker

Ready-to-go set with handy accessory storage locker.
 Freestanding placement and 360° rotation for an extra-wide
 write determined and accessory storage locker.

watering area.

Automatic reel-in hose.

Horizontal design prevents reel from tipping.

• Wheels for easy movement.

	Art. no. 1025932	EAN
ail box: 1	Old art. no	6 4 1 1 5 0 1 5 1 0 6 0 0
	Ready to go act	

Ready-to-go set.
Freestanding placement and 360° rotation for an extra-wide watering area.

- Automatic reel-in hose.
- Horizontal design prevents reel from tipping.
- Can be wall mounted (wall mount sold separately).

Waterwheel Manual XL with wheels, all-in						Art. no. 1062256		
Height: 60,2 cm	Length: 43,1 cm	Width: 49,3 cm	Weight: 6,95 kg	Retail box: 2	Old art. no.	-	6 4 1 1 5 0 1 5 1 2 3 6 9	
	8/) HC		360°, rotation, Diversal fit. Fits with other brands.	XL	included ar Included ar nozzle. Free-stan tering area, Oscillator Durable c	nd pre-installe 13mm (1/2") o ding placeme while horizon evenly allocat	utlet hose is 20m, connectors, hose ant and 360° rotation offer extra-wide tal in-use design prevents tipping. tes hose while reeling in. or long-lasting use.	
Waterwhee	el Manual XL	with wheels,	empty		Art. no.	1062257	z	
Height: 60,2 cm	Length: 43,1 cm	Width: 49,3 cm	Weight: 4,05 kg	Retail box: 2	Old art. no.	-	6"411501" 512376	
	% 10	veddot winner 2022	360°) Totation ↓ Universal fit. Fits with other brands.	XL	choose the • Reel has r (5/8'') - 40 r • Free-stan tering area, • Oscillator • Durable c	hose and acc maximum hos n and 13mm (ding placeme while horizon evenly allocat onstruction fo	e capacity of 19mm (3/4") - 30m, 15	
							other brands.	
Waterwhee Height: 25,0 cm	el L, with 30 m Length: 56,6 cm	Width: 39,8 cm	Weight: 6,75 kg	Retail box: 1		1023644	6 4 1 1 5 0 1 5 1 0 1 7 4	
		Width: 39,8 cm	Weight: 6,75 kg	Retail box: 1	Art. no. Old art. no. • Ready-to- • Freestanc watering ar • Total reac • Durable 1 • Convenie • Easy to ro	-go set with ha -go set with ha ding placemer ea. h up to 315 m 3 mm (1/2") ha nt reel cart for ill-out and rec	andy accessory storage locker. and 360° rotation for an extra-wid	
Height: 25,0 cm		Width: 39,8 cm	360° rotation) Universal fit.	Retail box: 1	Art. no. Old art. no. • Ready-to- • Freestanc watering an • Total reac • Durable 1 • Converie • Easy to ro • Easy to op	-go set with ha -go set with ha ding placemer ea. h up to 315 m 3 mm (1/2") ha nt reel cart for ill-out and rec	andy accessory storage locker. and accessory storage locker. and a 360° rotation for an extra-wick bose. reasy movement. oil the hose. horizontal reel setting.	
Height: 25,0 cm	Length: 56,6 cm	Width: 39,8 cm	360° rotation) Universal fit.	Retail box: 1	Art. no. Old art. no. • Ready-to- • Freestanc watering an • Total reac • Durable 1 • Convenie • Easy to ro • Easy to op	1023644 -go set with hi ting placemer ea. h up to 315 m 3 mm (1/2") ho nt reel cart for ll-out and rec berate due to l	andy accessory storage locker. and 360° rotation for an extra-wic bese. reasy movement. oil the hose.	

• Convenient reel cart for easy movement.


- Easy to roll-out and recoil the hose.
- Easy to operate due to horizontal reel setting.

Waterwheel S, with 15m hose Height: 16,1 cm Length: 44,4 cm Width: 39,0 cm Weight: 3,02 kg Retail Ð 360° rotation 15 meters reach reddot award 2016 best of the best Universal fit. Fits with other brands FENNIAPrize 17 HONOURABLE MENTION Waterwheel S & Wallmount Set Height: 17,0 cm Length: 43,0 cm Width: 40,0 cm Weight: 3,62 kg Retail



Solid [™] Wa	terwheel L, w	vith 30 m hos	Art. no. 1057237			
Height: 24,7 cm	Length: 47,8 cm	Width: 47,8 cm	Weight: 6,05 kg	Retail box: 1	Old art. no	6 4 1 1 5 0 1 5 1 1 8 7 4
2	2		360° rotation) Universal fit. Fits with other brands.	L	sories.	m.

Solid[™] Waterwheel M, with 20 m hose



	Art. no.	1020436	EAN	
ail box: 4	Old art. no.	-	Ē	6 ¹¹ 4 1 1 5 0 1 ¹¹ 5 1 0 0 0 6 ¹
5	 Free hor Total rea Durable Lightwe Easy to a Easy to a 	o-go set with hand izontal placement ach up to 15 m. 9 mm (3/8") hose. ight design. roll-out and coil-in operate due to hor wall mounted (wall	and 3 the ho	ose. Il reel setting.

	Art. no.	1026376	EAN	
ail box: 4	Old art. no.	-	Ē	6"411501"510716
5	Wallmoun	t for Waterwheel S		S with 15m hose and 1020448 ers and easy-to-follow instruc-

	Art. no. 1057238	EAN
ail box: 1	Old art. no	B 6 ¹¹ 4 1 1 5 0 1 ¹¹ 5 1 1 8 8 1 ¹¹
	sories.	13 mm (1/2") hose, reel and acces-

Free-standing horizontal placement and 360° rotation offer extra-wide watering area.
Total reach up to 21,5 m.

- Compact size for easy movement.

Watering Hoses

Easy to select Choose the right quality hose for your garden

High quality 3-layer hose with cross enforcement. High pressure tested, twist- & UV-resistant.







Universal fit

Already own watering products from other brands? No problem. Our watering products are designed to fit with other brands.

Hoses

Fiskars offers a range of high-quality watering hoses for garden sizes ranging from small to extra large. Our hoses are twist- and UVresistant for added durability.

Hose length and diameter can be found by the hose name. Packaging measurements included in the table.


Watering H	lose, 13 mm (*	1/2"), 20 m Q3	Art. no. 1027102			
Height: 39,5 cm	Length: 39,5 cm	Width: 6,5 cm	Weight: 2,50 kg	Retail box: 2	Oldart.no 6 4 1 1 5 0	1 511270
E	3	★★★☆☆☆ Ø 13mm (1/2")	·☆· Vresstant Pressure tested UW UNiversal fit. Fits with other brands.	S-M	 Easy-to-handle, twist-resistant hose. Twist resistancy level 3. UV protected. Phthalate free. Colour coded for easy matching between home 	se and connecto
Watering H	lose, 13 mm ([.]	1/2"), 20 m Q4	ŀ		Art. no. 1027104	
Height: 39,5 cm	Length: 39,5 cm	Width: 6,5 cm	Weight: 2,80 kg	Retail box: 2	Old art. no 6 4 1 1 5 0	1 511294
		★★★☆ ☆	ick UV resistant € Chrp Universal fit.	S-M	 Easy-to-handle, twist-resistant hose. Twist resistancy level 4. UV protected. Phthalate free. Colour coded for easy matching between ho 	se and connecto

Watering Hose, 13 mm (1/2"), 20 m Q5					Art. no.	1027107	z	
Height: 39,5 cm	Length: 39,5 cm	Width: 6,5 cm	Weight: 2,90 kg	Retail box: 2	Old art. no.	-	Ē	6 411501 511324




13mm

Universal fit. Fits with other brands



Colour coded for easy matching between hose and connector.









Watering Hose, 13 mm (1/2"), 50 m Q4					Art. no. 1027106		
Height: 39,5 cm	Length: 39,5 cm	Width: 14,5 cm	Weight: 7,00 kg	Retail box: 2	Old art. no	6"411501"511317"	
		★ ★ ★ ★ ☆ Ø 13mm (1/2")	UN resistant Pressure tested Universal fit. Fits with other brands.	XL	 Easy-to-handle, twist- Twist resistancy level 4 UV protected. Phthalate free. Colour coded for easy 		





	Art. no.	1027105	EAN	
ail box: 2	Old art. no.	-	Ë	6 ¹¹ 4 1 1 5 0 1 ¹¹ 5 1 1 3 0 0 ¹¹
L	 Twist resi UV prote Phthalate 	e free.		t hose. Ig between hose and connector.

	Art. no.	1027108	EAN	
ail box: 2	Old art. no.	-	6 ¹¹ 4 1	1 5 0 1 5 1 1 3 3 1
L	 Twist res UV prote Phthalate 	e free.		en hose and connector



	Art. no. 1027096	E 6 411501 511218
ail box: 2	Old art. no	6 ⁶ 411501 ⁶ 511218


- Easy-to-handle, twist-resistant hose.
- Twist resistancy level 3.
- UV protected.
- Phthalate free.
- Colour coded for easy matching between hose and connector.

	Art. no. 1027097	EAN
ail box: 2	Old art. no	6 4 1 1 5 0 1 5 1 1 2 2 5

- Easy-to-handle, twist-resistant hose.
- Twist resistancy level 3.
- UV protected. Phthalate free.
- Colour coded for easy matching between hose and connector.

watering H	ose, 15 mm (5/8"), 25 m Q4	4		Art. no. 1027098	EAN
Height: 39,5 cm	Length: 39,5 cm	Width: 9,5 cm	Weight: 3,71 kg	Retail box: 2	Old art. no	6 4 1 1 5 0 1 5 1 1 2 3 2
		★ ★ ★ ☆ Ø 15mm (5/8")	·	M-L	 Easy-to-handle, twist-resis Twist resistancy level 4. UV protected. Phthalate free. Colour coded for easy mat 	stant hose. ching between hose and conne
Watering H	ose, 15 mm (5/8"), 50 m Q4	4		Art. no. 1027099	z
Height: 39,5 cm	Length: 39,5 cm	Width: 27,5 cm	Weight: 7,96 kg	Retail box: 2	Old art. no	6"411501" 511249
		* * * * * \$	UV resistant UN UV resistant Universal fit. Fits with other brands.	XL	 Easy-to-handle, twist-resis Twist resistancy level 4. UV protected. Phthalate free. Colour coded for easy mat 	stant hose. ching between hose and conne
Watering H	ose, 19 mm (;	3/4"), 20 m Q3	3	1	Art. no. 1027109	EAN
Height: 39,5 cm	Length: 39,5 cm	Width: 11,5 cm	Weight: 4,30 kg	Retail box: 2	Old art. no	6 4 1 1 5 0 1 5 1 1 3 4 8
		* * * £ 5 5	UV resistant UV Tested UV Universal fit. Fits with other brands.	S-M	 Easy-to-handle, twist-resis Twist resistancy level 3. UV protected. Phthalate free. Colour coded for easy mat 	tant hose. ching between hose and conne
Watering H	ose, 19 mm (3	3/4"), 20 m Q4	1		Art. no. 1027110	z
Height: 39,5 cm	Length: 39,5 cm	Width: 11,5 cm	Weight: 4,70 kg	Retail box: 2	Old art. no	6"411501" 51135
	3	* * * * * 1	UV resistant Universal fit. Fits with other brands.	S-M	 Easy-to-handle, twist-resis Twist resistancy level 4. UV protected. Phthalate free. Colour coded for easy mate 	stant hose. ching between hose and conne
Watering H	ose, 19 mm (3/4"), 25 m Q3	3		Art. no. 1027100	z
Height: 39,5 cm	Length: 39,5 cm	Width: 12,0 cm	Weight: 4,96 kg	Retail box: 2	Old art. no	6"411501" 511250
3		★★★☆☆	-☆- UV resistant	M-L	 Easy-to-handle, twist-resis Twist resistancy level 3. UV protected. 	stant hose.

Watering Hose, 19 mm (3/4"), 50 m Q4 Height: 39,5 cm Length: 39,5 cm Width: 27,5 cm Weight: 11,75 kg Retai **★★★**★☆ -`Ċ҉ UV sistant (8) Pressure tested Ø 19mm (3/4") Universal fit. Fits with other brands



Hose Hanger Set, with hose 13 mm (1/2"), 15 m Q4					Art. no.	1027678	z	
Height: 39,5 cm	Length: 39,0 cm	Width: 6,5 cm	Weight: 2,05 kg	Retail box: 2	Old art. no.	-	Ē	6"411501"511393
0)	* * * * * \$	UV resistant C Universal fit. Fits with other brands.	watering. • Durable • Fastene • Hose tw • UV prote • Phthalat	wall-mounting un rs included for wal vist resistancy leve ected. te free hose.	it. II-mo I 4.	s or use alone for small garden punting. Ig between hose and connector

Hose Set, 13 mm (1/2"), 1.8 m Q4					Art. no. 1057621	z
Height: 29,5 cm	Length: 26,5 cm	Width: 4,2 cm	Weight: 0,41 kg	Retail box: 6	Old art. no	B 6 ¹¹ 4 1 1 5 0 1 ¹¹ 5 1 1 9 5 9 ¹
Ċ)		★ ★ ★ ★ ☆ Ø ^{15mm} (5/8")	UV resistant Pressure tested UNiversal fit. Fits with other brands.	 Hose 13mm-15mm (1/2-5/4 Quick hose connector, 13n Quick hose connector, 13n 	n. 15mm (1/2-5/8") STOP. 15mm (1/2-5/8") FLOW. 21 mm (G 1/2"), Ø265 mm (G 3/4")
Soaker Ho	se, 15 m	1	1	1	Art. no. 1025935	



	Art. no.	1027111	EAN	
tail box: 2	Old art. no.	-	Ē	6 ¹ 4 1 1 5 0 1 ¹ 5 1 1 3 6 2 ¹
XL	 Twist resist UV protect Phthalate 	free.		hose. g between hose and connector.

	Art. no. 1027101	
ail box: 2	Old art. no	6 ¹¹ 4 1 1 5 0 1 ¹¹ 5 1 1 2 6 3
S	 Two quick hose conner one extension connector Twist resistancy level 4 UV protected. Phthalate free. 	-


- or.


	Art. no. 1025935	EAN
ail box: 2	Old art. no	6 4 1 1 5 0 1 5 1 0 6 3 1
Uses up to 70% less water	 Reduce water usage by up 15 m hose length. Can be cut to right length us 	

- 15 m hose length.
 Can be cut to right length using scissors.
 Flow control valve for adjusting water flow & pressure.
 Pack includes 5 metal clamps for effortless mounting.
- UV protected.

Sprinklers

Sprinklers





Water Savi	ng Sprinkler, I	metal base	Art. no. 1023661	z		
Height: 52,7 cm	Length: 18,3 cm	Width: 8,5 cm	Weight: 1,41 kg	Retail box: 6	Old art. no. –	6 ¹¹ 4 1 1 5 0 1 ¹¹ 5 1 0 3 3 4
	1		L	300–500m²	profile for less pooling, r • Easily adjust spray dis area up to 17 x 17,6 mete • Durable, long-lasting r	netal base. ning valve and easy-to-clean filter.

Water Savin		Art. no.	1023662	EAN				
Height: 50,7 cm	Length: 18,3 cm	Width: 8,5 cm	Weight: 0,51 kg	Retail box: 6	Old art. no		EA	6 ¹¹ 4 1 1 5 0 1 ¹¹ 5 1 0 3 4 1 ¹¹
	1		Μ	150-300m²	profile for • Easily as meters. • Impact- • Integrat	less pooling, reduc djust spray distanc resistant, sturdy pla	e wit astic valve	e and easy-to-clean water filter.

Oscillating	Sprinkler, me	tal base	Art. no. 1023660	z				
Height: 52,7 cm	Length: 18,3 cm	Width: 8,5 cm	Weight: 0,65 kg	t: 0,65 kg Retail box: 6 Old art. no				
	1	1	L	300–500 m²	adjustment. • Easily adjust spray d			



- Universal fit Fits with other brands.


	Sprinkler		Art. no. 1023659	EAN		
Height: 48,5 cm	Length: 18,3 cm	Width: 8,5 cm	Weight: 0,30 kg	Retail box: 6	Old art. no	6 4 1 1 5 0 1 5 1 0 3 1 0
	1	•	Μ	150–300m²	adjustment. • Easily adjust spray distan	
Pulsating S	prinkler, tripo	od base, On/	Off		Art. no. 1027050	z
Height: 23,7 cm	Length: 24,5 cm	Width: 9,2 cm	Weight: 0,60 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 5 1 0 7 5 4
	5		XL	>500m²	 while making adjustments. Durable metal head has e pattern control and rotation of your garden. Adjust coverage diameter 	al for hard soil and includes hanging
Pulsating S	Sprinkler, spik	e base, On/C	Dff		Art. no. 1027029	EAN
Height: 35,5 cm	Length: 18,5 cm	Width: 11,2 cm	Weight: 0,48 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 5 1 0 7 4 7
-				>500m²	while making adjustments.	ps water flow, allowing you to stay c asy-to-adjust distance control, spra
Ť			XL	•	pattern control and rotation of your garden. • Adjust watering area up to • Durable metal spiked bas • Universal fit – Fits with oth	Ø 26 m. e offers added stability.
Impulse Sp	prinkler, metal	with wheels		•	of your garden. • Adjust watering area up to • Durable metal spiked bas	0 Ø 26 m. e offers added stability. er brands.
	p rinkler, meta Length: 25,5 cm	Width: 8,0 cm		Retail box: 6	of your garden. • Adjust watering area up to • Durable metal spiked bas • Universal fit – Fits with oth	0 Ø 26 m. e offers added stability.
			5	>500m ²	of your garden. • Adjust watering area up to • Durable metal spiked bas • Universal fit – Fits with oth Art. no. 1023656 Old art. no. • Durable metal sprinkler ha pattern control and rotation • Pattern adjusts from heav	0 0 26 m. e offers added stability. er brands. $6^{1} 4 1 1 5 0 1^{1} 5 1 0 2 8 0^{1}$ as easy-to-adjust distance control, control to accurately water any are y stream to rain.
			5		of your garden. • Adjust watering area up to • Durable metal spiked bas • Universal fit – Fits with oth Art. no. 1023656 Old art. no • Durable metal sprinkler ha pattern control and rotation • Pattern adjusts from heav • Adjust spray distance up for the second	$0 \otimes 26$ m. e offers added stability. er brands. $6^{1}411501510280^{1}$ as easy-to-adjust distance control, control to accurately water any are y stream to rain. $0 \otimes 26$ m. s stability and wheels allow for easy en.
Height: 23,5 cm		Width: 8,0 cm	5	>500m²	of your garden. • Adjust watering area up to • Durable metal spiked bas • Universal fit – Fits with oth Art. no. 1023656 Old art. no • Durable metal sprinkler ha pattern control and rotation • Pattern adjusts from heav • Adjust spray distance up t • Metal triangular base add movement around the gard	$0 \otimes 26$ m. e offers added stability. er brands. $6^{4} 4 1 1 5 0 1 5 1 0 2 8 0^{10}$ as easy-to-adjust distance control, control to accurately water any area y stream to rain. $0 \otimes 26$ m. s stability and wheels allow for easy en.

Whirling Sp	orinkler, meta	l with wheels	Art. no. 1023657	z		
Height: 24,0 cm	Length: 26,5 cm	Width: 8,5 cm	Weight: 0,84 kg	Retail box: 6	Old art. no	E 6 4 1 1 5 0 1 5 1 0 2 9 7
F			S	0–150m²	Durable metal head.	

Stationary Sprinkler, round Height: **17,5 cm** Length: **11,5 cm** Width: **4,2 cm** Weight: 0,46 kg Retail 0-1 S

Stationary	Sprinkler, squ	lare	Art. no. 1023664	3					
Height: 17,5 cm	Length: 11,5 cm	Width: 4,2 cm	Weight: 0,48 kg	Retail box: 6	Old art. no				
City .			S	0–150m²	and new grass seed.	ay pattern is perfect for small gardens th watering area up to 9 x 9 meters. ther brands.			

					- Univers	ann – mis with c	
Sp	rinkler, metal	with wheels			Art. no.	1023656	2
n	Length: 25,5 cm	Width: 8,0 cm	Weight: 0,94 kg	Retail box: 6	Old art. no.		6 4 1 1 5 0 1 5 1 0 2 8 0
					• Durable	e metal sprinkler	has easy-to-adjust distance control,



Impulse Sp	rinkler, metal				Art. no.	1023658	EAN
Height: 36,0 cm	Length: 19,5 cm	Width: 6,6 cm	Weight: 0,47 kg	Retail box: 6	Old art. no.		6 ¹ 411501 ¹ 510303 ¹





• Durable metal sprinkler has easy-to-adjust distance control, pattern control and rotation control to accurately water any area.
Pattern adjusts from heavy stream to rain.
Adjust spray distance up to Ø 26 m. Metal spike base.
Universal fit – Fits with other brands.

	Art. no. 1023663	EAN
ail box: 6	Old art. no	6 4 1 1 5 0 1 5 1 0 3 5 8
–150m²	 Gentle, light, round spray pa and new grass seed. Round spray pattern with w Durable metal body. Rust resistant. Universal fit – Fits with other 	
	Universal fit – Fits with other	[,] brands.

Spray Nozzles

Fiskars spray guns feature an ergonomic design with SoftGrip™ adding stability to any watering task. Easy to use with a variety of different spray patterns, all of our spray guns also offer infinitely adjustable flow, as well as universal fit with watering products sold by other brands.

NEW! FiberComp[™] Spray Nozzles








	Spray gun	multi, Front	CONTROL		Art. no. 1067195
Height: 21,0 cm	Length: 19,4 cm	Width: 9,0 cm	Weight: 0,23 kg	Retail box: 4	Old art. no 6"411501"5125
New	R		VEARS	Universal fit. Fits with other brands.	 Features an ergonomic and 2x more durable front-cont FiberComp™ handle with integrated metal for enhanced Offers infinitely adjustable flow and locks for extended u Exchangeable SoftGrip™ nozzle head that provides a r shower, flat, rinse or jet spray pattern Resists damage due to frost and stays warmer than me handles in cold temperatures Removable water filter and universal fit – fits with other to
FiberComp	™ Spray gun	3-functional	, Front contro	bl	Art. no. 1067194 z
Height: 20,5 cm	Length: 20,2 cm	Width: 5,6 cm	Weight: 0,25 kg	Retail box: 5	Oldart. no
New	K		VEARS	Universal fit. Fits with other brands.	 Features an ergonomic and 2x more durable front-cont FiberComp™ handle with integrated metal for enhanced Offers infinitely adjustable flow and locks for extended u Exchangeable SoftGrip™ nozzle head that provides a je or spray pattern Resists damage due to frost and stays warmer than me handles in cold temperatures Removable water filter and universal fit – fits with other to
FiberComp	™ Spray gun	adjustable, I	Front control		Art. no. 1067193
Height: 20,4 cm	Length: 20,8 cm	Width: 3,7 cm	Weight: 0,23 kg	Retail box: 5	Old art. no 6 ¹¹ 4 115 0 1 ¹¹ 5 12 5
New	3			Universal fit. Fits with other brands.	 Features an ergonomic and 2x more durable front-cont FiberComp™ handle with integrated metal for enhanced Offers infinitely adjustable flow and locks for extended u Exchangeable SoftGrip™ nozzle head that provides a je
	10		VEARS YEARS		 rinse pattern Resists damage due to frost and stays warmer than me handles in cold temperatures Removable water filter and universal fit – fits with other b
Fibe	erCom	ıp [™] Sp	s veray No	ozzles	 Resists damage due to frost and stays warmer than me handles in cold temperatures Removable water filter and universal fit – fits with other b
Fibe Front co		ip [™] Sp	YEARS	DZZIES	 Resists damage due to frost and stays warmer than me handles in cold temperatures Removable water filter and universal fit – fits with other to the state of the
Front co • Fiskars Fib watering sp	ontrol berComp [™] handle is	s part of Fiskars moo ring needs and task:	Tray No Integrated permit for easy extended	DZZIES	 Resists damage due to frost and stays warmer than me handles in cold temperatures Removable water filter and universal fit – fits with other to the state of the





- and locks for extended use
- Stays warmer than metal handles in cold temperatures


Exchangeable spray head with SoftGrip™



- Removable water filter

lasting durability

NEW! Comfort Spray Nozzles - Front control





· Features an ergonomic front control handle which offers infinitely adjustable flow and locks for extended use Rotate the exchangeable SoftGrip™ nozzle head to select a jet

or rinse spray pattern · Resists damage due to frost and stays warmer than metal nozzles in cold temperatures

• Universal fit - fits with other brands



Spray gun multi, Thumb control Height: 21,0 cm Length: 19,2 cm Width: 9,0 cm Weight: 0,21 kg Reta


Spray gun 3-functional, Thumb control



Spray gun a	adjustable, Th	numb control	Art. no. 1065487	3		
Height: 20,0 cm	Length: 20,6 cm	Width: 4,0 cm	Weight: 0,15 kg	Retail box: 5	Old art. no	B 6 ¹¹ 4 1 1 5 0 1 ¹¹ 5 1 2 4 3 7 ¹¹
New	<u>.</u>	_			• Features an ergonomic thur adjustable water flow	nb control handle with infinitely







Thumb control

Thumb on/off flow control is ergonomic and infinitely



Exchangeable spray head with SoftGrip™

	Art. no.	1065485	EA
tail box: 4	Old art. no.	-	6"411501"512413"
Universal fit. Fits with other brands.	adjustable • Rotate th mist, show • Resists d nozzles in o	water flow e exchangeable s er, flat, rinse or je	st and stays warmer than metal
	Art. no.	1065486	EA
tail box: 5	Old art. no.	-	6 411501 512420


Universal fit. Fits with other brands.

 Features an ergonomic thumb control handle with infinitely adjustable water flow Rotate the exchangeable SoftGrip[™] nozzle head to select a jet,

- mist or shower spray pattern
- Resists damage due to frost and stays warmer than metal nozzles in cold temperatures
- Universal fit fits with other brands

Universal fit. Fits with other brands


- Rotate the exchangeable SoftGrip[™] nozzle head to select a jet or rinse spray pattern
- Resists damage due to frost and stays warmer than metal nozzles in cold temperatures
- Universal fit fits with other brands



Comfortable SoftGrip[™] handle

Universal fit, fits with all type of connectors and other brands

Watering wands & Nozzle sets



Spray Nozzle sets & handles





Hose Nozz	le - Basic Set				Art. no. 1027091
Height: 22,0 cm	Length: 9,8 cm	Width: 4,9 cm	Weight: 0,15 kg	Retail box: 4	Art. no. 1027091 Old art. no. - 6 4 115 0 1 5 1116 4
1	≍ D)C		Ø 1/2, 3/4&1"	Universal fit. Fits with Other brands	Set includes: • 1 x 1027051 Tap Connector, Multi • 1 x 1027072 Quick Hose Connector 13-15 mm (1/2-5/8"), FLC • 1 x 1027079 Quick Hose Connector 13-15 mm (1/2-5/8"), STC • 1 x 1027088 CF Hose Nozzle
FiberComp	Nozzle Hand	lle		<u> </u>	Art. no. 1067196
Height: 22,8 cm	Length: 10,0 cm	Width: 3,7 cm	Weight: 0,18 kg	Retail box: 4	Old art. no
New			VHARRANTY SEARS	Universal fit. Fits with otherbrands.	 Fits with Fiskars nozzle items 1067193, 1067194, 1067195, 1059236, 1059237, 1059238, 1065484, 1065483, 1065482, 1065487, 1065486, 1065485, 1065489 and 1065488. Ergonomic and 2x more durable front-control FiberComp[™] handle with integrated metal for enhanced strength Offers infinitely adjustable flow and locks for extended use Resists damage due to frost and stays warmer than metal handles in cold temperatures Removable water filter and universal fit – fits with other brands
Nozzle/wai	nd handle, Fr	ont control			Art. no. 1065490
Height: 22,0 cm	Length: 10,0 cm	Width: 3,7 cm	Weight: 0,12 kg	Retail box: 4	Old art. no
New	0		Soft Grip™	Universal fit. Fits with other brands.	 Fits with Fiskars nozzle items 1067193, 1067194, 1067195, 1059236, 1059237, 1059238, 1065484, 1065483, 1065482, 1065487, 1065486, 1065485, 1065489 and 1065488. Ergonomic front-control handle which offers infinitely adjustal flow and locks for extended use Resists damage due to frost and stays warmer than metal handles in cold temperatures Universal fit – fits with other brands
Nozzle/wai	nd handle, Th	umb contro	l		Art. no. 1065491
Height: 23,0 cm	Length: 7,0 cm	Width: 4,0 cm	Weight: 0,10 kg	Retail box: 6	Art. no. 1065491 Old art. no. - 6 4 1 1 5 0 1 5 1 2 4 7 5
New			Soft Grip™	Universal fit. Fits with other brands.	 Fits with Fiskars nozzle items 1067193, 1067194, 1067195, 1059236, 1059237, 1059238, 1065484, 1065483, 1065482, 1065487, 1065486, 1065485, 1065489 and 1065488. Ergonomic thumb control handle with infinitely adjustable wa flow Resists damage due to frost and stays warmer than metal

Adjustable	gun, thumb c	ontrol + Mult	Art. no. 1065494	3		
Height: 21,3 cm	Length: 20,6 cm	Width: 7,3 cm	Weight: 0,27 kg	Retail box: 6	Old art. no	6 ⁶ 411501 ⁶ 512505
New				Universal fit. Fits with other brands.	Set includes: • 1 x 1065487 CF Adjusta • 1 x 1059238 FC/CF Mul	able nozzle spray gun, thumb control Iti nozzle/wand head

Spray Nozzle heads

	Head, multi				Art. no.		
Height: 13,6 cm	Length: 7,2 cm	Width: 11 cm	Weight: 0,13 kg	Retail box: 6	Old art. no.	-	6"411501" 512017
				Soft	pattern. • Fits with 1065482,	Fiskars nozzl 1065487, 106	le head with mist, shower, flat, rinse o les and wands 1065484, 1065483, 35486, 1065485, 1065489, 1065488 67193 ,1067194, 1067195, 1067196.
Spray Gun	Head, 3-func	tional		Grip™	Art. no.	1059237	EAN
Height: 10,8 cm	Length: 7,8 cm	Width: 7 cm	Weight: 0,08 kg	Retail box: 6	Old art. no.	-	6 4 1 1 5 0 1 5 1 2 0 0 0
					pattern. • Fits with 1065482,	Fiskars nozzl 1065487, 106	nozzle head with jet, shower or mist les and wands 1065484, 1065483, 35486, 1065485, 1065489, 1065488 67193,1067194, 1067195, 1067196.
9				Soft Grip [™]		1000-01, 100	, 199, 100, 19 4 , 100, 199, 100, 199.
Spray Gun	Head, adjust	able nozzle			Art. no.	1059236	
Spray Gun Height: 10,6 cm	Head, adjust	able nozzle	Weight: 0,06 kg			1059236	6 4 1 1 5 0 1 5 1 1 9 7
			Weight: 0,06 kg	Grip™	Art. no. Old art. no. • Adjustat pattern. • Fits with 1065482,	1059236 - De SoftGrip™ Fiskars nozzl 1065487, 106	
	Length: 5,1 cm		Weight: 0,06 kg	Grip™ Retailbox: 8	Art. no. Old art. no. • Adjustat pattern. • Fits with 1065482,	1059236 - De SoftGrip™ Fiskars nozzl 1065487, 106	¹ nozzle head with jet or rinse spray les and wands 1065484, 1065483, 55486, 1065485, 1065489, 1065486 67193,1067194, 1067195, 1067196.
Height: 10,6 cm	Length: 5,1 cm		Weight: 0,06 kg	Grip™ Retailbox: 8	Art. no. Old art. no. • Adjustał pattern. • Fits with 1065482, 1065490,	1059236 - De SoftGrip™ Fiskars nozzl 1065487, 106 1065491, 106	4 1 1 5 0 1 5 1 1 9 9 7 hozzle head with jet or rinse spray sand wands 1065484, 1065483, 5486, 1065485, 1065489, 1065483

Soft Grip™

Solid[™] Spray Nozzles

Solid [™] Spr	ay Gun, 4-fun	ctional			Art. no. 1020446
Height: 24,1 cm	Length: 22,2 cm	Width: 7,6 cm	Weight: 0,19 kg	Retail box: 4	Old art. no. - 6 4 1 1 5 0 1 5 1 0 1 0 5
1	0			Universal fit. Fits with other brands.	 Ergonomic design with comfortable SoftGrip™handle. Rotate the nozzle head to choose shower, flat, rinse or jet pattern. Thumb on/off flow control is ergonomic and infinitely adjustable Universal fit – Fits with other brands.
Solid™ Spr	ay Gun, multi				Art. no. 1023665
Height: 24,0 cm	Length: 22,0 cm	Width: 5,5 cm	Weight: 0,21 kg	Retail box: 4	Old art. no. - 6 4 11 5 0 1 5 10 37 2
1	0			Universal fit. Fits with other brands.	 Ergonomic design with comfortable SoftGrip[™] handle. Rotate the nozzle head to adjust spray pattern from jet to mist. Thumb on/off flow control is ergonomic and infinitely adjustable Universal fit – Fits with other brands.
Solid [™] Spr	ay Gun				Art. no. 1020445
Height: 24,1 cm	Length: 22,2 cm	Width: 4,4 cm	Weight: 0,14 kg	Retail box: 4	Old art. no. - 6 4 11501 5 10099
M	0	·		$\begin{array}{c} & & & \\ & & & & \\ & & & \\ & & & & \\ & & & \\ & & & & \\ & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\$	 Ergonomic design with comfortable SoftGrip[™] handle. Rotate the nozzle head to adjust spray pattern - jet, mist. Thumb on/off flow control is ergonomic and infinitely adjustable Universal fit – Fits with other brands.
Solid [™] Hos	se Nozzle - Ba	sic Set			Art. no. 1027090
Height: 22,0 cm	Length: 9,8 cm	Width: 4,3 cm	Weight: 0,15 kg	Retail box: 4	Art. no. IO27090 <
			-		Set includes: • 1 x 1027057 Tap Connector - G1/2" • 1 x 1027076 Solid Quick Hose Connector 13-15 mm (1/2-5/8"), FLOW



Universal fit. Fits with other brands

Ø G1/2" (21mm)

Ø

FLOW
 1 x 1027083 Solid Quick Hose Connector 13-15 mm (1/2-5/8"), STOP

• 1 x 1027088 CF Hose Nozzle

Connectors

All you need from tap to plant

Тар connectors

Hose conne (Tap end)

Hoses

Extension connectors


Hose repairers

Hose conne (Hose end)

Universal fit

Already own watering products from other brands? No problem. Our watering products are designed to fit with other brands.





tors









Connectors

FiberComp	^{,™} Quick Hos	e Connector	; 19 mm (3/4")	STOP	Art. no. 1054790	z
Height: 11,6 cm	Length: 6,8 cm	Width: 4,6 cm	Weight: 0,04 kg	Retail box: 8	Old art. no	6"411501" 511768"
C			Stop VEARS VEARS	Universal fit. Fits with other brands.	nozzles, wands, sprinklers a ● Lightweight FiberComp [™] durable material. ● Frost resistant for all-weat	construction, featuring 2x more her durability. cold weather, compared to metal unecting to Fiskars hoses.
FiberComp	[™] Quick Hos	e Connector	r, 19 mm (3/4")	FLOW	Art. no. 1054787	EAN
Height: 11,6 cm	Length: 6,8 cm	Width: 4,6 cm	Weight: 0,04 kg	Retail box: 8	Old art. no	6 ⁶ 4 1 1 5 0 1 ⁶ 5 1 1 7 4 4 ⁶
Ce			9mm (3/4") VEARS	Universal fit. Fits with other brands.	durable material. • Frost resistant for all-weat	cold weather, compared to metal necting to Fiskars hoses.
FiberComp	Mose Rep	airer, 19 mm	(3/4")		Art. no. 1054785	EAN


FiberComp	M Hose Reparation	Art. no. 1054785	z			
Height: 11,6 cm	Length: 6,8 cm	Width: 4,5 cm	Weight: 0,03 kg	Retail box: 8	Old art. no	в 6°411501

Ø

Ø

YEARS

Universal fit. Fits with other brands.



• Frost resistant for all-weather durability. • Comfortable grip, even in cold weather, compared to metal watering parts.

• Internal stop mechanism stops water flow for exchange of water

 Colour coded for easy connecting to Fiskars hoses. • Universal fit - Fits with other brands.









 Colour coded for easy connecting to Fiskars hoses. • Universal fit - Fits with other brands.

nozzles, wands, sprinklers and other hose ends.

The Comp Gui	ck Hose Connector	r, 13-15 mm (1/	2-5/8") FLOW	Art. no.	1054786	z	
Height: 11,6 cm Length:	6,8 cm Width: 3,9 cm	Weight: 0,03 kg	Retail box: 8	Old art. no.	-	ŭ (6 ¹ 4 1 1 5 0 1



 Lightweight FiberComp[™] construction, featuring 2x more durable material. • Frost resistant for all-weather durability.

511737

- Comfortable grip, even in cold weather, compared to metal watering parts.
- Colour coded for easy connecting to Fiskars hoses.
- Universal fit Fits with other brands.

Height: 11,6 cm	Length: 6,8 cm	Width: 3,6 cm	Weight: 0,02 kg	Retail box: 10	Old art. no.	-	6"411501"511713
			(1/2-5/8") 13-15mm (1/2-5/8") 1/2-5/8") 1/2-5/8")	Universal fit. Fits with other brands.	durable m • Frost res • Comfort watering p • Colour c	aterial. sistant for all-weather o able grip, even in cold	weather, compared to metal







Quick Hose Connector, 13-15 mm (1/2-5/8") STOP



	Art. no. 1027081	EAN
ail box: 8	Old art. no	6 4 1 1 5 0 1 5 1 1 0 6 5
) p (3/4")	nozzles, wands, sprinklers • SoftGrip™ touchpoints e • Comfortable grip, even in	stops water flow for exchange of water s and other hose ends. ensure secure handling, even when wet. n cold weather, compared to metal
Universal fit. Fits with other brands.	 watering parts. Colour coded for easy co Universal fit – Fits with ot 	onnecting to Fiskars hoses. her brands.

	Art. no. 1027074	EAN						
tail box: 8	Old art. no	6 ¹⁴ 4 1 1 5 0 1 ¹¹ 5 1 0 9 9 0						
Ø 19mm (3/4")	other hose ends. ● SoftGrip™ touchpoints	ering nozzles, wands, sprinklers and ensure secure handling, even when wet. in cold weather, compared to metal						
Universal fit. Fits with other brands.	 Comfortable grip, even in cold weather, compared to metal watering parts. Colour coded for easy connecting to Fiskars hoses. Universal fit – Fits with other brands. 							

	Art. no.	1027066	EAN	
ail box: 8	Old art. no.	-	Ē	6 ¹ 4 1 1 5 0 1 ¹ 5 1 0 9 1 4
Ø 19mm (3/4")	Comforta watering p Colour c	able grip, even in co arts. oded for easy conr	old nect	secure handling, even when wet weather compared to metal ting to Fiskars hoses.
Universal fit. Fits with other brands.	 Universa 	I fit – Fits with othe	r bra	ands.

	Art. no. 1027079	EAN
ail box: 8	Old art. no	6 ⁶ 4 1 1 5 0 1 ⁶ 5 1 1 0 4 1 ⁶
p	nozzles, wands, sprinkle ● SoftGrip™ touchpoints	m stops water flow for exchange of water rrs and other hose ends. s ensure secure handling, even when wet. n in cold weather, compared to metal
Universal fit. Fits with other brands.	watering parts. • Colour coded for easy of • Universal fit – Fits with of	connecting to Fiskars hoses. other brands.

Quick Hose Connector, 13-15 mm (1/2-5/8") FLOW					Art. no. 1027072	z
Height: 11,6 cm	Length: 6,8 cm	Width: 3,9 cm	Weight: 0,03 kg	Retail box: 8	Old art. no	6 4 1 1 5 0 1 5 1 0 9 7 6
	-		reddot award 2019 winner	13-15mm (1/2-5/8") Universal fit. Fits with other brands.	other hose ends. • SoftGrip™ touchpoir • Comfortable grip, ev watering parts.	vatering nozzles, wands, sprinklers and nts ensure secure handling, even when we en in cold weather, compared to metal sy connecting to Fiskars hoses. th other brands.

Hose Repairer, 13-15 mm (1/2-5/8")				Art. no. 1027064	z	
Height: 11,6 cm	Length: 6,8 cm	Width: 3,6 cm	Weight: 0,02 kg	Retail box: 10	Old art. no	6 4 1 1 5 0 1 5 1 0 8 9 1
			reddot award 2019 winner	Ø 13–15mm (1/2–5/8")	 Comfortable grip, even watering parts. 	s ensure secure handling, even when wet. n in cold weather compared to metal

Universal fit. Fits with other brands

Ø

9mm (3/8")

Ø

9mm (3/8")

Ø

9mm (3/8")

Universal fit. Fits with other brands

Universal fit.

Fits with other brands

Quick Hose Connector, 9 mm (3/8") STOP Art. no. 1027078 Height: 11,6 cm Length: 6,8 cm Width: 3,9 cm Weight: 0,03 kg Retail box: 8 Old art. no. -

X

Stop

Universal fit. Fits with other brands

Ŷ

Ð

Ð

reddot award 2019 winner

reddot award 2019

reddot award 2019 winner

 Internal stop mechanism stops water flow for exchange of water nozzles, wands, sprinklers and other hose ends.

• SoftGrip[™] touchpoints ensure secure handling, even when wet. Comfortable grip, even in cold weather, compared to metal watering parts.

 Colour coded for easy connecting to Fiskars hoses. • Universal fit - Fits with other brands.

Colour coded for easy connecting to Fiskars hoses.


• Universal fit - Fits with other brands.


Quick Hose Connector, 9 mm (3/8") FLOW					Art. no.	1027071	z	
Height: 11,6 cm	Length: 6,8 cm	Width: 3,9 cm	Weight: 0,03 kg	Retail box: 8	Old art. no.	-	Ш	6 ¹¹ 4 1 1 5 0 1 ¹¹ 5 1 0 9 6 9 ¹¹

 Quick exchange of watering nozzles, wands, sprinklers and other hose ends.

 SoftGrip[™] touchpoints ensure secure handling, even when wet. Comfortable grip, even in cold weather compared to metal watering parts.

 Colour coded for easy connecting to Fiskars hoses. • Universal fit - Fits with other brands.






 Colour coded for easy connecting to Fiskars hoses. • Universal fit - Fits with other brands.









FiberComp[™] Tap Connector G1[™] (33.3 mm)





	Art. no.	1027087	
tail box: 8	Old art. no.		6 4 1 1 5 0 1 5 1 1 1 2 6
19mm (3/4") Universal fit. Fits with other brands.	wands, spri ● SoftGrip™ ● Comfortal watering pa ● Colour co	nklers and other h fouchpoints ensuble grip, even in cc irts.	ure secure handling, even when wet. Id weather, compared to metal ecting to Fiskars hoses.
tail box: 8	Art. no. 1 Old art. no	1027086	₿ 6 ¹¹ 411501 ¹¹ 5111119
Universal fit. Fits with other brands.	wands, spri ● SoftGrip™ ● Comfortal watering pa ● Colour co	nklers and other h 4 touchpoints ensuble grip, even in co arts.	ure secure handling, even when wet. Id weather, compared to metal ecting to Fiskars hoses.

	Art. no. 1027085	EA						
tail box: 8	Old art. no	6 ¹¹ 411501 ¹¹ 511102 ¹¹						
Ø 9mm (3/8")	 On/off valve cuts water flow for exchange of water nozzles, wands, sprinklers and other hose ends. SoftGrip™ touchpoints ensure secure handling, even when wet. 							
Universal fit. Fits with other brands.	watering parts.	in cold weather, compared to metal connecting to Fiskars hoses. ther brands.						

	Art. no. 1027056	8 6 4 1 1 5 0 1 5 1 0 8 1 5
ail box: 8	Old art. no	6 4 1 1 5 0 1 5 1 0 8 1 5
	- · · ·	

 Tap connector provides water-tight seal from water source to hose.

 FiberComp[™] is 2x more durable than standard plastic connectors.

Includes three thread sizes to fit most common faucets, Ø 21

mm (G 1/2"), Ø 265 mm (G 3/4") and Ø 333 mm (G 1").

Easy-to-handle, ergonomic design.
Universal fit – Fits with other brands.

	Art. no. 1027055	EAN
ail box: 8	Old art. no	6 ¹¹ 411501 510808
	- T	

 Tap connector provides water-tight seal from water source to hose

• FiberComp™ is 2x more durable than standard plastic connectors.

- Fits Ø 333 mm (G 1") faucets.
- · Easy-to-handle, ergonomic design.
- Universal fit Fits with other brands.

	FiberComp™ Tap Connector G3/4" (26.5 mm)					z
Height: 11,6 cm	Length: 6,8 cm	Width: 3,5 cm	Weight: 0,01 kg	Retail box: 10	Old art. no	6 ¹⁴ 11501 ¹⁵ 10792 ¹
			kdot award 2019 3/4" WMARKYTY YEARS	Universal fit. Fits with other brands.	hose.	design.
FiberComp	o™ Tap Conn	ector G1/2" (;	21 mm)		Art. no. 1027053	EAN
Height: 11,6 cm	Length: 6,8 cm	Width: 3,0 cm	Weight: 0,01 kg	Retail box: 12	Old art. no	6"411501"510785"
Height: 11,6 cm	Length: 6,8 cm	rec	Weight: 0,01 kg	Hetail box: 12	Tap connector provides wa hose.	design.

Tap Connector, multi					Art. no. 1027051	Z
Height: 11,6 cm	Length: 6,8 cm	Width: 4,2 cm	Weight: 0,02 kg	Retail box: 8	Old art. no	6 4 1 1 5 0 1 5 1 0 7 6 1
ø				Universal fit. Fits with other brands.	 Includes three thread 	

Twin tap Connector, multi					Art. no.	1027061	z	
Height: 15,8 cm	Length: 11,8 cm	Width: 4,5 cm	Weight: 0,09 kg	Retail box: 8	Old art. no.	-	6"411501" 510860	l



• Tap conne	ector provides secure seal from two hoses to water
source.	
 Individual 	flow control valves allow you turn water pressure on

Individual flow control valves allow you can made prove or off independently.
Includes three thread sizes to fit most common faucets, Ø 21 mm (G 1/2"), Ø 265 mm (G 3/4") and Ø 333 mm (G 1").
Easy-to-twist design.
Universal fit – Fits with other brands.

Tap Connector, indoor M22x1/M24x1					Art. no. 1027062	z	
Height: 13,6 cm	Length: 6,8 cm	Width: 4,0 cm	Weight: 0,05 kg	Retail box: 8	Old art. no	Ē	6"411501"510877"





• Durable locking system provides a secure connection from hose to indoor faucet. Quick release allows you disconnect the hose by pressing two buttons.

- Includes M22 female and M24 male thread metal adaptors.
 Easy to install.
- Universal fit. Fits with other brands. • Universal fit – Fits with other brands.

Tap Connector, male thread G1/2" (21 mm)						1027060	EAN
Height: 11,6 cm	Length: 6,8 cm	Width: 2,1 cm	Weight: 0,01 kg	Retail box: 10	Old art. no.	-	6 4 1 1 5 0 1 5 1 0 8 5 3
				G1/2" (21mm) Universal fit. Fits with other brands.	female thre • Suited fo		
Extension	Connector				Art. no.	1027068	z
Extension Height: 11,6 cm	Connector	Width: 3,2 cm	Weight: 0,02 kg	Retail box: 10	Art. no. Old art. no.		B ⁶ 411501 510938





3-way Connector					Art. no. 1027070	z
Height: 11,6 cm	Length: 6,8 cm	Width: 2,0 cm	Weight: 0,02 kg	Retail box: 12	Old art. no	6 4 1 1 5 0 1 5 1 0 9 5 2
	1			Universal fit. Fits with other brands.		supply to 2 separate hoses. nd sizes of Quick Hose Connectors. I other brands.

194

Connectors in shelf ready boxes

Height: 6,8 cm	Length: 4,6 cm	Width: 4,6 cm	Weight: 0,04 kg	Retail box: 30	Old art. no
		30	reddot award 2019 winner	(3/4")	 Comes in loose box of 1027081 Quick hose connector, 19mm (3/4") STOP 30 pc without product card, but with EAN sticker. Universal fit – Fits with other brands. Please note! The black retail box must be ordered separately, shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386.
Quick Hos	e Connector,	19 mm (3/4")	LB (min 30)		Art. no. 1027075
Height: 6,8 cm	Length: 4,6 cm	Width: 4,6 cm	Weight: 0,04 kg	Retail box: 30	Old art. no 6" 4 11 5 0 1" 5 1 1 0 0 3"
]		(30	reddot award 2019 winner	Universal fit. Fits with other brands.	 Comes in loose box of 1027074 Quick hose connector, 19mm (3/4") FLOW 30 pc without product card, but with EAN sticker. Universal fit – Fits with other brands. Please note! The black retail box must be ordered separately, shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386.
Hose Repa	airer, 19 mm (3	8/4") LB (min	30)		Art. no. 1027067
Height: 5,9 cm	Length: 4,5 cm	Width: 4,5 cm	Weight: 0,03 kg	Retail box: 30	Old art. no 6 4 1 1 5 0 1 5 1 0 9 2 1
		30	reddot award 2019 winner	Universal fit. Fits with other brands.	 Comes in loose box of 1027066 Hose repairer, 19mm (3/4") 30 pc without product card, but with EAN sticker. Universal fit – Fits with other brands. Please note! The black retail box must be ordered separately, shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386.
Quick Hos	e Connector,	13-15 mm (1/	2-5/8") LB (mi	in 30)	Art. no. 1027073
Height: 6,4 cm	Length: 3,9 cm	Width: 3,9 cm	Weight: 0,03 kg	Retail box: 30	Art no. Image: Constraint of the second
		30	reddot award 2019 winner	13-15mm (1/2-5/8*) Universal fit. Fits with other brands.	 Comes in loose box of 1027072 Quick hose connector, 13- 15mm (1/2-5/8") FLOW 30 pc without product card, but with EAN sticker. Universal fit – Fits with other brands. Please note! The black retail box must be ordered separately, shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386.
Quick Hos	e Connector,	13-15 mm (1/	2-5/8") STOP	LB (min 30)	Art. no. 1027080
Height: 6,4 cm	Length: 4,6 cm	Width: 3,9 cm	Weight: 0,03 kg	Retail box: 30	Old art. no
-		(30	reddot award 2019 winner	Ø 13-15mm (1/2-5/8")	 Comes in loose box of 1027079 Quick hose connector, 13- 15mm (1/2-5/8") STOP 30 pc without product card, but with EAN sticker. Universal fit – Fits with other brands. Please note! The black retail box must be ordered separately,

Hose Repairer, 13-15 mm (1/2-5/8") LB (min 30) Weight: 0,02 kg Reta Height: 5,3 cm Length: 3,6 cm Width: 3,6 cm Ð **(30** reddot award 2019 winner

Quick Hose Connector, 19 mm (3/4") STOP LB (min 30)





Quick Hose Connector, 19 mm (3/4") LB (min 30)





Quick Hose Connector, 13-15 mm (1/2-5/8") STOP LB (

Height: 6,4 cm Length: 3,9 cm Width: 3,9 cm Weight: 0,03 kg	Retai
---	-------





Quick Hose Connector, 13-15 mm (1/2-5/8") LB (min 30

Height: 6,4 cm	Length: 3,9 cm	Width: 3,9 cm	Weight: 0,03 kg	Retai
----------------	----------------	---------------	-----------------	-------





	Art. no. 1027065	
Retail box: 30	Old art. no	6" 4 1 1 5 0 1" 5 1 0 9 0 7"
Universal fit. Fits with other brands.	• Comes in loose box of 1027064 5/8") 30 pc without product card • Universal fit – Fits with other bra Please note! The black retail box shipped as a set of 4 pcs (flatpac EAN code: 6411501511386.	, but with EAN sticker. ands. must be ordered separately,
n 30)	Art. no. 1027084	
Retail box: 30	Old art. no	6"411501"511096
Universal fit. Fits with other brands.	 Internal stop mechanism stops nozzles, wands, sprinklers and o For hoses with Ø 19 mm (3/4"). Comes in loose box of 30 pc wi EAN sticker. Universal fit – Fits with other bra Please note! The black retail box shipped as a set of 4 pcs (flatpac EAN code: 6411501511386. 	thout product card, but with ands. must be ordered separately,
	Art. no. 1027077	
Retail box: 30	Old art. no	6" 4 1 1 5 0 1" 5 1 1 0 2 7"
(3/4") Universal fit. Fits with other brands.	 Quick exchange of watering no other hose ends. For hoses with Ø 19 mm (3/4"). Comes in loose box of 30 pc wi EAN sticker. Universal fit – Fits with other bra Please note! The black retail box shipped as a set of 4 pcs (flatpac EAN code: 6411501511386. 	thout product card, but with ands. must be ordered separately,
LB (min 30)	Art. no. 1027083	
Retail box: 30	Old art. no	6 ¹¹ 4 1 1 5 0 1 ¹¹ 5 1 1 0 8 9 ¹¹
(12-15mm (1/2-5/8") Universal fit. Fits with other brands.	 Internal stop mechanism stops nozzles, wands, sprinklers and o For hoses with Ø 13-15 mm (1/2 Comes in loose box of 30 pc wi EAN sticker. Universal fit – Fits with other bra Please notel The black retail box shipped as a set of 4 pcs (flatpac EAN code: 6411501511386. 	2-5/8"). thout product card, but with ands. must be ordered separately,
in 30)	Art. no. 1027076 z	
Retail box: 30	Old art. no	6 ¹ 4 1 1 5 0 1 ¹ 5 1 1 0 10 ¹
Universal fit. Fits with other brands.	 Quick exchange of watering no other hose ends. For hoses with Ø 13-15 mm (1/2 Comes in loose box of 30 pc wi EAN sticker. Universal fit – Fits with other bra Please note! The black retail box shipped as a set of 4 pcs (flatpac EAN code: 6411501511386. 	2-5/8"). thout product card, but with ands. must be ordered separately,

Tap Conne	ctor, multi LB	8 (min 30)			Art. no. 1027052	z
Height: 4,5 cm	Length: 4,2 cm	Width: 4,2 cm	Weight: 0,03 kg	Retail box: 30	Old art. no	6"411501" 510778
Ţ		30		Universal fit. Fits with before brands.	 without product card, but with Universal fit – Fits with othe Please note! The black retail 	
Tap Conne	ctor G1" (33.3	B mm) LB (mi	n 30)		Art. no. 1027059	EAN
Height: 4,0 cm	Length: 4,2 cm	Width: 4,2 cm	Weight: 0,01 kg	Retail box: 30	Old art. no	6 4 1 1 5 0 1 5 1 0 8 4 6
T		30		Universal fit. Fits with other brands.	hose. • Fits Ø 333 mm (G 1") fauce • Easy-to-twist design. • Comes in loose box of 30 p EAN sticker. • Universal fit – Fits with othe Please note! The black retail	c without product card, but wit
Tap Conne	ctor G3/4" (20	6.5 mm) LB (r	nin 30)		Art. no. 1027058	EAN
Height: 4,0 cm	Length: 3,5 cm	Width: 3,5 cm	Weight: 0,01 kg	Retail box: 30	Old art. no	6 4 1 1 5 0 1 5 1 0 8 3 9
T		30		Universal fit. Fits with other brands.	hose. • Fits Ø 265 mm (G 3/4") fauc • Easy-to-twist design. • Comes in loose box of 30 p EAN sticker. • Universal fit – Fits with othe Please note! The black retail	c without product card, but wit
Tap Conne	ctor G1/2" (21	l mm) LB (mi	n 30)		Art. no. 1027057	AN
Height: 4,0 cm	Length: 3,0 cm	Width: 3,0 cm	Weight: 0,01 kg	Retail box: 30	Old art. no	6 411501 510822
Y	a martina A martina A martina	(30		Universal fit. Fits with other brands.	hose. • Fits Ø 21 mm (G 1/2") fauce • Easy-to-twist design. • Comes in loose box of 30 p EAN sticker. • Universal fit – Fits with othe Please note! The black retail	c without product card, but wit
Extension	Connector LI	3 (min 30)			Art. no. 1027069	EAN
Height: 5,2 cm	Length: 3,2 cm	Width: 3,2 cm	Weight: 0,02 kg	Retail box: 30	Old art. no	6 4 1 1 5 0 1 5 1 0 9 4 3
not a	-	30		Universal fit. Fits with other brands.	 without product card, but with Universal fit – Fits with othe Please note! The black retail 	

FiberComp[™]



Accessories

Complement your watering set with our easy-to-use accessories for added convenience in storing and spraying.


Timer, dual	outlet		Art. no. 1054792		
Height: 22,2 cm	Length: 8,3 cm	Width: 15,0 cm	Weight: 0,58 kg	Retail box: 4	Oldart. no
þ		·		G1/2, 3/4 & 1" Universal fit. Fits with other brands.	 Program the timer to run two hoses independently or simultaneously. Watering duration from 1 - 360 minutes. Rain delay up to 7 days. Easy-to-program watering start and stop times, frequency an duration. Tap connector includes three threads to fit most common faucet sizes. Operates with 2xAA batteries (not included), stops watering ir case of low battery - low-battery safeguard.
Timer, sing	le outlet				Art. no. 1054791
Height: 20,0 cm	Length: 8,3 cm	Width: 15,0 cm	Weight: 0,38 kg	Retail box: 4	Old art. no
đ				Universal fit. Fits with other brands.	 Easy-to-program watering start and stop times, frequency an duration. Watering duration from 1 - 360 minutes. Rain delay up to 7 days. Multi tap connector includes three threads to fit most common faucet sizes. Stops watering in case of low battery - low-battery safeguard. Operates with 2xAA batteries (not included). Universal fit – Fits with other brands.
Pressure S	prayer, 5 L				Art. no. 1025934
Height: 49,5 cm	Length: 18,5 cm	Width: 18,5 cm	Weight: 1,30 kg	Retail box: 4	Old art. no
					 Light pressure sprayer is ideal for water-based plant treatment and gentle watering of new seedlings. Adjustable spray pattern from jet to soft mist. Shoulder strap for convenient carrying. 5 L net capacity (58 L maximum capacity). Not suited for spray solvents, aggressive chemicals, petroleur by-products or food products.

Pressure Sp	orayer, 1.8 L				Art. no.	1027379	z	
Height: 31,0 cm	Length: 12,5 cm	Width: 22,0 cm	Weight: 0,30 kg	Retail box: 9	Old art. no.	-	Ъ	6 4 1 1 5 0 1 5 1 1 3 7 9

• Light pressure sprayer is ideal for water-based plant treatments and gentle watering of new seedlings. Adjustable spray pattern from jet to soft mist.

• Easy-to-use features include thumb control with lock, safety

valve for pressure stability, and graduated scale on container.



• Not suited for spray solvents, aggressive chemicals, petroleum by-products or food products.

Height: 27,5 cm Length: 13,0 cm Width: 19,5 cm Weight: 1,45 kg Retail box: 4	Old art. no	6 ¹ 411501 ¹ 511201



Wallmount	for Waterwhe	el S			Art. no.	1020448	EAN	
Height: 25,0 cm	Length: 9,5 cm	Width: 3,0 cm	Weight: 0,60 kg	Retail box: 4	Old art. no		EA	6 ¹¹ 4 1 1 5 0 1 ¹¹ 5 1 0 1 2 9



Wallmount	for Solid Wate	erwheel			Art. no. 1059235	EAN
Height: 53,4 cm	Length: 5,0 cm	Width: 7,3 cm	Weight: 0,34 kg	Retail box: 3	Old art. no	6 4 1 1 5 0 1 5 1 1 9 8 0
L	1				(1057237). • Durable construction	for Solid Waterwheel M (1057238) and L n. ing fasteners and easy-to-follow instruc-

Sprinkler Ac	dapter				Art. no.	1027089	z	
Height: 11,4 cm	Length: 3,8 cm	Width: 7,4 cm	Weight: 0,02 kg	Retail box: 6	Old art. no.	-	EAI	6 [°] 4 1 1 5 0 1 [°] 5 1 1 1 4 0 [°]





• Optional wall mount for the Waterwheel XL (1025932).

• Durable FiberComp™ body and metal construction.

• Includes wall-mounting fasteners and easy-to-follow instructions.

• Optional wall mount for the Waterwheel S (1020436).

Durable metal construction.

• Includes wall-mounting fasteners and easy-to-follow instructions.

• Replacement part for all Fiskars sprinklers.

• Universal fit – Fits with other brands.

O-rings for	sprinklers, 4	pcs			Art. no. 1024091	z	
Height: 11,4 cm	Length: 1,6 cm	Width: 7,4 cm	Weight: 0,01 kg	Retail box: 6	Old art. no	E	6 4 1 1 5 0 1 5 1 0 4 7 1



Includes 4 O-rings.Replacement part for all Fiskars sprinklers.

O-rings for	connectors,	4 pcs			Art. no.	1024093	z	
Height: 11,6 cm	Length: 1,6 cm	Width: 7,4 cm	Weight: 0,01 kg	Retail box: 6	Old art. no.	-	۵ e	5 ¹¹ 4 1 1 5 0 1 ¹¹ 5 1 0 4 9 5 ¹¹



Includes 4 O-rings.
Replacement part for all Fiskars sprinklers, nozzles, wands and extention connectors.

Filter for spr	rinklers, 2 pcs	S			Art. no.	1024092	z	
Height: 11,5 cm	Length: 1,6 cm	Width: 7,4 cm	Weight: 0,02 kg	Retail box: 6	Old art. no.		EA	6 4 1 1 5 0 1 5 1 0 4 8 8



Includes 2 filters.Replacement part for all Fiskars sprinklers.



Car & Camping Tools

SnowXper	t™ Car Shove	el			Art. no. 1019347
Height: 10,5 cm	Length: 63 cm	Width: 22 cm	Weight: 0,52 kg	Retail box: 6	Old art. no. 143072 6 4 1 5 7 2 4 3 7 2 4 3 7 2 4 3 0 7 2 4 1 5 1 1 5 7 2 4 1 1 1 3 0 7 2 4 1 <th1< th=""> <th1< th=""> <th1< th=""></th1<></th1<></th1<>
					 Stainless steel blade for increased durability. Durable composite structure. Lightweight and handy size.
SnowXper	t™ Brush & Io	ce Scraper			Art. no. 1019352
Height: 9,2 cm	Length: 67 cm	Width: 9,5 cm	Weight: 0,22 kg	Retail box: 6	Old art. no. 143062 6" 4 1 1 5 0 1" 4 3 0 6 2 5"
and the second second	1	-		reddot design award winner 2016	 2-sided non scratching elastic bristles. Double bladed scraper. Easy to store detachable structure.
Foldable S	pade				Art. no. 1000621
Height: 6,5 cm	Length: 24,5 cm	Width: 16,5 cm	Weight: 1,04 kg	Retail box: 4	Old art. no. 131320
	7			VPAS	 Easily foldable spade and hoe, ideal for camping, sports, etc. Canvas sheath for safe storage and protection. Hardened boron steel, aluminium and plastic spade. Unfolded the spade is 590 mm in length.
Snow Light	t Car Shovel				Art. no. 1000740
Height: 12 cm	Length: 71 cm	Width: 25 cm	Weight: 0,63 kg	Retail box: 3	Old art. no. 141020 7 3 17 7 9 4 3 10 00 4
		O		VPA George	 Aluminium shaft with ergonomic plastic coating. Ergonomically designed handle. Hardened aluminium blade.
Safety Can	nping & Car S	pade			Art. no. 1001574 z
Height: 13 cm	Length: 70 cm	Width: 20,4 cm	Weight: 0,48 kg	Retail box: 6	Old art. no. 131520
Height. ISCH					




e ocrape	Solid [™] Ic
Length: 2	Height: 5,8 cm

|--|



Safety Cam	Safety Camping & Car Spade						EAN	
Height: 13 cm	Length: 70 cm	Width: 20,4 cm	Weight: 0,48 kg	Retail box: 6	Old art. no.	131520	۵ e	411503 270007



Durable aluminium scoop for rigidity and high tensile strength.
Hexagonal shaft for extra grip.

	Art. no. 1019353	EA
ail box: 6	Old art. no. 143073	6 ¹⁴ 11501 ¹⁴³⁰⁷³¹
Geptifie Schemet	 Functional tool for removir Compact enough to fit ins Durable structure. 	

	Art. no.	1019354	z	6 4 1 1 5 0 1 4 3 0 6 3 2
Retail box: 8	Old art. no.	143063	ы Ш	6" 4 1 1 5 0 1" 4 3 0 6 3 2"

Functional tool for removing ice from the car windows.Sturdy and durable structure.


Snow Tools












X-series Snow Tools

Exceptional performance.

Our top-of-the-line range of snow tool products combines the best of our technologies and ergonomics with the ultimate in durability, offering a best-in-class option that truly improves the perception - and experience - of the activity itself.



- Compact size for easy storage.
- Lightweight tool with an aluminium shaft.
- Large handle, sized for use with winter gloves.
- Withstands up to -30°C.

X-series [™]	Snow Pusher	, Curved			Art. no.	1057186	z
Height: 11.5 cm	Length: 153 cm	Width: 53.2 cm	Weight: 1.565 kg	Retail box: 3	Old art. no.	-	6 4 1 1 5 0 1 4 1 0 3 5 1
				Reinforced blade Stainessteel core	 Reinford Curved Lightwe Large D winter glc Texture cold. 	ced blade edge lasts shaft helps the user ight tool with an alun -handle with non-slip wes.	keep the back straight.





X-series[™] Snow Pusher, Telescopic





	Art. no.	1057187	EAN	
tail box: 4	Old art. no.	-	Ш	6 4 1 1 5 0 1 4 1 0 3 6 8
unp to MORE	 Deep sc Reinforc Telescop storage. Lightwei 	ed blade edge last	juant :s 3x ole to umini	ities of snow fast & efficiently. longer. a compact size for easy um shaft.

• Withstands up to -30°C.

	Art. no. 1057188	
ail box: 3	Old art. no	6 4 1 1 5 0 1 4 1 0 3 7 5
up to More URABLE	 Reinforced blade edge las Adjustable telescopic han nomics. Lightweight tool with an al Large handle, sized for use 	dle guarantees optimal user ergo- uminium shaft.

	Art. no. 1057189	E 6 4 1 1 5 0 1 4 1 0 3 8 2
ail box: 3	Old art. no	6"411501"410382"



DL

• The reinforced blade with a stainless steel core makes the tool up to 3x more durable.

- Telescopic shaft with adjustment between 143-163 cm.
- Lightweight tool with an aluminium shaft.
- Non-slip grip on both handle and shaft.
- Resistant up to -30° C.

Other Snow Tools

SnowXpert	t™ Sledge		Art. no. 1003470			
Height: 27,5 cm	Length: 149 cm	Old art. no. 143021	6"411501"430212			
					and parking area. • Long, sturdy, tubular steel	or high stability and lightness.
SnowXper	t™ Shovel				Art. no. 1003468	EAN
Height: 131 cm	Length: 14 cm	Width: 35 cm	Weight: 1,40 kg	Retail box: 3	Old art. no. 1003468	6 4 1 1 5 0 1 4 1 0 0 1 6

SnowXpert ¹	SnowXpert [™] Shovel						z	6" 4 1 1 5 0 1" 4 1 0 0 1 6"
Height: 131 cm	Length: 14 cm	Width: 35 cm	Weight: 1,40 kg	Retail box: 3	Old art. no.	1003468	ш	6 4 1 1 5 0 1 4 1 0 0 1 6
					• Lightwei	ght aluminium sha	ft an	d a tactile grip orange plastic

coating. • Ergonomically designed handle offers a comfortable, solid grip for the thickest gloved hand.

• The reinforced polypropylene plastic scoop is light yet stiff for shifting both light and heavy snow in yards, around cars and more confined spaces.

SnowXpert	™ Snow Pusł	ner	Art. no.	1062828	₫ 6 ¹ 411501 ¹¹ 430014 ¹		
Height: 9 cm	Length: 155 cm	Width: 52 cm	Weight: 1,58 kg	Retail box: 3	Old art. no.	1003469	6 4 1 1 5 0 1 4 3 0 0 1 4



• Lightweight aluminium shaft with a tactile orange handle. • Ergonomic handle enables good grip even with thick gloves. • The lightweight and stiff scoop is made of reinforced plastic. • Ideal tool to remove large amounts of snow form yards, paths and alleys with minimal back fatigue.

Professional Snow Sledge						1001631	2
Height: 33 cm	Length: 149 cm	Width: 83 cm	Weight: 7,20 kg	Retail box: 6	Old art. no.	143040	6 ¹ 411503 ² 237956



210

• Tubular steel handle. Tough zinc-coated steel edge.Safety reflectors on handles. • Orange reflector for visibility in the dark.



The mark of




• Designed for breaking, chipping and clearing ice. Solid, painted blade made of hardened boron steel. Wooden shaft. • FSC[®] certified wood.



Snow Light Snow Pusher - Aluminium Height: 12,5 cm Length: 162,2 cm Width: 53,2 cm Weight: 1,60 kg Retail box: 4 VPΔ VPA George -----0

ail box: 4	Art. no. 1001637	6 ¹ 4 1 1 5 0 3 ¹¹ 2 3 5 2 8 0 ¹
FSC CHARGE	 Birchwood shaft. Polypropylene grip. High-quality aluminium blade. FSC[®] certified wood. 	





Aluminium shaft with plastic coating.
Ergonomically designed handle.
Hardened aluminium blade.

Accessories & Maintenance



Work Glove	es - SIZE 10				Art. no. 1003477	g 6 [°] 4 1 1 5 0 1 [°] 6 0 0 0 4 2 [°]
Height: 1,5 cm	Length: 25 cm	Width: 12 cm	Weight: 0,07 kg	Retail box: 10	Old art. no. 160004	6 4 1 1 5 0 1 6 0 0 0 4 2
MA	1				 Non-slip grip with axes Reinforced for rough n 	



Work Glove	s - SIZE 8		Art. no.	1003478	E 6 4 1 1 5 0 1 6 0 0 0 5 9		
Height: 1,5 cm	Length: 24 cm	Width: 11,5 cm	Weight: 0,06 kg	Retail box: 10	Old art. no.		6 4 1 5 6 6 6 6 6 6 6 6 7



Winte	r Glo	ves
AAUUC		1463

Winter Glov	es				Art. no.	1015447	EAN
Height: 2 cm	Length: 25 cm	Width: 12 cm	Weight: 0,08 kg	Retail box: -	Old art. no.	160007	6 4 1 1 5 0 1 6 0 0 0 7 3



Accessories Maintenance Spare Parts p.214 • Non-slip grip with axes and stick tools.

• Reinforced for rough manual work.

• Non-slip grip with axes and stick tools.

• Reinforced for rough manual work.

• Soft shell polyuretane resists moisture and ensures a good grip.

Maintenance & Spare Parts

Maintenan	ce Kit				Art. no. 1001640	z
Height: 3,3 cm	Length: 19,7 cm	Width: 10,5 cm	Weight: 0,15 kg	Retail box: 4	Old art. no. 110990	6 ¹ 4 1 1 5 0 1 ¹ 9 6 9 9 0 3 ¹
1	N				 Includes a maintenai 	nce on Fiskars garden tools. nce guidebook, diamond file and oil. using pictures and symbols for sharpen orage and more.
Spare Blac	le For Folding	Saw SW68			Art. no. 1067554	z
Height: 0,4 cm	Length: 23,4 cm	Width: 8cm	Weight: 0,06 kg	Retail box: 4	Old art. no	6"411501"201355"
New	and the second s				 SW-68 (1067552) For quick, clean cuts 	



Straight Re	eplacement B	lade (SC33)			Art. no. 1020195		EAN
Height: 0,3 cm	Length: 43,4 cm	Width: 7,1 cm	Weight: 0,08 kg	Retail box: 4	Old art. no.	123337	6"411501"233370
	noitanan		illine .		• SW-330 • SW-240 • Felling c	nent blade for use w) (article No 1020199) (article No 1020200 uts. teeth 4 mm.	9).

Spare Blade	e For Folding	Saw SW69			Art. no. 1067555	z	
Height: 0,4 cm	Length: 29,4 cm	Width: 8cm	Weight: 0,08 kg	Retail box: 4	Old art. no	E	6 4 1 1 5 0 1 2 0 1 3 6 2



 SW-69 (1067553)

• For quick, clean cuts on thick stems and branches.

• 7 TPI blade for fast cutting. Blade lenght: 20 cm

 7 TPI blade for fast cutting. Blade lenght: 15 cm

Handle Kit f	Handle Kit for Pruning Saw (SW240 & SW330)				Art. no.	1020202	2
Height: 2,2 cm	Length: 22 cm	Width: 11 cm	Weight: 0,16 kg	Retail box: 4	Old art. no.	123332	6 4 1 1 5 0 1 2 3 3 3 2 5



Handle kit for use with: • SW-330 (article No 1020199). • SW-240 (article No 1020200). Sturdy grip with SoftGrip[™]. Screw and nut.





Scabbard kit for use with: • SW-330 (article No 1020199).

- SW-240 (article No 1020200).
- Scabbard with left- and right-side mounting.

• Usable with WoodXpert[™] tool belt (Article No 1003626).

Straight Re	eplacement B	lade (SF33)			Art. no. 1020197	z	
Height: 0,3 cm	Length: 43,4 cm	Width: 7,1 cm	Weight: 0,09 kg	Retail box: 4	Old art. no. 123338	EAN	6 4 1 1 5 0 1 2 3 3 3 8 7
-					Replacement blade for u • SW-330 (article No 10	20199).	
		i	******		 SW-240 (article No 102) Fruit trees and trees w 		bark.

Curved Re	placement B	ade (CC24)			Art. no. 1020194	z	
Height: 0,3 cm	Length: 34 cm	Width: 5,3 cm	Weight: 0,06 kg	Retail box: 4	Old art. no. 123246	EAN	6" 4 1 1 5 0 1" 2 3 2 4 6 5"
- Inte					Replacement blade for u • SW-330 (article No 102 • SW-240 (article No 102 • General cutting	20199).	

Straight Re	eplacement E	Blade (SC24)			Art. no. 1020196	z
Height: 0,3 cm	Length: 34 cm	Width: 5,3 cm	Weight: 0,06 kg	Retail box: 4	Old art. no. 123247	6 ⁶ 4 1 1 5 0 1 ¹ 2 3 2 4 7 2 ¹
					Replacement blade for u • SW-330 (article No 102 • SW-240 (article No 102	20199).

	Art. no.	1020193	z	6 ¹ 4 1 1 5 0 1 ¹ 2 3 3 3 6 3
tail box: 4	Old art. no.	123336	Ξ	6 4 1 1 5 0 1 2 3 3 3 6 3
	Replacem	ent blade for use w	/ith·	

ade for use with • SW-330 (article No 1020199).

- SW-240 (article No 1020200).
- General cutting, fast pruning with fewer strokes.
- Pitch of teeth 4 mm.

- Pitch of teeth 2,5 mm.

- General cutting.Pitch of teeth 4 mm.

- Root cuts.
- Pitch of teeth 4 mm.

Straight Re	traight Replacement Blade (SF24)				Art. no. 1020198		
Height: 0,3 cm	Length: 34 cm	Width: 5,3 cm	Weight: 0,07 kg	Retail box: 4	Old art. no.	123248	E 6 411501 232489
		-			• SW-330 • SW-240 • Fruit tree	hent blade for u (article No 102 (article No 102 es and trees wi teeth 2,5 mm.	20199). 20200).
Spare Blac	le for Bow Sa	w (SW30)			Art. no.	1001706	
Height: 0,1 cm	Length: 63 cm	Width: 4 cm	Weight: 0,05 kg	Retail box: 5	Old art. no.	124807	0 046561 100674

Spare Blade for Bow Saw (SW31)						1001707	z	4 6 5 6 1 ¹¹ 1 0 0 6 8 1
Height: 0,1 cm	Length: 67,1 cm	Width: 4 cm	Weight: 0,05 kg	Retail box: 5	Old art. no.			4 6 5 6 1 1 0 0 6 8 1

Concerning the Concerning of the Print Pri

Replacement blade for use with: • 24" Bow Saw SW31 (article No 1000615).

Replacement blade for use with: • 21" Bow Saw SW30 (article No 1001621).

Blade, spring, screw (P961)						064258	3
Height: 27 cm	Length: 3,5 cm	Width: 17 cm	Weight: 0,07 kg	Retail box: 4	Old art. no		6 ⁶ 411501 ⁶ 704382 ⁶



Blade, spring, screw for use with: • X-series Pruner bypass L P961 (article No 1057175).

Blade, spring, screw (P941)						1064259	z	
Height: 27 cm	Length: 3,5 cm	Width: 17 cm	Weight: 0,06 kg	Retail box: 4	Old art. no.	-	Ē	6 4 1 1 5 0 1 7 0 4 3 9 9



Blade, spring, screw for use with: • X-series Pruner anvil L P941 (article No 1057174).

Blade, sprii	ng, screw (P9	921)	Art. no. 1064260	¥		
Height: 27 cm	Length: 3,5 cm	Width: 17 cm	Weight: 0,06 kg	Retail box: 4	Old art. no	6 4 1 1 5 0 1 7 0 4 4 0 5
9	1				Blade, spring, screw fr • X-series Pruner bypa	or use with: ass M P921 (article No 1057173).

Blade, Spr	ing, Screw (P	X92)			Art. no. 1026275	z
Height: 27 cm	Length: 3,5 cm	Width: 17 cm	Weight: 0,06 kg	Retail box: 4	Old art. no	6"424002"008491
P					Blade, spring, screw for use v • PGX Pruner bypass M PX92	
Blade, Spr	ing, Screw (P	X93)			Art. no. 1026276	EAN
Height: 27 cm	Length: 3,5 cm	Width: 17 cm	Weight: 0,06 kg	Retail box: 4	Old art. no	6 ¹ 424002 ¹ 008507 ¹
P		6			Blade, spring, screw for use v • PGX Pruner anvil L PX93 (ar	

Diaue, Spi	ing, Screw (P)	~34j	Art. no. 1026277	EAN		
Height: 27 cm	Length: 3,5 cm	Width: 17 cm	Weight: 0,07 kg	Retail box: 4	Old art. no	6 4 2 4 0 0 2 0 0 8 5 1 4
P	-0				Blade, spring, screw f • PGX Pruner bypass	or use with: L PX94 (article No 1023628).

Blade, Spring, Bolt, Screw (P90)					Art. no. 1026278	z	
Height: 27 cm	Length: 3,5 cm	Width: 17 cm	Weight: 0,10 kg	Retail box: 4	Old art. no	6 4 2 4 0 0 2 0 0 8 5 2 1	
6	7				Blade, spring, bolt, scre • Pro Pruner P90 (article		



	ing, Screw (P	100)			Art. no. 1026279	EAN
Height: 27 cm	Length: 2,5 cm	Width: 17 cm	Weight: 0,05 kg	Retail box: 4	Old art. no	6 424002 008538
	-0				Blade, spring, screw for use • Quantum Pruner bypass F	
Blade, Loc	k, Screw Kit,	M & L (PB8)			Art. no. 1026280	z
Height: 27 cm	Length: 2cm	Width: 17 cm	Weight: 0,12 kg	Retail box: 4	Old art. no	6"424002"008545
	OIE	0			Blade, lock, screw kit for us • Pro Tools Pruner PB8 M (a • Pro Tools Pruner PB8 L (ar	rticle No 1020204).
Blade Kit F	PTFE, M & L (F	PB8)			Art. no. 1026281	z
Height: 27 cm	Length: 1,2 cm	Width: 17 cm	Weight: 0,04 kg	Retail box: 4	Old art. no	6 4 2 4 0 0 2 0 0 8 5 5 2
Height: 27 cm	Length: 1,2 cm	Width: 17 cm	Weight: 0,04 kg	Retail box: 4	Old art. no Blade kit PTFE for use with: • Pro Tools Pruner PB8 M (a • Pro Tools Pruner PB8 L (ar	rticle No 1020204).
9		Width: 17 cm	Weight: 0,04 kg	Retail box: 4	Blade kit PTFE for use with: • Pro Tools Pruner PB8 M (a	6" 4 2 4 0 0 2" 0 0 8 5 5 2" rticle No 1020204). ticle No 1020203).
Height: 27 cm		Width: 17 cm Width: 17 cm	Weight: 0,04 kg	Retail box: 4	Blade kit PTFE for use with: • Pro Tools Pruner PB8 M (a • Pro Tools Pruner PB8 L (ar	rticle No 1020204).
Handle Kit	., M (PB8)				Blade kit PTFE for use with: • Pro Tools Pruner PB8 M (a • Pro Tools Pruner PB8 L (ar Art. no. 1026282	6" 4 2 4 0 0 2" 0 0 8 5 5 2" rticle No 1020204). ticle No 1020203).
Handle Kit Height: 27 cm	t, M (PB8) Length: 2,2 cm				Blade kit PTFE for use with: • Pro Tools Pruner PB8 M (a • Pro Tools Pruner PB8 L (ar Art. no. 1026282 Old art. no Handle kit for use with:	6" 4 2 4 0 0 2" 0 0 8 5 5 2" rticle No 1020204). ticle No 1020203). function of the state o
Handle Kit	t, M (PB8) Length: 2,2 cm				Blade kit PTFE for use with: • Pro Tools Pruner PB8 M (a • Pro Tools Pruner PB8 L (ar Art. no. 1026282 Old art. no Handle kit for use with: • Pro Tools Pruner PB8 M (a	6" 4 2 4 0 0 2" 0 0 8 5 5 2" rticle No 1020204). ticle No 1020203).

Blade, Scr	ews (L102, L72	2, L76)	Art. no. 1026284	z			
Height: 27 cm	Length: 2 cm	Width: 17 cm	Weight: 0,14 kg	Retail box: 4	Old art. no	6 4 2 4 0 0 2 0 0 8 5 8 3	
2					Blade, screws for use with: • Quantum Lopper bypass Scissor S L102 (article No 1001436). • PowerGear Lopper bypass Scissor S L72 (article No 1001555) • PowerGear Lopper bypass Scissor M L76 (article No 1001553)		
Blade, Scr	ews (L104, L10	98, LX94, LX9	Art. no. 1026285	z			
Height: 27 cm	Length: 2,6 cm	Width: 17 cm	Weight: 0,29 kg	Retail box: 4	Old art. no		



Blades Anvi	il, Screw (L10	9, LX99, L93,	Art. no. 1026286	Z 6 ¹ 424002 ¹ 008606 ¹		
Height: 27 cm	eight: 27 cm Length: 2,2 cm Width: 17 cm Weight: 0,25 kg Retail box: 4					6 4 2 4 0 0 2 0 0 8 6 0 6



Blade, Scre	w (L70, L74, L	.90, L92, LX92	Art. no. 1026288	2		
Height: 27 cm	Length: 2 cm	Width: 17 cm	Weight: 0,14 kg	Retail box: 4	Old art. no	6 4 2 4 0 0 2 0 0 8 6 2 0



Blades, Anv	il, Screw (L71)	Art. no. 1026290	EAN		
Height: 27 cm	Length: 2,5 cm	Width: 17 cm	Weight: 0,18 kg	Retail box: 4	Old art. no	6 ⁶ 4 2 4 0 0 2 ⁶ 0 0 8 6 4 4
					Blades, anvil, screw for use	with:





Blade, screws for use with:

• Quantum Lopper bypass M L104 (article No 1001438) and bypass L L108 (article No 1001435).

- bypass L 108 (article No 1001435).
 PGX Lopper bypass M LX94 (article No 1020187) and bypass L LX98 (article No 1020188).
 PowerGear Lopper bypass Hook L L78 (article No 1000584).
 PowerGear Steel Lopper bypass M L94 (article No 1001549) and bypass L L98 (article No 1001548).

Blades anvil, screw for use with:

• Quantum Lopper anvil L L109 (article No 1001437).

• PGX Lopper anvil L LX99 (article No 1020189).

• PowerGear Steel Lopper Anvil M L93 (article No 1001550).

• PowerGear Steel Lopper Anvil L L99 (article No 1001547).

Blade, screw for use with:

- PowerGear Lopper bypass Hook Head S L70 (article No 1002104).
- PowerGear Lopper bypass Hook M L74 (article No 1000582).
 PowerGear Steel Steel Lopper bypass XS L90 (article No
- 1001552).
- PowerGear Steel Lopper bypass S L92 (article No 1001551).
- PGX Lopper bypass S LX92 (article No 1020186).

• PowerGear Lopper anvil S L71 (article No 1001556).

Blades, An	vil, Screw (L7	7)			Art. no. 1026292	
Height: 27 cm	Length: 3,1 cm	Width: 17 cm	Weight: 0,37 kg	Retail box: 4	Old art. no	424002 008668
11					Blades, anvil, screw for use with: • PowerGear Lopper anvil L L77 (ar	ticle No 1000583).
Blade, Spri	ing, Chain Lin	k For Tree Pı	runers		Art. no. 1026293	
Height: 27 cm	Length: 2,2 cm	Width: 17 cm	Weight: 0,07 kg	Retail box: 4	Old art. no 6	424002 008675
					Blade, spring, chain link for use with ● PowerGear™ Tree pruners UP82 (article No 1001557) / UP86 (article ■ PowerCear™ X Tree pruners UPX	(article No 1001558) / UP8 No 1000598).
5					UPX86 (article No 1023624).	82 (article No 1023625) /
Spare Cutt	ting Head (UP	X82, UPX86)				82 (article No 1023625) /



Spare cutting head for use with:
 PGX Tree pruner UPX82 (article No 1023625).
• PGX Telescopic Tree pruner UPX86 (article No 1023624).'

Internal Rope & Roll Cord (UP86) Art. no. 1027526 Height: 2,6 cm Length: 27 cm Width: 17 cm Weight: 0,12 kg Retail box: 4 Old art. no. -411501 150356



For use with Universal Cutters Tree Pruner Bypass Telescopic UP86 (article No 1000598).

Internal Rope & Roll Cord (UP82)					Art. no.	1027525	z	
Height: 2,6 cm	Length: 27 cm	Width: 17 cm	Weight: 0,09 kg	Retail box: 4	Old art. no.	-	Ĕ	6 ¹ 4 1 1 5 0 1 ¹ 1 5 0 3 4 9 ¹



For use with Universal Cutters Tree Pruner Bypass UP82 (article No 1001558).

Handle and Rope Set (UPX86)					Art. no. 1026296	E 6 4 2 4 0 0 2 0 0 8 7 0 5
Height: 24 cm	Length: 8,2 cm	Width: 10 cm	Weight: 0,19 kg	Retail box: 4	Old art. no	6 424002 008705
	0				Handle and rope set for use • PGX Telescopic tree prune	with: r UPX86 (article No 1023624).



ndle and	Rope Set (UF	PX82)	

Handle and	PX82)	Art. no. 1026297	z	6 ⁶ 4 2 4 0 0 2 ⁸ 0 0 8 7 1 2 ⁸			
Height: 24 cm	Length: 8,2 cm	Width: 10 cm	Weight: 0,16 kg	Retail box: 4	Old art. no	EAI	6 ¹ 4 2 4 0 0 2 ¹ 0 0 8 7 1 2 ¹



QuikDrill™ Plus™Part, S					Art. no. 1000637		
Height: 2 cm	Length: 14,5 cm	Width: 10 cm	Weight: 0,14 kg	Retail box: 2	Old art. no.		S 905568 347176



QuikDrill™ Plus™Part, L					Art. no.	1000641	z	
Height: 2 cm	Length: 22 cm	Width: 15 cm	Weight: 0,55 kg	Retail box: 2	Old art. no.	134737	EA	5 9 0 5 5 6 8 3 4 7 3 7 4



Handle and rope set for use with: • PGX Tree pruner UPX82 (article No 1023625).

Spare blades for use with: ● QuikDrill™ Garden Drill S (article No 1000636). ● Working diameter 100 mm.

Spare blades for use with: • QuikDrill™ Garden Drill L (article No 1000640).

• Working diameter 200 mm.

seed to sprout

The right tool for each task

PRUNERS







Plus Pruners 1057170



UNIVERSAL CUTTERS

Universal cutters help you reach difficult spots.

LOPPERS

Loppers are particularly suited fo cutting thicker branches.



PowerGear[™] Lopper, S 1000581



PowerGear[™] X Lopper, M 1020187



PowerGear[™]X Lopper, L 1020188



Saws are particularly suited for

Xtract[™] Garden Saw, L


ood for cutting the anches and splitting



Splitting Axe (X25) 1015643



Gardening – general



Gardening - plant care maintenance



Maintenance: Wash with water & brush



Maintenance: Oiling connections



Sharpening direction & Fiskars sharpening tool

Maintenance:

Wipe with cloth

Spare parts







Oil

Plant Care



B 1 Bypass blades function





┛





coating

Ň PTFE PTFE coating

Coated blade, general

Serrated lower blade

 \square

XY cm XY cm Telescopic length

& Sawing \rightarrow direction



XY

m⊢

Blade

toothing

Yard Care



Power ... Clean™ PowerClean™ usage



Car & Snow Tools









Non-sticky scoop (sledge)









Anvil blades-Stunts growth





Anvil blades function

power tip



Non-Stick



FingerLoop

Ultrablade® coating

Blade

TruEdge™ blade

D

Hollow grind blade (branch saw)



max. reach



Χ0

πο

PowerReel mechanism

Universal

snip



Floating (camping &



Stainless

(car shovel)


steel

Telescopic/ extendable length






Lawn Care







QuikFit[™]





Construc-

••• U tion spade

Drop

shape shaft

(spades)





 $\mathbf{\tilde{)}}$

Double

hand usage



QuikDrill M,

usage 1

Flexible

prongs

(rakes)

Boron steel

(rounded

spades)

Wood Preparation



1





Balanced



Sharp steel blade (knives)

Splitting log

size (axes)



Belt clip (knives)

人 Dishwasher safe (knives)







Ø

Sappie XA22

Grafting

(knives)

Finger guard (bow saws)



Maintenance mmm saws: Oiling Funda Maintenance saws: Wipe mmm with cloth



Sliding ___) ←----+ blade (saws)





Safety warning (axes)









XY cm











Chopping axe for branches

Ceramic (axe & knife sharpener)

Product length

Finger guard (knives)

Universal usage

Log size (log splitter)

Finger guard (saws)

Push & pull blade (bow saw)

> Special rubber (sledge hammers)



x15

Felling axe

Push & pull

(axe & knife

sharpener)

Sharp

blade

(brush

hooks)





Reinforced (Wood Xpert)



This

OFF

Wood carving (knives)

Log thongs

usage (LT6)



Sappie XA2









Pull blade,



Drop forged (splitting wedge)



(saws)



Helicoidal (splitting wedge)

Safety alasses



Safety aloves



Safety instructions (wood prep)

Watering – general



Fits with

other brands.





ଶ -

Pressure tested

Can be cut

Ø

Hose

connection

diameter

19 mm



Garden

size recom-

S-N

Garden

size



Frost

义

Hoses





Twist resistancy level



UV resistant

Twist resistancy level



Can be cut

Twist

level 4

resistancy,



 $\star \star \star \star$ Twist resistancy, Twist resistancy level level 5

Sprinklers



Twist

level 3

resistancy,



Adjustable width




On/Off

On/Off

Adjustable

width



Watering

area M

Adjustable

area



Watering

area L





Waterwheels





rotation

Adjustable area





Watering area XL.

Spray Guns & Nozzles



Ergonomic Ergonomic grip pattern



3-function,

hard jet

Spray pattern, Adjustable,

hard to wide Spray Spray 67 pattern,



Spray pattern, Multi, bubble spray

15

Spray pattern, Multi, flat spray

mist







Spray \rightarrow \rightarrow pattern,

Connectors



Twin tap, hose On/Off

Pressure Sprayers & Timers









Watering frequency Water fl∩w

Front control flow

Spray pattern, 3-function, shower

Spray pattern, Multi, hard jet

3-function





Water flow, Solid



Thumb control flow

Spray


Multi,

mist

pattern,



Spray pattern, Multi, shower











Timing duration



capability







Auto Off function

Single outlet







Fiskars has championed the ageless principles of high quality, intuitive and sustainable design since 1649. We empower every enthusiast to follow their passions and create the life they want. We believe that making our daily activities enjoyable, inspiring and sustainable builds happiness and wellbeing that extends beyond our homes – to our families, our friends, our communities, and our planet.

COOKING | GARDENING | CRAFTING | SEWING | SCHOOL & OFFICE

